

Package ‘Stype.est’

June 23, 2026

Type Package

Title S-Type Estimators

Version 0.2.0

Date 2026-06-22

Description Implements the S-type estimators, novel robust estimators for general linear regression models, addressing challenges such as outlier contamination and leverage points. This package introduces robust regression techniques to provide a robust alternative to classical methods and includes diagnostic tools for assessing model fit and performance. The methodology is based on the study, ``Comparison of the Robust Methods in the General Linear Regression Model" by Sazak and Mutlu (2023). This package is designed for statisticians and applied researchers seeking advanced tools for robust regression analysis.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 4.0.0)

Imports datasets, stats

Suggests knitr, rmarkdown

URL <https://github.com/filizkrdg/S-type.est>

BugReports <https://github.com/filizkrdg/S-type.est/issues>

RoxygenNote 7.3.2

NeedsCompilation no

Author Hakan Savas Sazak [aut] (ORCID:
<<https://orcid.org/0000-0001-6123-1214>>),
Filiz Karadag [cre] (ORCID: <<https://orcid.org/0000-0002-0116-7772>>),
Olgun Aydin [aut] (ORCID: <<https://orcid.org/0000-0002-7090-0931>>)

Maintainer Filiz Karadag <filiz.karadag@ege.edu.tr>

Repository CRAN

Date/Publication 2026-06-23 05:10:59 UTC

Contents

regtype	2
regweighteds	2
Index	4

regtype	<i>Fit a regression model using the S-type estimators. (Fully Optimized Version)</i>
---------	--

Description

Fit a regression model using the S-type estimators. (Fully Optimized Version)

Usage

regtype(y, x)

Arguments

- y Dependent variables (Dataframe, matrix, vector).
- x Explanatory variables (Dataframe, matrix, vector).

Value

A list containing the model coefficients and diagnostics.

regweighteds	<i>Weighted regression analysis.</i>
--------------	--------------------------------------

Description

This function performs weighted regression analysis.

Usage

regweighteds(y, x, W)

Arguments

- y Dependent variables (Dataframe, vector)
- x Explanatory variables (Dataframe, matrix)
- W A numeric vector of weights.

Value

A list containing the regression model results.

Examples

```
library(datasets)
data(airquality)
str(airquality)
cleanairquality=na.omit(airquality)
Y1=cleanairquality$Ozone
X1=cleanairquality$Temp
X2=cleanairquality$Wind
X3=cleanairquality$Solar.R
x=data.frame("X1"=X1,"X2"=X2,"X3"=X3)
y=data.frame("Y"=Y1)
W=runif(111, min = 0, max = 1)
regweighteds(y,x,W)
```

Index

regstype, [2](#)
regweighteds, [2](#)