

Package ‘rrcov’

January 30, 2024

Version 1.7-5

VersionNote Released 1.7-4 on 2023-06-24 on CRAN

Title Scalable Robust Estimators with High Breakdown Point

Description Robust Location and Scatter Estimation and Robust

Multivariate Analysis with High Breakdown Point:

principal component analysis (Filzmoser and Todorov (2013), <[doi:10.1016/j.ins.2012.10.017](https://doi.org/10.1016/j.ins.2012.10.017)>),

linear and quadratic discriminant analysis (Todorov and Pires (2007)),

multivariate tests (Todorov and Filzmoser (2010) <[doi:10.1016/j.csda.2009.08.015](https://doi.org/10.1016/j.csda.2009.08.015)>),

outlier detection (Todorov et al. (2010) <[doi:10.1007/s11634-010-0075-2](https://doi.org/10.1007/s11634-010-0075-2)>).

See also Todorov and Filzmoser (2009) <[urn:isbn:978-3838108148](https://urn.isbn:978-3838108148)>,

Todorov and Filzmoser (2010) <[doi:10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03)> and

Boudt et al. (2019) <[doi:10.1007/s11222-019-09869-x](https://doi.org/10.1007/s11222-019-09869-x)>.

Maintainer Valentin Todorov <valentin.todorov@chello.at>

Depends R (>= 2.10), robustbase (>= 0.92.1), methods

Imports stats, stats4, mvtnorm, lattice, pcaPP

Suggests grid, MASS

LazyLoad yes

License GPL (>= 3)

URL <https://github.com/valentint/rrcov>

BugReports <https://github.com/valentint/rrcov/issues>

Repository CRAN

NeedsCompilation yes

Author Valentin Todorov [aut, cre] (<<https://orcid.org/0000-0003-4215-0245>>)

Date/Publication 2024-01-30 22:10:02 UTC

RoxygenNote 7.2.2

R topics documented:

Appalachia	4
biplot-methods	5

bus	6
bushmiss	9
Cars	10
Cascades	12
Cov-class	13
CovClassic	15
CovClassic-class	16
CovControl-class	17
CovControlMcd	18
CovControlMcd-class	19
CovControlMest	20
CovControlMest-class	21
CovControlMMest	22
CovControlMMest-class	23
CovControlMrcd	25
CovControlMrcd-class	26
CovControlMve	27
CovControlMve-class	28
CovControlOgk	29
CovControlOgk-class	31
CovControlSde	32
CovControlSde-class	33
CovControlSest	34
CovControlSest-class	35
CovMcd	36
CovMcd-class	39
CovMest	40
covMest	42
CovMest-class	44
CovMMest	45
CovMMest-class	47
CovMrcd	48
CovMrcd-class	51
CovMve	53
CovMve-class	55
CovOgk	56
CovOgk-class	58
CovRobust	59
CovRobust-class	61
CovSde	62
CovSde-class	64
CovSest	65
CovSest-class	68
diabetes	69
fish	70
fruit	72
getCenter-methods	73
getEllipse	73

getLoadings-methods	74
hemophilia	75
ionosphere	76
isSingular-methods	77
Lda-class	78
LdaClassic	79
LdaClassic-class	80
LdaPP	81
LdaPP-class	84
LdaRobust-class	86
Linda	87
Linda-class	89
lmom32	90
lmom33	91
machines	93
maryo	94
octane	95
olitos	96
OsloTransect	98
Pca-class	100
pca.distances	102
pca.scoreplot	103
PcaClassic	104
PcaClassic-class	105
PcaCov	107
PcaCov-class	109
PcaGrid	110
PcaGrid-class	112
PcaHubert	113
PcaHubert-class	116
PcaLocantore	117
PcaLocantore-class	120
PcaProj	121
PcaProj-class	122
PcaRobust-class	123
plot-methods	125
pottery	126
PredictLda-class	128
PredictQda-class	129
Qda-class	130
QdaClassic	131
QdaClassic-class	132
QdaCov	133
QdaCov-class	134
QdaRobust-class	135
restimate-methods	137
rice	137
salmon	138

scorePlot-methods	139
soil	140
SummaryCov-class	141
SummaryCovRobust-class	142
SummaryLda-class	143
SummaryPca-class	144
SummaryQda-class	145
T2.test	146
un86	148
wages	149
Wilks.test	150
wolves	153

Index	155
--------------	------------

Appalachia	<i>Annual maximum streamflow in central Appalachia</i>
------------	--

Description

The data on annual maximum streamflow at 104 gaging stations in the central Appalachia region of the United States contains the sample L-moments ratios (L-CV, L-skewness and L-kurtosis) as used by Hosking and Wallis (1997) to illustrate regional frequency analysis (RFA).

Usage

```
data(Appalachia)
```

Format

A data frame with 104 observations on the following 3 variables:

L-CV L-coefficient of variation
 L-skewness L-coefficient of skewness
 L-kurtosis L-coefficient of kurtosis

Details

The sample L-moment ratios (L-CV, L-skewness and L-kurtosis) of a site are regarded as a point in three dimensional space.

Source

Hosking, J. R. M. and J. R. Wallis (1997), *Regional Frequency Analysis: An Approach Based on L-moments*. Cambridge University Press, p.175–185

References

Neykov, N.M., Neytchev, P.N., Van Gelder, P.H.A.J.M. and Todorov V. (2007), Robust detection of discordant sites in regional frequency analysis, *Water Resources Research*, 43, W06417, doi:10.1029/2006WR005322

Examples

```
data(Appalachia)

# plot a matrix of scatterplots
pairs(Appalachia,
      main="Appalachia data set",
      pch=21,
      bg=c("red", "green3", "blue"))

mcd<-CovMcd(Appalachia)
mcd
plot(mcd, which="dist", class=TRUE)
plot(mcd, which="dd", class=TRUE)

## identify the discordant sites using robust distances and compare
## to the classical ones
mcd <- CovMcd(Appalachia)
rd <- sqrt(getDistance(mcd))
ccov <- CovClassic(Appalachia)
cd <- sqrt(getDistance(ccov))
r.out <- which(rd > sqrt(qchisq(0.975,3)))
c.out <- which(cd > sqrt(qchisq(0.975,3)))
cat("Robust: ", length(r.out), " outliers: ", r.out,"\n")
cat("Classical: ", length(c.out), " outliers: ", c.out,"\n")
```

 biplot-methods

Biplot for Principal Components (objects of class 'Pca')

Description

Produces a biplot from an object (derived from) [Pca-class](#).

Usage

```
## S4 method for signature 'Pca'
biplot(x, choices=1L:2L, scale=1, ...)
```

Arguments

x an object of class (derived from) "Pca".

choices length 2 vector specifying the components to plot. Only the default is a biplot in the strict sense.

scale The variables are scaled by λ^{scale} and the observations are scaled by $\lambda^{(1-\text{scale})}$ where λ are the singular values as computed by the Principal Components function. Normally $0 \leq \text{scale} \leq 1$, and a warning will be issued if the specified scale is outside this range.

... optional arguments to be passed to the internal graphical functions.

Side Effects

a plot is produced on the current graphics device.

Methods

biplot signature($x = \text{Pca}$): Plot a biplot, i.e. represent both the observations and variables of a matrix of multivariate data on the same plot. See also [biplot.princomp](#).

References

Gabriel, K. R. (1971). The biplot graphical display of matrices with applications to principal component analysis. *Biometrika*, **58**, 453–467.

See Also

[Pca-class](#), [PcaClassic](#), [PcaRobust-class](#).

Examples

```
require(graphics)
biplot(PcaClassic(USArrests, k=2))
```

bus

Automatic vehicle recognition data

Description

The data set bus (Hettich and Bay, 1999) corresponds to a study in automatic vehicle recognition (see Maronna et al. 2006, page 213, Example 6.3). This data set from the Turing Institute, Glasgow, Scotland, contains measures of shape features extracted from vehicle silhouettes. The images were acquired by a camera looking downward at the model vehicle from a fixed angle of elevation. Each of the 218 rows corresponds to a view of a bus silhouette, and contains 18 attributes of the image.

Usage

```
data(bus)
```

Format

A data frame with 218 observations on the following 18 variables:

V1 compactness
V2 circularity
V3 distance circularity
V4 radius ratio
V5 principal axis aspect ratio
V6 maximum length aspect ratio
V7 scatter ratio
V8 elongatedness
V9 principal axis rectangularity
V10 maximum length rectangularity
V11 scaled variance along major axis
V12 scaled variance along minor axis
V13 scaled radius of gyration
V14 skewness about major axis
V15 skewness about minor axis
V16 kurtosis about minor axis
V17 kurtosis about major axis
V18 hollows ratio

Source

Hettich, S. and Bay, S.D. (1999), The UCI KDD Archive, Irvine, CA:University of California, Department of Information and Computer Science,
'<http://kdd.ics.uci.edu>'

References

Maronna, R., Martin, D. and Yohai, V., (2006). Robust Statistics: Theory and Methods. Wiley, New York.

Examples

```
## Reproduce Table 6.3 from Maronna et al. (2006), page 213
data(bus)
bus <- as.matrix(bus)

## calculate MADN for each variable
xmad <- apply(bus, 2, mad)
cat("\nMin, Max of MADN: ", min(xmad), max(xmad), "\n")
```

```

## MADN vary between 0 (for variable 9) and 34. Therefore exclude
## variable 9 and divide the remaining variables by their MADNs.
bus1 <- bus[, -9]
madbus <- apply(bus1, 2, mad)
bus2 <- sweep(bus1, 2, madbus, "/", check.margin = FALSE)

## Compute classical and robust PCA (Spherical/Locantore, Hubert, MCD and OGK)
pca <- PcaClassic(bus2)
rpca <- PcaLocantore(bus2)
pcaHubert <- PcaHubert(bus2, k=17, kmax=17, mcd=FALSE)
pcamcd <- PcaCov(bus2, cov.control=CovControlMcd())
pcaogk <- PcaCov(bus2, cov.control=CovControlOgk())

ev <- getEigenvalues(pca)
evrob <- getEigenvalues(rpca)
evhub <- getEigenvalues(pcaHubert)
evmcd <- getEigenvalues(pcamcd)
evogk <- getEigenvalues(pcaogk)

uvar <- matrix(nrow=6, ncol=6)
svar <- sum(ev)
svarrob <- sum(evrob)
svarhub <- sum(evhub)
svarmcd <- sum(evmcd)
svarogk <- sum(evogk)
for(i in 1:6){
  uvar[i,1] <- i
  uvar[i,2] <- round((svar - sum(ev[1:i]))/svar, 3)
  uvar[i,3] <- round((svarrob - sum(evrob[1:i]))/svarrob, 3)
  uvar[i,4] <- round((svarhub - sum(evhub[1:i]))/svarhub, 3)
  uvar[i,5] <- round((svarmcd - sum(evmcd[1:i]))/svarmcd, 3)
  uvar[i,6] <- round((svarogk - sum(evogk[1:i]))/svarogk, 3)
}
uvar <- as.data.frame(uvar)
names(uvar) <- c("q", "Classical", "Spherical", "Hubert", "MCD", "OGK")
cat("\nBus data: proportion of unexplained variability for q components\n")
print(uvar)

## Reproduce Table 6.4 from Maronna et al. (2006), page 214
##
## Compute classical and robust PCA extracting only the first 3 components
## and take the squared orthogonal distances to the 3-dimensional hyperplane
##
pca3 <- PcaClassic(bus2, k=3) # classical
rpca3 <- PcaLocantore(bus2, k=3) # spherical (Locantore, 1999)
hpca3 <- PcaHubert(bus2, k=3) # Hubert
dist <- pca3@od^2
rdist <- rpca3@od^2
hdist <- hpca3@od^2

## calculate the quantiles of the distances to the 3-dimensional hyperplane
qclass <- round(quantile(dist, probs = seq(0, 1, 0.1)[-c(1,11)]), 1)
qspc <- round(quantile(rdist, probs = seq(0, 1, 0.1)[-c(1,11)]), 1)

```



```

qhubert <- round(quantile(hdist, probs = seq(0, 1, 0.1)[-c(1,11)]), 1)
qq <- cbind(rbind(qclass, qspc, qhubert), round(c(max(dist), max(rdist), max(hdist)), 0))
colnames(qq)[10] <- "Max"
rownames(qq) <- c("Classical", "Spherical", "Hubert")
cat("\nBus data: quantiles of distances to hiperplane\n")
print(qq)

##
## Reproduce Fig 6.1 from Maronna et al. (2006), page 214
##
cat("\nBus data: Q-Q plot of logs of distances to hyperplane (k=3)
\nfrom classical and robust estimates. The line is the identity diagonal\n")
plot(sort(log(dist)), sort(log(rdist)), xlab="classical", ylab="robust")
lines(sort(log(dist)), sort(log(dist)))

```

bushmiss

*Campbell Bushfire Data with added missing data items***Description**

This data set is based on the bushfire data set which was used by Campbell (1984) to locate bushfire scars - see [bushfire](#) in package `robustbase`. The original dataset contains satellite measurements on five frequency bands, corresponding to each of 38 pixels.

Usage

```
data(bushmiss)
```

Format

A data frame with 190 observations on 6 variables.

The original data set consists of 38 observations in 5 variables. Based on it four new data sets are created in which some of the data items are replaced by missing values with a simple "missing completely at random" mechanism. For this purpose independent Bernoulli trials are realized for each data item with a probability of success 0.1, 0.2, 0.3, 0.4, where success means that the corresponding item is set to missing. The obtained five data sets, including the original one (each with probability of a data item to be missing equal to 0, 0.1, 0.2, 0.3 and 0.4 which is reflected in the new variable `MPROB`) are merged. (See also Beguin and Hulliger (2004).)

Source

Maronna, R.A. and Yohai, V.J. (1995) The Behaviour of the Stahel-Donoho Robust Multivariate Estimator. *Journal of the American Statistical Association* **90**, 330–341.

Beguin, C. and Hulliger, B. (2004) Multivariate outlier detection in incomplete survey data: the epidemic algorithm and transformed rank correlations. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)* **127**, 2, 275–294.

Examples

```

## The following code will result in exactly the same output
## as the one obtained from the original data set
data(bushmiss)
bf <- bushmiss[bushmiss$MPROB==0,1:5]
plot(bf)
covMcd(bf)

## Not run:
## This is the code with which the missing data were created:
##
## Creates a data set with missing values (for testing purposes)
## from a complete data set 'x'. The probability of
## each item being missing is 'pr' (Bernoulli trials).
##
getmiss <- function(x, pr=0.1)
{
  n <- nrow(x)
  p <- ncol(x)
  done <- FALSE
  iter <- 0
  while(iter <= 50){
    bt <- rbinom(n*p, 1, pr)
    btmat <- matrix(bt, nrow=n)
    btmiss <- ifelse(btmat==1, NA, 0)
    y <- x+btmiss
    if(length(which(rowSums(nanmap(y)) == p)) == 0)
      return (y)
    iter <- iter + 1
  }
  y
}

## End(Not run)

```

Cars

Consumer reports car data: dimensions

Description

A data frame containing 11 variables with different dimensions of 111 cars

Usage

```
data(Cars)
```

Format

A data frame with 111 observations on the following 11 variables.

length a numeric vector
wheelbase a numeric vector
width a numeric vector
height a numeric vector
front.hd a numeric vector
rear.hd a numeric vector
front.leg a numeric vector
rear.seating a numeric vector
front.shoulder a numeric vector
rear.shoulder a numeric vector
luggage a numeric vector

Source

Consumer reports. (April 1990). <http://backissues.com/issue/Consumer-Reports-April-1990>, pp. 235–288.

References

Chambers, J. M. and Hastie, T. J. (1992). Statistical models in S. Cole, Pacific Grove, CA: Wadsworth and Brooks, pp. 46–47.

M. Hubert, P. J. Rousseeuw, K. Vanden Branden (2005), ROBPCA: A new approach to robust principal components analysis, *Technometrics*, **47**, 64–79.

Examples

```
data(Cars)

## Plot a pairwise scatterplot matrix
pairs(Cars[,1:6])

mcd <- CovMcd(Cars[,1:6])
plot(mcd, which="pairs")

## Start with robust PCA
pca <- PcaHubert(Cars, k=ncol(Cars), kmax=ncol(Cars))
pca

## Compare with the classical PCA
prcomp(Cars)

## or
PcaClassic(Cars, k=ncol(Cars), kmax=ncol(Cars))
```

```

## If you want to print the scores too, use
  print(pca, print.x=TRUE)

## Using the formula interface
  PcaHubert(~., data=Cars, k=ncol(Cars), kmax=ncol(Cars))

## To plot the results:

  plot(pca)                # distance plot
  pca2 <- PcaHubert(Cars, k=4)
  plot(pca2)               # PCA diagnostic plot (or outlier map)

## Use the standard plots available for prcomp and princomp
  screplot(pca)           # it is interesting with all variables
  biplot(pca)             # for biplot we need more than one PCs

## Restore the covraiance matrix
  py <- PcaHubert(Cars, k=ncol(Cars), kmax=ncol(Cars))
  cov.1 <- py@loadings %*% diag(py@eigenvalues) %*% t(py@loadings)
  cov.1

```

Cascades

Annual precipitation totals for the North Cascades region

Description

The data on annual precipitation totals for the North Cascades region contains the sample L-moments ratios (L-CV, L-skewness and L-kurtosis) for 19 sites as used by Hosking and Wallis (1997), page 53, Table 3.4, to illustrate screening tools for regional frequency analysis (RFA).

Usage

```
data(Cascades)
```

Format

A data frame with 19 observations on the following 3 variables.

L-CV L-coefficient of variation

L-skewness L-coefficient of skewness

L-kurtosis L-coefficient of kurtosis

Details

The sample L-moment ratios (L-CV, L-skewness and L-kurtosis) of a site are regarded as a point in three dimensional space.

Source

Hosking, J. R. M. and J. R. Wallis (1997), *Regional Frequency Analysis: An Approach Based on L-moments*. Cambridge University Press, p. 52–53

References

Neykov, N.M., Neytchev, P.N., Van Gelder, P.H.A.J.M. and Todorov V. (2007), Robust detection of discordant sites in regional frequency analysis, *Water Resources Research*, 43, W06417, doi:10.1029/2006WR005322

Examples

```
data(Cascades)

# plot a matrix of scatterplots
pairs(Cascades,
      main="Cascades data set",
      pch=21,
      bg=c("red", "green3", "blue"))

mcd<-CovMcd(Cascades)
mcd
plot(mcd, which="dist", class=TRUE)
plot(mcd, which="dd", class=TRUE)

## identify the discordant sites using robust distances and compare
## to the classical ones
rd <- sqrt(getDistance(mcd))
ccov <- CovClassic(Cascades)
cd <- sqrt(getDistance(ccov))
r.out <- which(rd > sqrt(qchisq(0.975,3)))
c.out <- which(cd > sqrt(qchisq(0.975,3)))
cat("Robust: ", length(r.out), " outliers: ", r.out, "\n")
cat("Classical: ", length(c.out), " outliers: ", c.out, "\n")
```

Cov-class

Class "Cov" – a base class for estimates of multivariate location and scatter

Description

The class Cov represents an estimate of the multivariate location and scatter of a data set. The objects of class Cov contain the classical estimates and serve as base for deriving other estimates, i.e. different types of robust estimates.

Objects from the Class

Objects can be created by calls of the form `new("Cov", ...)`, but the usual way of creating Cov objects is a call to the function `Cov` which serves as a constructor.

Slots

call: Object of class "Language"
cov: covariance matrix
center: location
n.obs: number of observations used for the computation of the estimates
mah: mahalanobis distances
det: determinant
flag: flags (FALSE if suspected an outlier)
method: a character string describing the method used to compute the estimate: "Classic"
singularity: a list with singularity information for the covariance matrix (or NULL of not singular)
X: data

Methods

getCenter signature(obj = "Cov"): location vector
getCov signature(obj = "Cov"): covariance matrix
getCorr signature(obj = "Cov"): correlation matrix
getData signature(obj = "Cov"): data frame
getDistance signature(obj = "Cov"): distances
getEvals signature(obj = "Cov"): Computes and returns the eigenvalues of the covariance matrix
getDet signature(obj = "Cov"): Computes and returns the determinant of the covariance matrix (or 0 if the covariance matrix is singular)
getShape signature(obj = "Cov"): Computes and returns the shape matrix corresponding to the covariance matrix (i.e. the covariance matrix scaled to have determinant =1)
getFlag signature(obj = "Cov"): Flags observations as outliers if the corresponding mahalanobis distance is larger then $qchisq(\text{prob}, p)$ where prob defaults to 0.975.
isClassic signature(obj = "Cov"): returns TRUE by default. If necessary, the robust classes will override
plot signature(x = "Cov"): plot the object
show signature(object = "Cov"): display the object
summary signature(object = "Cov"): calculate summary information

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
showClass("Cov")
```

Description

Computes the classical estimates of multivariate location and scatter. Returns an S4 class `CovClassic` with the estimated center, cov, Mahalanobis distances and weights based on these distances.

Usage

```
CovClassic(x, unbiased=TRUE)
Cov(x, unbiased=TRUE)
```

Arguments

<code>x</code>	a matrix or data frame. As usual, rows are observations and columns are variables.
<code>unbiased</code>	whether to return the unbiased estimate of the covariance matrix. Default is <code>unbiased = TRUE</code>

Value

An object of class "CovClassic".

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Cov-class](#), [CovClassic-class](#)

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cv <- CovClassic(hbk.x)
cv
summary(cv)
plot(cv)
```

CovClassic-class	<i>Class "CovClassic" - classical estimates of multivariate location and scatter</i>
------------------	--

Description

The class `CovClassic` represents an estimate of the multivariate location and scatter of a data set. The objects of class `CovClassic` contain the classical estimates.

Objects from the Class

Objects can be created by calls of the form `new("CovClassic", ...)`, but the usual way of creating `CovClassic` objects is a call to the function `CovClassic` which serves as a constructor.

Slots

call: Object of class "language"
cov: covariance matrix
center: location
n.obs: number of observations used for the computation of the estimates
mah: mahalanobis distances
method: a character string describing the method used to compute the estimate: "Classic"
singularity: a list with singularity information for the covariance matrix (or NULL if not singular)
X: data

Methods

getCenter signature(obj = "CovClassic"): location vector
getCov signature(obj = "CovClassic"): covariance matrix
getCorr signature(obj = "CovClassic"): correlation matrix
getData signature(obj = "CovClassic"): data frame
getDistance signature(obj = "CovClassic"): distances
getEvals signature(obj = "CovClassic"): Computes and returns the eigenvalues of the covariance matrix
plot signature(x = "CovClassic"): plot the object
show signature(object = "CovClassic"): display the object
summary signature(object = "CovClassic"): calculate summary information

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cv <- CovClassic(hbk.x)
cv
summary(cv)
plot(cv)
```

CovControl-class	<i>Class "CovControl" is a VIRTUAL base control class</i>
------------------	---

Description

The class "CovControl" is a VIRTUAL base control class for the derived classes representing the control parameters for the different robust methods

Arguments

trace	whether to print intermediate results. Default is trace = FALSE
tolSolve	numeric tolerance to be used for inversion (solve) of the covariance matrix in mahalanobis .

Objects from the Class

A virtual Class: No objects may be created from it.

Methods

No methods defined with class "CovControl" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

CovControlMcd	<i>Constructor function for objects of class "CovControlMcd"</i>
---------------	--

Description

This function will create a control object CovControlMcd containing the control parameters for CovMcd

Usage

```
CovControlMcd(alpha = 0.5, nsamp = 500, scalefn=NULL, maxcsteps=200,
seed = NULL, trace= FALSE, use.correction = TRUE)
```

Arguments

alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \times n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
nsamp	number of subsets used for initial estimates or "best", "exact" or "deterministic". Default is nsamp = 500. For nsamp="best" exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For "exact", exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time. For "deterministic", the <i>deterministic</i> MCD is computed; as proposed by Hubert et al. (2012) it starts from the h most central observations of <i>six</i> (deterministic) estimators.
scalefn	function to compute a robust scale estimate or character string specifying a rule determining such a function, see rrcov.control .
maxcsteps	maximal number of concentration steps in the deterministic MCD; should not be reached.
seed	starting value for random generator. Default is seed = NULL
trace	whether to print intermediate results. Default is trace = FALSE
use.correction	whether to use finite sample correction factors. Default is use.correction=TRUE

Value

A CovControlMcd object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMcd", alpha=0.75)
ctrl2 <- CovControlMcd(alpha=0.75)

data(hbk)
CovMcd(hbk, control=ctrl1)
```

CovControlMcd-class *Class 'CovControlMcd' - contains control parameters for CovMcd*

Description

This class extends the `CovControl` class and contains the control parameters for "CovMcd"

Objects from the Class

Objects can be created by calls of the form `new("CovControlMcd", ...)` or by calling the constructor-function `CovControlMcd`.

Slots

alpha: numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \times n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.

nsamp number of subsets used for initial estimates or "best", "exact" or "deterministic". Default is `nsamp = 500`. For `nsamp="best"` exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For "exact", exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time.

For "deterministic", the *deterministic* MCD is computed; as proposed by Hubert et al. (2012) it starts from the h most central observations of *six* (deterministic) estimators.

scalefn [function](#) to compute a robust scale estimate or character string specifying a rule determining such a function.

maxcsteps maximal number of concentration steps in the deterministic MCD; should not be reached.

seed: starting value for random generator. Default is `seed = NULL`

use.correction: whether to use finite sample correction factors. Default is `use.correction=TRUE`.

trace, tolSolve: from the "CovControl" class.

Extends

Class "CovControl", directly.

Methods

restimate signature(obj = "CovControlMcd"): the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovMcd` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctr11 <- new("CovControlMcd", alpha=0.75)
ctr12 <- CovControlMcd(alpha=0.75)

data(hbk)
CovMcd(hbk, control=ctr11)
```

CovControlMest

Constructor function for objects of class "CovControlMest"

Description

This function will create a control object `CovControlMest` containing the control parameters for `CovMest`

Usage

```
CovControlMest(r = 0.45, arp = 0.05, eps = 0.001, maxiter = 120)
```

Arguments

<code>r</code>	a numeric value specifying the required breakdown point. Allowed values are between $(n - p) / (2 * n)$ and 1 and the default is 0.45
<code>arp</code>	a numeric value specifying the asymptotic rejection point, i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is 0.05
<code>eps</code>	a numeric value specifying the relative precision of the solution of the M-estimate. Defaults to 1e-3
<code>maxiter</code>	maximum number of iterations allowed in the computation of the M-estimate. Defaults to 120

Value

A CovControlMest object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMest", r=0.4)
ctrl2 <- CovControlMest(r=0.4)

data(hbk)
CovMest(hbk, control=ctrl1)
```

CovControlMest-class *Class 'CovControlMest' - contains control parameters for "CovMest"*

Description

This class extends the CovControl class and contains the control parameters for CovMest

Objects from the Class

Objects can be created by calls of the form `new("CovControlMest", ...)` or by calling the constructor-function `CovControlMest`.

Slots

r: a numeric value specifying the required breakdown point. Allowed values are between $(n - p) / (2 * n)$ and 1 and the default is 0.45

arp: a numeric value specifying the asymptotic rejection point, i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is 0.05

eps: a numeric value specifying the relative precision of the solution of the M-estimate. Defaults to $1e-3$

maxiter: maximum number of iterations allowed in the computation of the M-estimate. Defaults to 120

trace, tolSolve: from the "CovControl" class.

Extends

Class "[CovControl](#)", directly.

Methods

restimate signature(obj = "CovControlMest"): the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovMest` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMest", r=0.4)
ctrl2 <- CovControlMest(r=0.4)

data(hbk)
CovMest(hbk, control=ctrl1)
```

CovControlMMest

Constructor function for objects of class "CovControlMMest"

Description

This function will create a control object `CovControlMMest` containing the control parameters for `CovMMest`

Usage

```
CovControlMMest(bdp = 0.5, eff=0.95, maxiter = 50, sest=CovControlSest(),
  trace = FALSE, tolSolve = 1e-7)
```

Arguments

`bdp` a numeric value specifying the required breakdown point. Allowed values are between 0.5 and 1 and the default is 0.5

`eff` a numeric value specifying the required efficiency for the MM estimates. Default is `eff=0.95`.

sest	an CovControlSest object containing control parameters for the initial S-estimate.
maxiter	maximum number of iterations allowed in the computation of the MM-estimate. Defaults to 150.
trace	whether to print intermediate results. Default is trace = FALSE.
tolSolve	numeric tolerance to be used as a convergence tolerance for the MM-iteration.

Value

A CovControlSest object.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctr11 <- new("CovControlMMest", bdp=0.25)
ctr12 <- CovControlMMest(bdp=0.25)

data(hbk)
CovMMest(hbk, control=ctr11)
```

CovControlMMest-class *Class 'CovControlMMest' - contains control parameters for "CovMMest"*

Description

This class extends the CovControl class and contains the control parameters for CovMMest

Objects from the Class

Objects can be created by calls of the form `new("CovControlMMest", ...)` or by calling the constructor-function `CovControlMMest`.

Slots

bdp a numeric value specifying the required breakdown point. Allowed values are between 0.5 and 1 and the default is `bdp=0.5`.

eff a numeric value specifying the required efficiency for the MM estimates. Default is `eff=0.95`.

sest an `CovControlSest` object containing control parameters for the initial S-estimate.

maxiter maximum number of iterations allowed in the computation of the MM-estimate. Default is `maxiter=50`.

trace, tolSolve: from the "`CovControl`" class. `tolSolve` is used as a convergence tolerance for the MM-iteration.

Extends

Class "`CovControl`", directly.

Methods

reestimate `signature(obj = "CovControlMMest")`: the generic function `reestimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovMMest` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMMest", bdp=0.25)
ctrl2 <- CovControlMMest(bdp=0.25)

data(hbk)
CovMMest(hbk, control=ctrl1)
```

CovControlMrcd	<i>Constructor function for objects of class "CovControlMrcd"</i>
----------------	---

Description

This function will create a control object CovControlMrcd containing the control parameters for CovMrcd

Usage

```
CovControlMrcd(alpha = 0.5, h=NULL, maxcsteps=200, rho=NULL,
  target=c("identity", "equicorrelation"), maxcond=50,
  trace= FALSE)
```

Arguments

alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
h	the size of the subset (can be between $\text{ceiling}(n/2)$ and n). Normally NULL and then it h will be calculated as $h = \text{ceiling}(\alpha \cdot n)$. If h is provided, α will be calculated as $\alpha = h/n$.
maxcsteps	maximal number of concentration steps in the deterministic MCD; should not be reached.
rho	regularization parameter. Normally NULL and will be estimated from the data.
target	structure of the robust positive definite target matrix: a) "identity": target matrix is diagonal matrix with robustly estimated univariate scales on the diagonal or b) "equicorrelation": non-diagonal target matrix that incorporates an equicorrelation structure (see (17) in paper). Default is <code>target="identity"</code>
maxcond	maximum condition number allowed (see step 3.4 in algorithm 1). Default is <code>maxcond=50</code>
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>

Value

A CovControlMrcd object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMrcd", alpha=0.75)
ctrl2 <- CovControlMrcd(alpha=0.75)

data(hbk)
CovMrcd(hbk, control=ctrl1)
```

CovControlMrcd-class *Class 'CovControlMrcd' - contains control parameters for CovMrcd()*

Description

This class extends the CovControl class and contains the control parameters for "CovMrcd"

Objects from the Class

Objects can be created by calls of the form `new("CovControlMrcd", ...)` or by calling the constructor-function `CovControlMrcd`.

Slots

alpha: numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.

h the size of the subset (can be between $\text{ceiling}(n/2)$ and n). Normally NULL and then it h will be calculated as $h = \text{ceiling}(\alpha \cdot n)$. If h is provided, α will be calculated as $\alpha = h/n$.

maxsteps maximal number of concentration steps in the deterministic MCD; should not be reached.

rho regularization parameter. Normally NULL and will be estimated from the data.

target structure of the robust positive definite target matrix: a) "identity": target matrix is diagonal matrix with robustly estimated univariate scales on the diagonal or b) "equicorrelation": non-diagonal target matrix that incorporates an equicorrelation structure (see (17) in paper).

maxcond maximum condition number allowed (see step 3.4 in algorithm 1).

trace, tolSolve: from the "CovControl" class.

Extends

Class "CovControl", directly.

Methods

restimate signature(`obj = "CovControlMrcd"`): the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovMrcd` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

"CovControlMcd"

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMrcd", alpha=0.75)
ctrl2 <- CovControlMrcd(alpha=0.75)

data(hbk)
CovMrcd(hbk, control=ctrl1)
```

CovControlMve

Constructor function for objects of class "CovControlMve"

Description

This function will create a control object CovControlMve containing the control parameters for CovMve

Usage

```
CovControlMve(alpha = 0.5, nsamp = 500, seed = NULL, trace= FALSE)
```

Arguments

alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
nsamp	number of subsets used for initial estimates or "best" or "exact". Default is <code>nsamp = 500</code> . For <code>nsamp="best"</code> exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For "exact", exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time.
seed	starting value for random generator. Default is <code>seed = NULL</code>
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>

Value

A CovControlMve object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMve", alpha=0.75)
ctrl2 <- CovControlMve(alpha=0.75)

data(hbk)
CovMve(hbk, control=ctrl1)
```

CovControlMve-class *Class 'CovControlMve' - contains control parameters for CovMve*

Description

This class extends the CovControl class and contains the control parameters for "CovMve"

Objects from the Class

Objects can be created by calls of the form `new("CovControlMve", ...)` or by calling the constructor-function `CovControlMve`.

Slots

alpha: numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.

nsamp: number of subsets used for initial estimates or "best" or "exact". Default is `nsamp = 500`. For `nsamp="best"` exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For "exact", exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time.

seed: starting value for random generator. Default is `seed = NULL`

trace, tolSolve: from the "CovControl" class.

Extends

Class "[CovControl](#)", directly.

Methods

restimate signature(obj = "CovControlMve"): the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovMve` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlMve", alpha=0.75)
ctrl2 <- CovControlMve(alpha=0.75)

data(hbk)
CovMve(hbk, control=ctrl1)
```

CovControlOgk

Constructor function for objects of class "CovControlOgk"

Description

This function will create a control object `CovControlOgk` containing the control parameters for `CovOgk`

Usage

```
CovControlOgk(niter = 2, beta = 0.9, mrob = NULL,
vrob = .vrobGK, smrob = "scaleTau2", svrob = "gk")
```

Arguments

<code>niter</code>	number of iterations, usually 1 or 2 since iterations beyond the second do not lead to improvement.
<code>beta</code>	coverage parameter for the final reweighted estimate
<code>mrob</code>	function for computing the robust univariate location and dispersion - one could use the tau scale defined in Yohai and Zamar (1998), see scaleTau2 . The C version of this function defined by <code>smrob</code> is the default.

vrob	function for computing robust estimate of covariance between two random vectors - one could use the function proposed by Gnanadesikan and Kettenring (1972), see <code>covOGK()</code> . The C version of this function defined by svrob is the default.
smrob	a string indicating the name of the function for computing the robust univariate location and dispersion - defaults to <code>scaleTau2</code> - the scale tau function defined in Yohai and Zamar (1998)
svrob	a string indicating the name of the function for computing robust estimate of covariance between two random vectors - defaults <code>gk</code> , the one proposed by Gnanadesikan and Kettenring (1972)

Details

If the user does not specify a scale and covariance function to be used in the computations or specifies one by using the arguments `smrob` and `svrob` (i.e. the names of the functions as strings), a native code written in C will be called which is by far faster than the R version.

If the arguments `mrob` and `vrob` are not `NULL`, the specified functions will be used via the pure R implementation of the algorithm. This could be quite slow.

Value

A `CovControlOgk` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

- Maronna, R.A. and Zamar, R.H. (2002) Robust estimates of location and dispersion of high-dimensional datasets; *Technometrics* **44**(4), 307–317.
- Yohai, R.A. and Zamar, R.H. (1998) High breakdown point estimates of regression by means of the minimization of efficient scale *JASA* **86**, 403–413.
- Gnanadesikan, R. and John R. Kettenring (1972) Robust estimates, residuals, and outlier detection with multiresponse data. *Biometrics* **28**, 81–124.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. [doi:10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
## the following two statements are equivalent
ctr11 <- new("CovControlOgk", beta=0.95)
ctr12 <- CovControlOgk(beta=0.95)

data(hbk)
CovOgk(hbk, control=ctr11)
```

CovControlOgk-class *Class 'CovControlOgk' - contains control parameters for CovOgk*

Description

This class extends the CovControl class and contains the control parameters for "CovOgk"

Objects from the Class

Objects can be created by calls of the form `new("CovControlOgk", ...)` or by calling the constructor-function `CovControlOgk`.

Slots

niter number of iterations, usually 1 or 2 since iterations beyond the second do not lead to improvement.

beta coverage parameter for the final reweighted estimate

mrob function for computing the robust univariate location and dispersion - defaults to the tau scale defined in Yohai and Zamar (1998)

vrob function for computing robust estimate of covariance between two random vectors - defaults the one proposed by Gnanadesikan and Kettenring (1972)

smrob A string indicating the name of the function for computing the robust univariate location and dispersion - defaults to `scaleTau2` - the scale 'tau' function defined in Yohai and Zamar (1998)

svrob A string indicating the name of the function for computing robust estimate of covariance between two random vectors - defaults to `gk`, the one proposed by Gnanadesikan and Kettenring (1972).

`trace`, `tolSolve`: from the "CovControl" class.

Extends

Class "CovControl", directly.

Methods

restimate `signature(obj = "CovControlOgk")`: the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovOgk` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControl0gk", beta=0.95)
ctrl2 <- CovControl0gk(beta=0.95)

data(hbk)
Cov0gk(hbk, control=ctrl1)
```

CovControlSde

*Constructor function for objects of class "CovControlSde"***Description**

This function will create a control object CovControlSde containing the control parameters for CovSde

Usage

```
CovControlSde(nsamp = 0, maxres = 0, tune = 0.95, eps = 0.5, prob = 0.99,
  seed = NULL, trace = FALSE, tolSolve = 1e-14)
```

Arguments

nsamp	a positive integer giving the number of resamples required; nsamp may not be reached if too many of the p-subsamples, chosen out of the observed vectors, are in a hyperplane. If nsamp = 0 all possible subsamples are taken. If nsamp is omitted, it is calculated to provide a breakdown point of eps with probability prob.
maxres	a positive integer specifying the maximum number of resamples to be performed including those that are discarded due to linearly dependent subsamples. If maxres is omitted it will be set to 2 times nsamp.
tune	a numeric value between 0 and 1 giving the fraction of the data to receive non-zero weight. Defaults to 0.95.
prob	a numeric value between 0 and 1 specifying the probability of high breakdown point; used to compute nsamp when nsamp is omitted. Defaults to 0.99.
eps	a numeric value between 0 and 0.5 specifying the breakdown point; used to compute nsamp when nresamp is omitted. Defaults to 0.5.
seed	starting value for random generator. Default is seed = NULL.
trace	whether to print intermediate results. Default is trace = FALSE.
tolSolve	numeric tolerance to be used for inversion (solve) of the covariance matrix in mahalanobis .

Value

A CovControlSde object.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlSde", nsamp=2000)
ctrl2 <- CovControlSde(nsamp=2000)

data(hbk)
CovSde(hbk, control=ctrl1)
```

CovControlSde-class *Class 'CovControlSde' - contains control parameters for "CovSde"*

Description

This class extends the CovControl class and contains the control parameters for CovSde

Objects from the Class

Objects can be created by calls of the form `new("CovControlSde", ...)` or by calling the constructor-function `CovControlSde`.

Slots

nsamp a positive integer giving the number of resamples required

maxres a positive integer specifying the maximum number of resamples to be performed including those that are discarded due to linearly dependent subsamples.

tune a numeric value between 0 and 1 giving the fraction of the data to receive non-zero weight. Default is `tune = 0.95`.

prob a numeric value between 0 and 1 specifying the probability of high breakdown point; used to compute `nsamp` when `nsamp` is omitted. Default is `prob = 0.99`.

eps a numeric value between 0 and 0.5 specifying the breakdown point; used to compute `nsamp` when `nresamp` is omitted. Default is `eps = 0.5`.

seed starting value for random generator. Default is `seed = NULL`.

trace, tolSolve: from the "CovControl" class.

Extends

Class "CovControl", directly.

Methods

```
restimate signature(obj = "CovControlSde"): ...
```

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlSde", nsamp=2000)
ctrl2 <- CovControlSde(nsamp=2000)

data(hbk)
CovSde(hbk, control=ctrl1)
```

CovControlSest

Constructor function for objects of class "CovControlSest"

Description

This function will create a control object CovControlSest containing the control parameters for CovSest

Usage

```
CovControlSest(bdp = 0.5, arp = 0.1, eps = 1e-5, maxiter = 120,
  nsamp = 500, seed = NULL, trace = FALSE, tolSolve = 1e-14, method= "sfast")
```

Arguments

bdp	a numeric value specifying the required breakdown point. Allowed values are between $(n - p) / (2 * n)$ and 1 and the default is 0.45
arp	a numeric value specifying the asymptotic rejection point (for the Rocke type S estimates), i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is 0.1
eps	a numeric value specifying the relative precision of the solution of the S-estimate (bisquare and Rocke type). Defaults to 1e-5.
maxiter	maximum number of iterations allowed in the computation of the S-estimate (bisquare and Rocke type). Defaults to 120.
nsamp	the number of random subsets considered. Default is nsamp = 500.

seed	starting value for random generator. Default is seed = NULL.
trace	whether to print intermediate results. Default is trace = FALSE.
tolSolve	numeric tolerance to be used for inversion (solve) of the covariance matrix in mahalanobis .
method	Which algorithm to use: 'sfast'=FAST-S or 'surreal'=SURREAL

Value

A CovControlSest object.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlSest", bdp=0.4)
ctrl2 <- CovControlSest(bdp=0.4)

data(hbk)
CovSest(hbk, control=ctrl1)
```

CovControlSest-class *Class 'CovControlSest' - contains control parameters for "CovSest"*

Description

This class extends the CovControl class and contains the control parameters for CovSest

Objects from the Class

Objects can be created by calls of the form `new("CovControlSest", ...)` or by calling the constructor-function `CovControlSest`.

Slots

bdp a numeric value specifying the required breakdown point. Allowed values are between $(n - p) / (2 * n)$ and 1 and the default is `bdp=0.45`.

arp a numeric value specifying the asymptotic rejection point (for the Rocke type S estimates), i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is `arp=0.1`.

eps a numeric value specifying the relative precision of the solution of the S-estimate (bisquare and Rocke type). Default is to `eps=1e-5`.

maxiter maximum number of iterations allowed in the computation of the S-estimate (bisquare and Rocke type). Default is `maxiter=120`.

nsamp the number of random subsets considered. Default is `nsamp = 500`.

seed starting value for random generator. Default is `seed = NULL`.

method Which algorithm to use: 'fast'=FAST-S, 'surreal'=Ruppert's SURREAL algorithm, 'bisquare'=Bisquare S-estimation with HBDP start or 'rocke' for Rocke type S-estimates

trace, tolSolve: from the "CovControl" class.

Extends

Class "CovControl", directly.

Methods

restimate signature(`obj = "CovControlSest"`): the generic function `restimate` allows the different methods for robust estimation to be used polymorphically - this function will call `CovSest` passing it the control object and will return the obtained `CovRobust` object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## the following two statements are equivalent
ctrl1 <- new("CovControlSest", bdp=0.4)
ctrl2 <- CovControlSest(bdp=0.4)

data(hbk)
CovSest(hbk, control=ctrl1)
```

Description

Computes a robust multivariate location and scatter estimate with a high breakdown point, using the 'Fast MCD' (Minimum Covariance Determinant) estimator.

Usage

```
CovMcd(x,
       raw.only=FALSE, alpha=control@alpha, nsamp=control@nsamp,
       scalefn=control@scalefn, maxcsteps=control@maxcsteps,
       initHsets=NULL, save.hsets=FALSE,
       seed=control@seed, trace=control@trace,
       use.correction=control@use.correction,
       control=CovControlMcd(), ...)
```

Arguments

x	a matrix or data frame.
raw.only	should only the “raw” estimate be returned.
alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \times n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
nsamp	number of subsets used for initial estimates or “best”, “exact” or “deterministic”. Default is <code>nsamp = 500</code> . For <code>nsamp=“best”</code> exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For “exact”, exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time. For “deterministic”, the <i>deterministic</i> MCD is computed; as proposed by Hubert et al. (2012) it starts from the h most central observations of <i>six</i> (deterministic) estimators.
scalefn	function to compute a robust scale estimate or character string specifying a rule determining such a function, see rrcov.control .
maxcsteps	maximal number of concentration steps in the deterministic MCD; should not be reached.
initHsets	NULL or a $K \times h$ integer matrix of initial subsets of observations of size h (specified by the indices in <code>1:n</code>).
save.hsets	(for deterministic MCD) logical indicating if the initial subsets should be returned as <code>initHsets</code> .
seed	starting value for random generator. Default is <code>seed = NULL</code>
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>
use.correction	whether to use finite sample correction factors. Default is <code>use.correction=TRUE</code>
control	a control object (S4) of class CovControlMcd-class containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.
...	potential further arguments passed to robustbase ’s covMcd .

Details

This function computes the minimum covariance determinant estimator of location and scatter and returns an S4 object of class `CovMcd-class` containing the estimates. The implementation of the function is similar to the existing R function `covMcd()` which returns an S3 object. The MCD method looks for the $h(> n/2)$ observations (out of n) whose classical covariance matrix has the lowest possible determinant. The raw MCD estimate of location is then the average of these h points, whereas the raw MCD estimate of scatter is their covariance matrix, multiplied by a consistency factor and a finite sample correction factor (to make it consistent at the normal model and unbiased at small samples). Both rescaling factors are returned also in the vector `raw.cnp2` of length 2. Based on these raw MCD estimates, a reweighting step is performed which increases the finite-sample efficiency considerably - see Pison et al. (2002). The rescaling factors for the reweighted estimates are returned in the vector `cnp2` of length 2. Details for the computation of the finite sample correction factors can be found in Pison et al. (2002). The finite sample corrections can be suppressed by setting `use.correction=FALSE`. The implementation in `rrcov` uses the Fast MCD algorithm of Rousseeuw and Van Driessen (1999) to approximate the minimum covariance determinant estimator.

Value

An S4 object of class `CovMcd-class` which is a subclass of the virtual class `CovRobust-class`.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

- P. J. Rousseeuw and A. M. Leroy (1987) *Robust Regression and Outlier Detection*. Wiley.
- P. J. Rousseeuw and K. van Driessen (1999) A fast algorithm for the minimum covariance determinant estimator. *Technometrics* **41**, 212–223.
- M. Hubert, P. Rousseeuw and T. Verdonck (2012) A deterministic algorithm for robust location and scatter. *Journal of Computational and Graphical Statistics* **21**(3), 618–637.
- Pison, G., Van Aelst, S., and Willems, G. (2002), Small Sample Corrections for LTS and MCD, *Metrika*, **55**, 111-123.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

`cov.rob` from package **MASS**

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovMcd(hbk.x)
cD <- CovMcd(hbk.x, nsamp = "deterministic")
summary(cD)
```

```
## the following three statements are equivalent
c1 <- CovMcd(hbk.x, alpha = 0.75)
c2 <- CovMcd(hbk.x, control = CovControlMcd(alpha = 0.75))
## direct specification overrides control one:
c3 <- CovMcd(hbk.x, alpha = 0.75,
              control = CovControlMcd(alpha=0.95))

c1
```

CovMcd-class

*MCD Estimates of Multivariate Location and Scatter***Description**

This class, derived from the virtual class "CovRobust" accomodates MCD Estimates of multivariate location and scatter computed by the 'Fast MCD' algorithm.

Objects from the Class

Objects can be created by calls of the form `new("CovMcd", ...)`, but the usual way of creating CovMcd objects is a call to the function `CovMcd` which serves as a constructor.

Slots

`alpha`: Object of class "numeric" - the size of the subsets over which the determinant is minimized (the default is $(n+p+1)/2$)

`quan`: Object of class "numeric" - the number of observations on which the MCD is based. If `quan` equals `n.obs`, the MCD is the classical covariance matrix.

`best`: Object of class "Uvector" - the best subset found and used for computing the raw estimates. The size of `best` is equal to `quan`

`raw.cov`: Object of class "matrix" the raw (not reweighted) estimate of location

`raw.center`: Object of class "vector" - the raw (not reweighted) estimate of scatter

`raw.mah`: Object of class "Uvector" - mahalanobis distances of the observations based on the raw estimate of the location and scatter

`raw.wt`: Object of class "Uvector" - weights of the observations based on the raw estimate of the location and scatter

`raw.cnp2`: Object of class "numeric" - a vector of length two containing the consistency correction factor and the finite sample correction factor of the raw estimate of the covariance matrix

`cnp2`: Object of class "numeric" - a vector of length two containing the consistency correction factor and the finite sample correction factor of the final estimate of the covariance matrix.

`iter, crit, wt`: from the "CovRobust" class.

`call, cov, center, n.obs, mah, method, singularity, X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovMcd" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMcd](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovMcd")
```

CovMest

Constrained M-Estimates of Location and Scatter

Description

Computes constrained M-Estimates of multivariate location and scatter based on the translated bi-weight function ('t-biweight') using a High breakdown point initial estimate as defined by Rocke (1996). The default initial estimate is the Minimum Volume Ellipsoid computed with [CovMve](#). The raw (not reweighted) estimates are taken and the covariance matrix is standardized to determinant 1.

Usage

```
CovMest(x, r = 0.45, arp = 0.05, eps=1e-3,
        maxiter=120, control, t0, S0, initcontrol)
```

Arguments

x	a matrix or data frame.
r	required breakdown point. Allowed values are between $(n - p)/(2 * n)$ and 1 and the default is 0.45
arp	asymptotic rejection point, i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is 0.05.
eps	a numeric value specifying the relative precision of the solution of the M-estimate. Defaults to 1e-3
maxiter	maximum number of iterations allowed in the computation of the M-estimate. Defaults to 120

control	a control object (S4) of class <code>CovControlMest-class</code> containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.
t0	optional initial high breakdown point estimates of the location. If not supplied MVE will be used.
S0	optional initial high breakdown point estimates of the scatter. If not supplied MVE will be used.
initcontrol	optional control object - of class <code>CovControl</code> - specifying the initial high breakdown point estimates of location and scatter. If not supplied MVE will be used.

Details

Rocke (1996) has shown that the S-estimates of multivariate location and scatter in high dimensions can be sensitive to outliers even if the breakdown point is set to be near 0.5. To mitigate this problem he proposed to utilize the translated biweight (or t-biweight) method with a standardization step consisting of equating the median of $\rho(d)$ with the median under normality. This is then not an S-estimate, but is instead a constrained M-estimate. In order to make the smooth estimators to work, a reasonable starting point is necessary, which will lead reliably to a good solution of the estimator. In `CovMest` the MVE computed by `CovMve` is used, but the user has the possibility to give her own initial estimates.

Value

An object of class `CovMest-class` which is a subclass of the virtual class `CovRobust-class`.

Note

The psi, rho and weight functions for the M estimation are encapsulated in a virtual S4 class `PsiFun` from which a `PsiBwt` class, implementing the translated biweight (t-biweight), is derived. The base class `PsiFun` contains also the M-iteration itself. Although not documented and not accessible directly by the user these classes will form the bases for adding other functions (biweight, LWS, etc.) as well as S-estimates.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>
 (some code from C. Becker - <http://www.sfb475.uni-dortmund.de/dienst/de/content/struk-d/bereichad/tpa1softw-d.html>)

References

- D.L.Woodruff and D.M.Rocke (1994) Computable robust estimation of multivariate location and shape on high dimension using compound estimators, *Journal of the American Statistical Association*, **89**, 888–896.
- D.M.Rocke (1996) Robustness properties of S-estimates of multivariate location and shape in high dimension, *Annals of Statistics*, **24**, 1327-1345.

D.M.Rocke and D.L.Woodruff (1996) Identification of outliers in multivariate data *Journal of the American Statistical Association*, **91**, 1047–1061.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[covMcd](#), [Cov-class](#), [CovMve](#), [CovRobust-class](#), [CovMest-class](#)

Examples

```
library(rrcov)
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovMest(hbk.x)

## the following four statements are equivalent
c0 <- CovMest(hbk.x)
c1 <- CovMest(hbk.x, r = 0.45)
c2 <- CovMest(hbk.x, control = CovControlMest(r = 0.45))
c3 <- CovMest(hbk.x, control = new("CovControlMest", r = 0.45))

## direct specification overrides control one:
c4 <- CovMest(hbk.x, r = 0.40,
              control = CovControlMest(r = 0.25))

c1
summary(c1)
plot(c1)
```

covMest

Constrained M-Estimates of Location and Scatter

Description

Computes constrained M-Estimates of multivariate location and scatter based on the translated bi-weight function ('t-biweight') using a High breakdown point initial estimate. The default initial estimate is the Minimum Volume Ellipsoid computed with [CovMve](#). The raw (not reweighted) estimates are taken and the covariance matrix is standardized to determinant 1.

Usage

```
covMest(x, cor=FALSE, r = 0.45, arp = 0.05, eps=1e-3,
        maxiter=120, control, t0, S0)
```

Arguments

x	a matrix or data frame.
cor	should the returned result include a correlation matrix? Default is cor = FALSE
.	
r	required breakdown point. Allowed values are between $(n - p)/(2 * n)$ and 1 and the default is 0.45
arp	asymptotic rejection point, i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is 0.05.
eps	a numeric value specifying the relative precision of the solution of the M-estimate. Defaults to 1e-3
maxiter	maximum number of iterations allowed in the computation of the M-estimate. Defaults to 120
control	a list with estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.
t0	optional initial high breakdown point estimates of the location. If not supplied MVE will be used.
S0	optional initial high breakdown point estimates of the scatter. If not supplied MVE will be used.

Details

Rocke (1996) has shown that the S-estimates of multivariate location and scatter in high dimensions can be sensitive to outliers even if the breakdown point is set to be near 0.5. To mitigate this problem he proposed to utilize the translated biweight (or t-biweight) method with a standardization step consisting of equating the median of $\rho(d)$ with the median under normality. This is then not an S-estimate, but is instead a constrained M-estimate. In order to make the smooth estimators to work, a reasonable starting point is necessary, which will lead reliably to a good solution of the estimator. In covMest the MVE computed by [CovMve](#) is used, but the user has the possibility to give her own initial estimates.

Value

An object of class "mest" which is basically a [list](#) with the following components. This class is "derived" from "mcd" so that the same generic functions - `print`, `plot`, `summary` - can be used. NOTE: this is going to change - in one of the next revisions covMest will return an S4 class "mest" which is derived (i.e. contains) from class "cov".

center	the final estimate of location.
cov	the final estimate of scatter.
cor	the estimate of the correlation matrix (only if cor = TRUE).
mah	mahalanobis distances of the observations using the M-estimate of the location and scatter.

X	the input data as a matrix.
n.obs	total number of observations.
method	character string naming the method (M-Estimates).
call	the call used (see match.call).

Note

The psi, rho and weight functions for the M estimation are encapsulated in a virtual S4 class `PsiFun` from which a `PsiBwt` class, implementing the translated biweight (t-biweight), is derived. The base class `PsiFun` contains also the M-iteration itself. Although not documented and not accessible directly by the user these classes will form the bases for adding other functions (biweight, LWS, etc.) as well as S-estimates.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>
 (some code from C. Becker - <http://www.sfb475.uni-dortmund.de/dienst/de/content/struk-d/bereichad/tpa1softw-d.html>)

References

- D.L.Woodruff and D.M.Rocke (1994) Computable robust estimation of multivariate location and shape on high dimension using compound estimators, *Journal of the American Statistical Association*, **89**, 888–896.
- D.M.Rocke (1996) Robustness properties of S-estimates of multivariate location and shape in high dimension, *Annals of Statistics*, **24**, 1327-1345.
- D.M.Rocke and D.L.Woodruff (1996) Identification of outliers in multivariate data *Journal of the American Statistical Association*, **91**, 1047–1061.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[covMcd](#)

CovMest-class

Constrained M-estimates of Multivariate Location and Scatter

Description

This class, derived from the virtual class "CovRobust" accomodates constrained M-Estimates of multivariate location and scatter based on the translated biweight function ('t-biweight') using a High breakdown point initial estimate (Minimum Covariance Determinant - 'Fast MCD')

Objects from the Class

Objects can be created by calls of the form `new("CovMest", ...)`, but the usual way of creating CovMest objects is a call to the function `CovMest` which serves as a constructor.

Slots

`vt`: Object of class "vector" - vector of weights (v)

`iter`, `crit`, `wt`: from the "CovRobust" class.

`call`, `cov`, `center`, `n.obs`, `mah`, `method`, `singularity`, `X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovMest" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMest](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovMest")
```

CovMMest

MM Estimates of Multivariate Location and Scatter

Description

Computes MM-Estimates of multivariate location and scatter starting from an initial S-estimate

Usage

```
CovMMest(x, bdp = 0.5, eff = 0.95, eff.shape=TRUE, maxiter = 50,  
         trace = FALSE, tolSolve = 1e-7, control)
```

Arguments

x	a matrix or data frame.
bdp	a numeric value specifying the required breakdown point. Allowed values are between 0.5 and 1 and the default is <code>bdp=0.5</code> .
eff	a numeric value specifying the required efficiency for the MM estimates. Default is <code>eff=0.95</code> .
eff.shape	logical; if TRUE, eff is with regard to shape-efficiency, otherwise location-efficiency. Default is <code>eff.shape=FALSE</code> .
maxiter	maximum number of iterations allowed in the computation of the S-estimate (bisquare and Rocke type). Default is <code>maxiter=50</code> .
trace	whether to print intermediate results. Default is <code>trace = FALSE</code> .
tolSolve	numeric tolerance to be used as a convergence tolerance for the MM-iteration
control	a control object (S4) of class <code>CovControlMMest-class</code> containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.

Details

Computes MM-estimates of multivariate location and scatter starting from an initial S-estimate.

Value

An S4 object of class `CovMMest-class` which is a subclass of the virtual class `CovRobust-class`.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

- Tatsuoka, K.S. and Tyler, D.E. (2000). The uniqueness of S and M-functionals under non-elliptical distributions. *Annals of Statistics* 28, 1219–1243
- M. Salibian-Barrera, S. Van Aelstt and G. Willems (2006). Principal components analysis based on multivariate MM-estimators with fast and robust bootstrap. *Journal of the American Statistical Association* 101, 1198–1211.
- R. A. Maronna, D. Martin and V. Yohai (2006). *Robust Statistics: Theory and Methods*. Wiley, New York.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```

library(rrcov)
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovMMest(hbk.x)

## the following four statements are equivalent
c0 <- CovMMest(hbk.x)
c1 <- CovMMest(hbk.x, bdp = 0.25)
c2 <- CovMMest(hbk.x, control = CovControlMMest(bdp = 0.25))
c3 <- CovMMest(hbk.x, control = new("CovControlMMest", bdp = 0.25))

## direct specification overrides control one:
c4 <- CovMMest(hbk.x, bdp = 0.40,
               control = CovControlMMest(bdp = 0.25))

c1
summary(c1)
plot(c1)

## Deterministic MM-estimates
CovMMest(hbk.x, control=CovControlMMest(sect=CovControlSest(method="sdet")))

```

CovMMest-class

MM Estimates of Multivariate Location and Scatter

Description

This class, derived from the virtual class "CovRobust" accomodates MM Estimates of multivariate location and scatter.

Objects from the Class

Objects can be created by calls of the form `new("CovMMest", ...)`, but the usual way of creating CovSest objects is a call to the function `CovMMest` which serves as a constructor.

Slots

`det`, `flag`, `iter`, `crit`: from the "CovRobust" class.

`c1` tuning parameter of the loss function for MM-estimation (depend on control parameters `eff` and `eff.shape`). Can be computed by the internal function `.csolve.bw.MM(p, eff, eff.shape=TRUE)`. For the tuning parameters of the underlying S-estimate see the slot `sect` and "CovSest".

`sect` an CovSest object containing the initial S-estimate.

`call`, `cov`, `center`, `n.obs`, `mah`, `method`, `singularity`, `X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovMMest" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMMest](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovMMest")
```

CovMrcd

*Robust Location and Scatter Estimation via Minimum Regularized
Covariance Determonant (MRCD)*

Description

Computes a robust multivariate location and scatter estimate with a high breakdown point, using the Minimum Regularized Covariance Determonant (MRCD) estimator.

Usage

```
CovMrcd(x,  
  alpha=control@alpha,  
  h=control@h,  
  maxcsteps=control@maxcsteps,  
  initHsets=NULL, save.hsets=FALSE,  
  rho=control@rho,  
  target=control@target,  
  maxcond=control@maxcond,  
  trace=control@trace,  
  control=CovControlMrcd())
```


Arguments

x	a matrix or data frame.
alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
h	the size of the subset (can be between $\text{ceiling}(n/2)$ and n). Normally NULL and then it h will be calculated as $h = \text{ceiling}(\alpha \cdot n)$. If h is provided, alpha will be calculated as $\alpha = h/n$.
maxcsteps	maximal number of concentration steps in the deterministic MCD; should not be reached.
initHsets	NULL or a $K \times h$ integer matrix of initial subsets of observations of size h (specified by the indices in $1:n$).
save.hsets	(for deterministic MCD) logical indicating if the initial subsets should be returned as <code>initHsets</code> .
rho	regularization parameter. Normally NULL and will be estimated from the data.
target	structure of the robust positive definite target matrix: a) "identity": target matrix is diagonal matrix with robustly estimated univariate scales on the diagonal or b) "equicorrelation": non-diagonal target matrix that incorporates an equicorrelation structure (see (17) in paper). Default is <code>target="identity"</code>
maxcond	maximum condition number allowed (see step 3.4 in algorithm 1). Default is <code>maxcond=50</code>
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>
control	a control object (S4) of class <code>CovControlMrcd-class</code> containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.

Details

This function computes the minimum regularized covariance determinant estimator (MRCD) of location and scatter and returns an S4 object of class `CovMrcd-class` containing the estimates. Similarly like the MCD method, MRCD looks for the $h (> n/2)$ observations (out of n) whose classical covariance matrix has the lowest possible determinant, but replaces the subset-based covariance by a regularized covariance estimate, defined as a weighted average of the sample covariance of the h -subset and a predetermined positive definite target matrix. The Minimum Regularized Covariance Determinant (MRCD) estimator is then the regularized covariance based on the h -subset which makes the overall determinant the smallest. A data-driven procedure sets the weight of the target matrix (ρ), so that the regularization is only used when needed.

Value

An S4 object of class `CovMrcd-class` which is a subclass of the virtual class `CovRobust-class`.

Author(s)

Kris Boudt, Peter Rousseeuw, Steven Vanduffel and Tim Verdonk. Improved by Joachim Schreurs and Iwein Vranckx. Adapted for **rrcov** by Valentin Todorov <valentin.todorov@chello.at>

References

Kris Boudt, Peter Rousseeuw, Steven Vanduffel and Tim Verdonck (2020) The Minimum Regularized Covariance Determinant estimator, *Statistics and Computing*, **30**, pp 113–128 [doi:10.1007/s1122201909869x](https://doi.org/10.1007/s1122201909869x).

Mia Hubert, Peter Rousseeuw and Tim Verdonck (2012) A deterministic algorithm for robust location and scatter. *Journal of Computational and Graphical Statistics* **21**(3), 618–637.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. [doi:10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[CovMcd](#)

Examples

```
## The result will be (almost) identical to the raw MCD
## (since we do not do reweighting of MRCD)
##
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
c0 <- CovMcd(hbk.x, alpha=0.75, use.correction=FALSE)
cc <- CovMrcd(hbk.x, alpha=0.75)
cc$rho
all.equal(c0$best, cc$best)
all.equal(c0$raw.center, cc$center)
all.equal(c0$raw.cov/c0$raw.cnp2[1], cc$cov/cc$cnp2)

summary(cc)

## the following three statements are equivalent
c1 <- CovMrcd(hbk.x, alpha = 0.75)
c2 <- CovMrcd(hbk.x, control = CovControlMrcd(alpha = 0.75))
## direct specification overrides control one:
c3 <- CovMrcd(hbk.x, alpha = 0.75,
              control = CovControlMrcd(alpha=0.95))
c1

## Not run:

## This is the first example from Boudt et al. (2020). The first variable is
## the dependent one, which we remove and remain with p=226 NIR absorbance spectra

data(octane)

octane <- octane[, -1] # remove the dependent variable y
```

```

n <- nrow(octane)
p <- ncol(octane)

## Compute MRCD with h=33, which gives approximately 15 percent breakdown point.
## This value of h was found by Boudt et al. (2020) using a data driven approach,
## similar to the Forward Search of Atkinson et al. (2004).
## The default value of h would be 20 (i.e. alpha=0.5)

out <- CovMrcd(octane, h=33)
out$rho

## Please note that in the paper is indicated that the obtained rho=0.1149, however,
## this value of rho is obtained if the parameter maxcond is set equal to 999 (this was
## the default in an earlier version of the software, now the default is maxcond=50).
## To reproduce the result from the paper, change the call to CovMrcd() as follows
## (this will not influence the results shown further):

## out <- CovMrcd(octane, h=33, maxcond=999)
## out$rho

robpca = PcaHubert(octane, k=2, alpha=0.75, mcd=FALSE)
(outl.robpca = which(robpca@flag==FALSE))

# Observations flagged as outliers by ROBPCA:
# 25, 26, 36, 37, 38, 39

# Plot the orthogonal distances versus the score distances:
pch = rep(20,n); pch[robpca@flag==FALSE] = 17
col = rep('black',n); col[robpca@flag==FALSE] = 'red'
plot(robpca, pch=pch, col=col, id.n.sd=6, id.n.od=6)

## Plot now the MRCD mahalanobis distances
pch = rep(20,n); pch[!getFlag(out)] = 17
col = rep('black',n); col[!getFlag(out)] = 'red'
plot(out, pch=pch, col=col, id.n=6)

## End(Not run)

```

CovMrcd-class

MRCD Estimates of Multivariate Location and Scatter

Description

This class, derived from the virtual class "CovRobust" accomodates MRCD Estimates of multivariate location and scatter computed by a variant of the 'Fast MCD' algorithm.

Objects from the Class

Objects can be created by calls of the form `new("CovMrcd", ...)`, but the usual way of creating CovMrcd objects is a call to the function `CovMrcd` which serves as a constructor.

Slots

alpha: Object of class "numeric" - the size of the subsets over which the determinant is minimized (the default is $(n+p+1)/2$)

quan: Object of class "numeric" - the number of observations on which the MCD is based. If quan equals n.obs, the MCD is the classical covariance matrix.

best: Object of class "Uvector" - the best subset found and used for computing the raw estimates. The size of best is equal to quan

cnp2: Object of class "numeric" - containing the consistency correction factor of the estimate of the covariance matrix.

icov: The inverse of the covariance matrix.

rho: The estimated regularization parameter.

target: The estimated target matrix.

crit: from the "CovRobust" class.

call, cov, center, n.obs, mah, method, X: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovMrcd" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMrcd](#), [Cov-class](#), [CovRobust-class](#), [CovMcd-class](#)

Examples

```
showClass("CovMrcd")
```

Description

Computes a robust multivariate location and scatter estimate with a high breakdown point, using the ‘MVE’ (Minimum Volume Ellipsoid) estimator.

Usage

```
CovMve(x, alpha = 1/2, nsamp = 500, seed = NULL, trace = FALSE, control)
```

Arguments

x	a matrix or data frame.
alpha	numeric parameter controlling the size of the subsets over which the determinant is minimized, i.e., $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
nsamp	number of subsets used for initial estimates or "best" or "exact". Default is <code>nsamp = 500</code> . For <code>nsamp="best"</code> exhaustive enumeration is done, as long as the number of trials does not exceed 5000. For "exact", exhaustive enumeration will be attempted however many samples are needed. In this case a warning message will be displayed saying that the computation can take a very long time.
seed	starting value for random generator. Default is <code>seed = NULL</code>
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>
control	a control object (S4) of class <code>CovControlMve-class</code> containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.

Details

This function computes the minimum volume ellipsoid estimator of location and scatter and returns an S4 object of class `CovMve-class` containing the estimates.

The approximate estimate is based on a subset of size $\alpha \cdot n$ with an enclosing ellipsoid of smallest volume. The mean of the best found subset provides the raw estimate of the location, and the rescaled covariance matrix is the raw estimate of scatter. The rescaling of the raw covariance matrix is by $\text{median}(\text{dist})/\text{qchisq}(0.5, p)$ and this scale factor is returned in the slot `raw.cnp2`. Currently no finite sample correction factor is applied. The Mahalanobis distances of all observations from the location estimate for the raw covariance matrix are calculated, and those points within the 97.5 under Gaussian assumptions are declared to be good. The final (reweighted) estimates are the mean and rescaled covariance of the good points. The reweighted covariance matrix is rescaled by $1/p\text{gamma}(\text{qchisq}(\alpha, p)/2, p/2 + 1)/\alpha$ (see Croux and Haesbroeck, 1999) and this scale factor is returned in the slot `cnp2`.

The search for the approximate solution is made over ellipsoids determined by the covariance matrix of $p+1$ of the data points and applying a simple but effective improvement of the subsampling procedure as described in Maronna et al. (2006), p. 198. Although there exists no formal proof of this improvement (as for MCD and LTS), simulations show that it can be recommended as an approximation of the MVE.

Value

An S4 object of class `CovMve-class` which is a subclass of the virtual class `CovRobust-class`.

Note

Main reason for implementing the MVE estimate was that it is the recommended initial estimate for S estimation (see Maronna et al. (2006), p. 199) and will be used by default in `CovMest` (after removing the correction factors from the covariance matrix and rescaling to determinant 1).

Author(s)

Valentin Todorov <valentin.todorov@chello.at> and Matias Salibian-Barrera <matias@stat.ubc.ca>

References

- P. J. Rousseeuw and A. M. Leroy (1987) *Robust Regression and Outlier Detection*. Wiley.
- C. Croux and G. Haesbroeck (1999). Influence function and efficiency of the minimum covariance determinant scatter matrix estimator. *Journal of Multivariate Analysis*, **71**, 161–190.
- R. A. Maronna, D. Martin and V. Yohai (2006). *Robust Statistics: Theory and Methods*. Wiley, New York.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

`cov.rob` from package **MASS**

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovMve(hbk.x)

## the following three statements are equivalent
c1 <- CovMve(hbk.x, alpha = 0.75)
c2 <- CovMve(hbk.x, control = CovControlMve(alpha = 0.75))
## direct specification overrides control one:
c3 <- CovMve(hbk.x, alpha = 0.75,
             control = CovControlMve(alpha=0.95))
c1
```

CovMve-class

*MVE Estimates of Multivariate Location and Scatter***Description**

This class, derived from the virtual class "CovRobust" accomodates MVE Estimates of multivariate location and scatter computed by the 'Fast MVE' algorithm.

Objects from the Class

Objects can be created by calls of the form `new("CovMve", ...)`, but the usual way of creating CovMve objects is a call to the function `CovMve` which serves as a constructor.

Slots

`alpha`: Object of class "numeric" - the size of the subsets over which the volume of the ellipsoid is minimized (the default is $(n+p+1)/2$)

`quan`: Object of class "numeric" - the number of observations on which the MVE is based. If `quan` equals `n.obs`, the MVE is the classical covariance matrix.

`best`: Object of class "Uvector" - the best subset found and used for computing the raw estimates. The size of `best` is equal to `quan`

`raw.cov`: Object of class "matrix" the raw (not reweighted) estimate of location

`raw.center`: Object of class "vector" - the raw (not reweighted) estimate of scatter

`raw.mah`: Object of class "Uvector" - mahalanobis distances of the observations based on the raw estimate of the location and scatter

`raw.wt`: Object of class "Uvector" - weights of the observations based on the raw estimate of the location and scatter

`raw.cnp2`: Object of class "numeric" - a vector of length two containing the consistency correction factor and the finite sample correction factor of the raw estimate of the covariance matrix

`cnp2`: Object of class "numeric" - a vector of length two containing the consistency correction factor and the finite sample correction factor of the final estimate of the covariance matrix.

`iter, crit, wt`: from the "CovRobust" class.

`call, cov, center, n.obs, mah, method, singularity, X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovMve" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMve](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovMve")
```

CovOgk	<i>Robust Location and Scatter Estimation - Orthogonalized Gnanadesikan-Kettenring (OGK)</i>
--------	--

Description

Computes a robust multivariate location and scatter estimate with a high breakdown point, using the pairwise algorithm proposed by Marona and Zamar (2002) which in turn is based on the pairwise robust estimator proposed by Gnanadesikan-Kettenring (1972).

Usage

```
CovOgk(x, niter = 2, beta = 0.9, control)
```

Arguments

x	a matrix or data frame.
niter	number of iterations, usually 1 or 2 since iterations beyond the second do not lead to improvement.
beta	coverage parameter for the final reweighted estimate
control	a control object (S4) of class CovControlOgk-class containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object. The control object contains also functions for computing the robust univariate location and dispersion estimate <code>mrob</code> and for computing the robust estimate of the covariance between two random variables <code>vrob</code> .

Details

The method proposed by Maronna and Zamar (2002) allows to obtain positive-definite and almost affine equivariant robust scatter matrices starting from any pairwise robust scatter matrix. The default robust estimate of covariance between two random vectors used is the one proposed by Gnanadesikan and Kettenring (1972) but the user can choose any other method by redefining the function in slot `vrob` of the control object `CovControlOgk`. Similarly, the function for computing the robust univariate location and dispersion used is the tau scale defined in Yohai and Zamar (1998) but it can be redefined in the control object.

The estimates obtained by the OGK method, similarly as in `CovMcd` are returned as 'raw' estimates. To improve the estimates a reweighting step is performed using the coverage parameter `beta` and these reweighted estimates are returned as 'final' estimates.

Value

An S4 object of class `CovOgk-class` which is a subclass of the virtual class `CovRobust-class`.

Note

If the user does not specify a scale and covariance function to be used in the computations or specifies one by using the arguments `smrob` and `svrob` (i.e. the names of the functions as strings), a native code written in C will be called which is by far faster than the R version.

If the arguments `mrob` and `vrob` are not NULL, the specified functions will be used via the pure R implementation of the algorithm. This could be quite slow.

See `CovControlOgk` for details.

Author(s)

Valentin Todorov <valentin.todorov@chello.at> and Kjell Konis <kjell.konis@epfl.ch>

References

- Maronna, R.A. and Zamar, R.H. (2002) Robust estimates of location and dispersion of high-dimensional datasets; *Technometrics* **44**(4), 307–317.
- Yohai, R.A. and Zamar, R.H. (1998) High breakdown point estimates of regression by means of the minimization of efficient scale *JASA* **86**, 403–413.
- Gnanadesikan, R. and John R. Kettenring (1972) Robust estimates, residuals, and outlier detection with multiresponse data. *Biometrics* **28**, 81–124.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMcd](#), [CovMest](#)

Examples

```

data(hbk)
hbkmatrix <- data.matrix(hbk[, 1:3])
CovOgk(hbkmatrix)

## the following three statements are equivalent
c1 <- CovOgk(hbkmatrix, niter=1)
c2 <- CovOgk(hbkmatrix, control = CovControlOgk(niter=1))

## direct specification overrides control one:
c3 <- CovOgk(hbkmatrix, beta=0.95,
              control = CovControlOgk(beta=0.99))
c1

x<-matrix(c(1,2,3,7,1,2,3,7), ncol=2)
## CovOgk(x) - this would fail because the two columns of x are exactly collinear.
##           In order to fix it, redefine the default 'vrob' function for example
##           in the following way and pass it as a parameter in the control
##           object.
cc <- CovOgk(x, control=new("CovControlOgk",
                           vrob=function(x1, x2, ...)
                           {
                             r <- .vrobGK(x1, x2, ...)
                             if(is.na(r))
                               r <- 0
                             r
                           })
)
cc

```

CovOgk-class

*OGK Estimates of Multivariate Location and Scatter***Description**

This class, derived from the virtual class "CovRobust" accomodates OGK Estimates of multivariate location and scatter computed by the algorithm proposed by Marona and Zamar (2002).

Objects from the Class

Objects can be created by calls of the form `new("CovOgk", ...)`, but the usual way of creating CovOgk objects is a call to the function `CovOgk` which serves as a constructor.

Slots

`raw.cov`: Object of class "matrix" the raw (not reweighted) estimate of covariance matrix
`raw.center`: Object of class "vector" - the raw (not reweighted) estimate of the location vector
`raw.mah`: Object of class "Uvector" - mahalanobis distances of the observations based on the raw estimate of the location and scatter

`raw.wt`: Object of class "Uvector" - weights of the observations based on the raw estimate of the location and scatter

`iter`, `crit`, `wt`: from the "CovRobust" class.

`call`, `cov`, `center`, `n.obs`, `mah`, `method`, `singularity`, `X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovOgk" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMcd-class](#), [CovMest-class](#)

Examples

```
showClass("CovOgk")
```

CovRobust

Robust Location and Scatter Estimation

Description

Computes a robust multivariate location and scatter estimate with a high breakdown point, using one of the available estimators.

Usage

```
CovRobust(x, control, na.action = na.fail)
```

Arguments

<code>x</code>	a matrix or data frame.
<code>control</code>	a control object (S4) for one of the available control classes, e.g. CovControlMcd-class , CovControlOgk-class , CovControlSest-class , etc., containing estimation options. The class of this object defines which estimator will be used. Alternatively a character string can be specified which names the estimator - one of <code>auto</code> , <code>sde</code> , <code>mcd</code> , <code>ogk</code> , <code>m</code> , <code>mve</code> , <code>sfast</code> , <code>surreal</code> , <code>bisquare</code> , <code>rocke</code> . If <code>'auto'</code> is specified or the argument is missing, the function will select the estimator (see below for details)
<code>na.action</code>	A function to specify the action to be taken if missing values are found. The default action is for the procedure to fail. An alternative is <code>na.omit</code> , which leads to rejection of cases with missing values on any required variable.

Details

This function simply calls the `reestimate` method of the control object `control`. If a character string naming an estimator is specified, a new control object will be created and used (with default estimation options). If this argument is missing or a character string `'auto'` is specified, the function will select the robust estimator according to the size of the dataset. If there are less than 1000 observations and less than 10 variables or less than 5000 observations and less than 5 variables, Stahel-Donoho estimator will be used. Otherwise, if there are less than 50000 observations either bisquare S-estimates (for less than 10 variables) or Rocke type S-estimates (for 10 to 20 variables) will be used. In both cases the S iteration starts at the initial MVE estimate. And finally, if there are more than 50000 observations and/or more than 20 variables the Orthogonalized Quadrant Correlation estimator (CovOgk with the corresponding parameters) is used.

Value

An object derived from a CovRobust object, depending on the selected estimator.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovRobust(hbk.x)
CovRobust(hbk.x, CovControlSest(method="bisquare"))
```

CovRobust-class	<i>Class "CovRobust" - virtual base class for robust estimates of multivariate location and scatter</i>
-----------------	---

Description

CovRobust is a virtual base class used for deriving the concrete classes representing different robust estimates of multivariate location and scatter. Here are implemented the standard methods common for all robust estimates like `show`, `summary` and `plot`. The derived classes can override these methods and can define new ones.

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

`iter`: number of iterations used to compute the estimates

`crit`: value of the criterion function

`wt`: weights

`call`, `cov`, `center`, `n.obs`, `mah`, `method`, `singularity`, `X`: from the "Cov" class.

Extends

Class "Cov", directly.

Methods

isClassic signature(`obj = "CovRobust"`): Will return FALSE, since this is a 'Robust' object

getMeth signature(`obj = "CovRobust"`): Return the name of the particular robust method used (as a character string)

show signature(`object = "CovRobust"`): display the object

plot signature(`x = "CovRobust"`): plot the object

getRaw signature(`obj = "CovRobust"`): Return the object with the reweighted estimates replaced by the raw ones (only relevant for CovMcd, CovMve and CovOgk)

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Cov-class](#), [CovMcd-class](#), [CovMest-class](#), [CovOgk-class](#)

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cv <- CovMest(hbk.x)           # it is not possible to create an object of
                               # class CovRobust, since it is a VIRTUAL class

cv
summary(cv)                   # summary method for class CovRobust
plot(cv)                       # plot method for class CovRobust
```

CovSde

Stahel-Donoho Estimates of Multivariate Location and Scatter

Description

Compute a robust estimate of location and scale using the Stahel-Donoho projection based estimator

Usage

```
CovSde(x, nsamp, maxres, tune = 0.95, eps = 0.5, prob = 0.99,
seed = NULL, trace = FALSE, control)
```

Arguments

x	a matrix or data frame.
nsamp	a positive integer giving the number of resamples required; nsamp may not be reached if too many of the p-subsamples, chosen out of the observed vectors, are in a hyperplane. If nsamp = 0 all possible subsamples are taken. If nsamp is omitted, it is calculated to provide a breakdown point of eps with probability prob.
maxres	a positive integer specifying the maximum number of resamples to be performed including those that are discarded due to linearly dependent subsamples. If maxres is omitted it will be set to 2 times nsamp.
tune	a numeric value between 0 and 1 giving the fraction of the data to receive non-zero weight. Defaults to 0.95
prob	a numeric value between 0 and 1 specifying the probability of high breakdown point; used to compute nsamp when nsamp is omitted. Defaults to 0.99.
eps	a numeric value between 0 and 0.5 specifying the breakdown point; used to compute nsamp when nresamp is omitted. Defaults to 0.5.
seed	starting value for random generator. Default is seed = NULL.
trace	whether to print intermediate results. Default is trace = FALSE.

control a control object (S4) of class `CovControlSde-class` containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.

Details

The projection based Stahel-Donoho estimator possesses very good statistical properties, but it can be very slow if the number of variables is too large. It is recommended to use this estimator if $n \leq 1000$ and $p \leq 10$ or $n \leq 5000$ and $p \leq 5$. The number of subsamples required is calculated to provide a breakdown point of ϵ with probability prob and can reach values larger than the larger integer value - in such case it is limited to `.Machine$integer.max`. Of course you could provide `nsamp` in the call, i.e. `nsamp=1000` but this will not guarantee the required breakdown point of the estimator. For larger data sets it is better to use `CovMcd` or `CovOgk`. If you use `CovRobust`, the estimator will be selected automatically according to the size of the data set.

Value

An S4 object of class `CovSde-class` which is a subclass of the virtual class `CovRobust-class`.

Note

The Fortran code for the Stahel-Donoho method was taken almost with no changes from package `robust` which in turn has it from the *Insightful Robust Library* (thanks to by Kjell Konis).

Author(s)

Valentin Todorov <valentin.todorov@chello.at> and Kjell Konis <kjell.konis@epfl.ch>

References

- R. A. Maronna and V.J. Yohai (1995) The Behavior of the Stahel-Donoho Robust Multivariate Estimator. *Journal of the American Statistical Association* **90** (429), 330–341.
- R. A. Maronna, D. Martin and V. Yohai (2006). *Robust Statistics: Theory and Methods*. Wiley, New York.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
CovSde(hbk.x)

## the following four statements are equivalent
c0 <- CovSde(hbk.x)
c1 <- CovSde(hbk.x, nsamp=2000)
c2 <- CovSde(hbk.x, control = CovControlSde(nsamp=2000))
c3 <- CovSde(hbk.x, control = new("CovControlSde", nsamp=2000))
```

```
## direct specification overrides control one:
c4 <- CovSde(hbk.x, nsamp=100,
             control = CovControlSde(nsamp=2000))
c1
summary(c1)
plot(c1)

## Use the function CovRobust() - if no estimation method is
## specified, for small data sets CovSde() will be called
cr <- CovRobust(hbk.x)
cr
```

CovSde-class

Stahel-Donoho Estimates of Multivariate Location and Scatter

Description

This class, derived from the virtual class "CovRobust" accomodates Stahel-Donoho estimates of multivariate location and scatter.

Objects from the Class

Objects can be created by calls of the form `new("CovSde", ...)`, but the usual way of creating CovSde objects is a call to the function `CovSde` which serves as a constructor.

Slots

`iter`, `crit`, `wt`: from the "CovRobust" class.

`call`, `cov`, `center`, `n.obs`, `mah`, `method`, `singularity`, `X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovSde" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovSde](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovSde")
```

CovSest

S Estimates of Multivariate Location and Scatter

Description

Computes S-Estimates of multivariate location and scatter based on Tukey's biweight function using a fast algorithm similar to the one proposed by Salibian-Barrera and Yohai (2006) for the case of regression. Alternativley, the Ruppert's SURREAL algorithm, bisquare or Rocke type estimation can be used.

Usage

```
CovSest(x, bdp = 0.5, arp = 0.1, eps = 1e-5, maxiter = 120,
        nsamp = 500, seed = NULL, trace = FALSE, tolSolve = 1e-14,
        scalefn, maxisteps=200,
        initHsets = NULL, save.hsets = missing(initHsets) || is.null(initHsets),
        method = c("sfast", "surreal", "bisquare", "rocke", "suser", "sdet"),
        control, t0, S0, initcontrol)
```

Arguments

x	a matrix or data frame.
bdp	a numeric value specifying the required breakdown point. Allowed values are between $(n - p) / (2 * n)$ and 1 and the default is $bdp=0.5$.
arp	a numeric value specifying the asymptotic rejection point (for the Rocke type S estimates), i.e. the fraction of points receiving zero weight (see Rocke (1996)). Default is $arp=0.1$.
eps	a numeric value specifying the relative precision of the solution of the S-estimate (bisquare and Rocke type). Default is to $eps=1e-5$.
maxiter	maximum number of iterations allowed in the computation of the S-estimate (bisquare and Rocke type). Default is $maxiter=120$.
nsamp	the number of random subsets considered. The default is different for the different methods: (i) for <i>sfast</i> it is $nsamp = 20$, (ii) for <i>surreal</i> it is $nsamp = 600 * p$ and (iii) for <i>bisquare</i> or <i>rocke</i> it is $nsamp = 500$.
seed	starting value for random generator. Default is $seed = NULL$.
trace	whether to print intermediate results. Default is $trace = FALSE$.
tolSolve	numeric tolerance to be used for inversion (solve) of the covariance matrix in mahalanobis .

scalefn	function to compute a robust scale estimate or character string specifying a rule determining such a function. Used for computing the "deterministic" S-estimates (method="sdet"). If scalefn is missing or is NULL, the function is selected depending on the data set size, following the recommendation of Hubert et al. (2012) - Q_n if $n \leq 1000$ and <code>scaleTau2</code> otherwise.
maxisteps	maximal number of concentration steps in the deterministic S-estimates; should not be reached.
initHsets	NULL or a $K \times n$ integer matrix of initial subsets of observations of size (specified by the indices in 1:n).
save.hsets	(for deterministic S-estimates) logical indicating if the initial subsets should be returned as <code>initHsets</code> .
method	Which algorithm to use: 'sfast'=C implementation of FAST-S, 'surreal'=SURREAL, 'bisquare', 'rocke'. The method 'suser' currently calls the R implementation of FAST-S but in the future will allow the user to supply own rho function. The method 'sdet' invokes the deterministic algorithm of Hubert et al. (2012).
control	a control object (S4) of class <code>CovControlSest-class</code> containing estimation options - same as these provided in the function specification. If the control object is supplied, the parameters from it will be used. If parameters are passed also in the invocation statement, they will override the corresponding elements of the control object.
t0	optional initial HBDP estimate for the center
S0	optional initial HBDP estimate for the covariance matrix
initcontrol	optional control object to be used for computing the initial HBDP estimates

Details

Computes multivariate S-estimator of location and scatter. The computation will be performed by one of the following algorithms:

FAST-S An algorithm similar to the one proposed by Salibián-Barrera and Yohai (2006) for the case of regression

SURREAL Ruppert's SURREAL algorithm when method is set to 'surreal'

BISQUARE Bisquare S-Estimate with method set to 'bisquare'

ROCKE Rocke type S-Estimate with method set to 'rocke'

Except for the last algorithm, *ROCKE*, all other use Tukey biweight loss function. The tuning parameters used in the loss function (as determined by `bdp`) are returned in the slots `cc` and `kp` of the result object. They can be computed by the internal function `.csolve.bw.S(bdp, p)`.

Value

An S4 object of class `CovSest-class` which is a subclass of the virtual class `CovRobust-class`.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>, Matias Salibián-Barrera <matias@stat.ubc.ca> and Victor Yohai <vyohai@dm.uba.ar>. See also the code from Kristel Joossens, K.U. Leuven, Belgium and Ella Roelant, Ghent University, Belgium.

References

- M. Hubert, P. Rousseeuw and T. Verdonck (2012) A deterministic algorithm for robust location and scatter. *Journal of Computational and Graphical Statistics* **21**(3), 618–637.
- M. Hubert, P. Rousseeuw, D. Vanpaemel and T. Verdonck (2015) The DetS and DetMM estimators for multivariate location and scatter. *Computational Statistics and Data Analysis* **81**, 64–75.
- H.P. Lopuhaä (1989) On the Relation between S-estimators and M-estimators of Multivariate Location and Covariance. *Annals of Statistics* **17** 1662–1683.
- D. Ruppert (1992) Computing S Estimators for Regression and Multivariate Location/Dispersion. *Journal of Computational and Graphical Statistics* **1** 253–270.
- M. Salibian-Barrera and V. Yohai (2006) A fast algorithm for S-regression estimates, *Journal of Computational and Graphical Statistics*, **15**, 414–427.
- R. A. Maronna, D. Martin and V. Yohai (2006). *Robust Statistics: Theory and Methods*. Wiley, New York.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
library(rrcov)
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cc <- CovSest(hbk.x)
cc

## summary and different types of plots
summary(cc)
plot(cc)
plot(cc, which="dd")
plot(cc, which="pairs")
plot(cc, which="xydist")

## the following four statements are equivalent
c0 <- CovSest(hbk.x)
c1 <- CovSest(hbk.x, bdp = 0.25)
c2 <- CovSest(hbk.x, control = CovControlSest(bdp = 0.25))
c3 <- CovSest(hbk.x, control = new("CovControlSest", bdp = 0.25))

## direct specification overrides control one:
c4 <- CovSest(hbk.x, bdp = 0.40,
              control = CovControlSest(bdp = 0.25))

c1
summary(c1)
plot(c1)

## Use the SURREAL algorithm of Ruppert
cr <- CovSest(hbk.x, method="surreal")
cr
```

```
## Use Bisquare estimation
cr <- CovSest(hbk.x, method="bisquare")
cr

## Use Rocke type estimation
cr <- CovSest(hbk.x, method="rocke")
cr

## Use Deterministic estimation
cr <- CovSest(hbk.x, method="sdet")
cr
```

CovSest-class

S Estimates of Multivariate Location and Scatter

Description

This class, derived from the virtual class "CovRobust" accomodates S Estimates of multivariate location and scatter computed by the 'Fast S' or 'SURREAL' algorithm.

Objects from the Class

Objects can be created by calls of the form `new("CovSest", ...)`, but the usual way of creating CovSest objects is a call to the function `CovSest` which serves as a constructor.

Slots

`iter, crit, wt`: from the "CovRobust" class.

`iBest, nsteps, initHsets`: parameters for deterministic S-estimator (the best initial subset, number of concentration steps to convergence for each of the initial subsets, and the computed initial subsets, respectively).

`cc, kp` tuning parameters used in Tukey biweight loss function, as determined by `bdp`. Can be computed by the internal function `.csolve.bw.S(bdp, p)`.

`call, cov, center, n.obs, mah, method, singularity, X`: from the "Cov" class.

Extends

Class "CovRobust", directly. Class "Cov", by class "CovRobust".

Methods

No methods defined with class "CovSest" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovSest](#), [Cov-class](#), [CovRobust-class](#)

Examples

```
showClass("CovSest")
```

diabetes

Reaven and Miller diabetes data

Description

The data set contains five measurements made on 145 non-obese adult patients classified into three groups.

The three primary variables are glucose intolerance (area under the straight line connecting glucose levels), insulin response to oral glucose (area under the straight line connecting insulin levels) and insulin resistance (measured by the steady state plasma glucose (SSPG) determined after chemical suppression of endogenous insulin secretion). Two additional variables, the relative weight and fasting plasma glucose, are also included.

Reaven and Miller, following Friedman and Rubin (1967), applied cluster analysis to the three primary variables and identified three clusters: "normal", "chemical diabetic", and "overt diabetic" subjects. The column group contains the classifications of the subjects into these three groups, obtained by current medical criteria.

Usage

```
data(diabetes)
```

Format

A data frame with the following variables:

rw relative weight, expressed as the ratio of actual weight to expected weight, given the person's height.

fpg fasting plasma glucose level.

glucose area under plasma glucose curve after a three hour oral glucose tolerance test (OGTT).

insulin area under plasma insulin curve after a three hour oral glucose tolerance test (OGTT).

sspg Steady state plasma glucose, a measure of insulin resistance.

group the type of diabetes: a factor with levels normal, chemical and overt.

Source

Reaven, G. M. and Miller, R. G. (1979). An attempt to define the nature of chemical diabetes using a multidimensional analysis. *Diabetologia* 16, 17–24. Andrews, D. F. and Herzberg, A. M. (1985). *Data: A Collection of Problems from Many Fields for the Student and Research Worker*, Springer-Verlag, Ch. 36.

References

Reaven, G. M. and Miller, R. G. (1979). An attempt to define the nature of chemical diabetes using a multidimensional analysis. *Diabetologia* 16, 17–24.

Friedman, H. P. and Rubin, J. (1967). On some invariant criteria for grouping data. *Journal of the American Statistical Association* **62**, 1159–1178.

Hawkins, D. M. and McLachlan, G. J., 1997. High-breakdown linear discriminant analysis. *Journal of the American Statistical Association* **92** (437), 136–143.

Examples

```
data(diabetes)
(cc <- Linda(group~insulin+glucose+sspg, data=diabetes))
(pr <- predict(cc))
```

 fish

Fish Catch Data Set

Description

The Fish Catch data set contains measurements on 159 fish caught in the lake Laengelmavesi, Finland.

Usage

```
data(fish)
```

Format

A data frame with 159 observations on the following 7 variables.

Weight Weight of the fish (in grams)

Length1 Length from the nose to the beginning of the tail (in cm)

Length2 Length from the nose to the notch of the tail (in cm)

Length3 Length from the nose to the end of the tail (in cm)

Height Maximal height as % of Length3

Width Maximal width as % of Length3

Species Species

Details

The Fish Catch data set contains measurements on 159 fish caught in the lake Laengelmavesi, Finland. For the 159 fishes of 7 species the weight, length, height, and width were measured. Three different length measurements are recorded: from the nose of the fish to the beginning of its tail, from the nose to the notch of its tail and from the nose to the end of its tail. The height and width are calculated as percentages of the third length variable. This results in 6 observed variables, Weight, Length1, Length2, Length3, Height, Width. Observation 14 has a missing value in variable Weight, therefore this observation is usually excluded from the analysis. The last variable, Species, represents the grouping structure: the 7 species are 1=Bream, 2=Whitewish, 3=Roach, 4=Parkki, 5=Smelt, 6=Pike, 7=Perch. This data set was also analyzed in the context of robust Linear Discriminant Analysis by Todorov (2007), Todorov and Pires (2007).

Source

Journal of Statistical Education, Fish Catch Data Set, [<https://jse.amstat.org/datasets/fishcatch.dat.txt>] accessed November, 2023.

References

Todorov, V. (2007) Robust selection of variables in linear discriminant analysis, *Statistical Methods and Applications*, **15**, 395–407, doi:10.1007/s10260-006-0032-6.

Todorov, V. and Pires, A.M. (2007) Comparative performance of several robust linear discriminant analysis methods, *REVSTAT Statistical Journal*, **5**, 63–83.

Examples

```
data(fish)

# remove observation #14 containing missing value
fish <- fish[-14,]

# The height and width are calculated as percentages
# of the third length variable
fish[,5] <- fish[,5]*fish[,4]/100
fish[,6] <- fish[,6]*fish[,4]/100

# plot a matrix of scatterplots
pairs(fish[1:6],
      main="Fish Catch Data",
      pch=21,
      bg=c("red", "green3", "blue", "yellow", "magenta", "violet",
           "turquoise")[unclass(fish$Species)])
```

fruit

Fruit data set

Description

A data set that contains the spectra of six different cultivars of the same fruit (cantaloupe - *Cucumis melo* L. Cantaloupensis group) obtained from Colin Greensill (Faculty of Engineering and Physical Systems, Central Queensland University, Rockhampton, Australia). The total data set contained 2818 spectra measured in 256 wavelengths. For illustrative purposes are considered only three cultivars out of it, named D, M and HA with sizes 490, 106 and 500, respectively. Thus the data set thus contains 1096 observations. For more details about this data set see the references below.

Usage

```
data(fruit)
```

Format

A data frame with 1096 rows and 257 variables (one grouping variable – cultivar – and 256 measurement variables).

Source

Colin Greensill (Faculty of Engineering and Physical Systems, Central Queensland University, Rockhampton, Australia).

References

- Hubert, M. and Van Driessen, K., (2004). Fast and robust discriminant analysis. *Computational Statistics and Data Analysis*, **45**(2):301–320. doi:[10.1016/S01679473\(02\)002992](https://doi.org/10.1016/S01679473(02)002992).
- Vanden Branden, K and Hubert, M, (2005). Robust classification in high dimensions based on the SIMCA Method. *Chemometrics and Intelligent Laboratory Systems*, **79**(1-2), pp. 10–21. doi:[10.1016/j.chemolab.2005.03.002](https://doi.org/10.1016/j.chemolab.2005.03.002).
- Hubert, M, Rousseeuw, PJ and Verdonck, T, (2012). A Deterministic Algorithm for Robust Location and Scatter. *Journal of Computational and Graphical Statistics*, **21**(3), pp 618–637. doi:[10.1080/10618600.2012.672100](https://doi.org/10.1080/10618600.2012.672100).

Examples

```
data(fruit)
table(fruit$cultivar)
```

getCenter-methods *Accessor methods to the essential slots of Cov and its subclasses*

Description

Accessor methods to the slots of objects of classCov and its subclasses

Usage

```

getCenter(obj)
getCov(obj)
getCorr(obj)
getData(obj)
getDistance(obj)
getEvals(obj)
getDet(obj)
getShape(obj)
getFlag(obj, prob=0.975)
getMeth(obj)
isClassic(obj)
getRaw(obj)

```

Arguments

obj an object of class "Cov" or of a class derived from "Cov"
prob optional argument for getFlag - probability, defaults to 0.975

Methods

obj = "Cov" generic functions - see getCenter, getCov, getCorr, getData, getDistance, getEvals, getDet, getShape, getFlag, isClassic
obj = "CovRobust" generic functions - see getCenter, getCov, getCorr, getData, getDistance, getEvals, getDet, getShape, getFlag, getMeth, isClassic

getEllipse *Calculates the points for drawing a confidence ellipsoid*

Description

A simple function to calculate the points of a confidence ellipsoid, by default dist=qchisq(0.975, 2)

Usage

```
getEllipse(loc = c(0, 0), cov = matrix(c(1, 0, 0, 1), ncol = 2), crit = 0.975)
```

Arguments

loc	location vector
cov	a pXp covariance matrix
crit	the confidence level, default is crit=0.975

Value

A matrix with two columns containing the calculated points.

Author(s)

Valentin Todorov, <valentin.todorov@chello.at>

Examples

```
data(hbk)
cc <- cov.wt(hbk)
e1 <- getEllipse(loc=cc$center[1:2], cov=cc$cov[1:2,1:2])
e2 <- getEllipse(loc=cc$center[1:2], cov=cc$cov[1:2,1:2], crit=0.99)
plot(X2~X1, data=hb,
      xlim=c(min(X1, e1[,1], e2[,1]), max(X1,e1[,1], e2[,1])),
      ylim=c(min(X2, e1[,2], e2[,2]), max(X2,e1[,2], e2[,2])))
lines(e1, type="l", lty=1, col="red")
lines(e2, type="l", lty=2, col="blue")
legend("topleft", legend=c(0.975, 0.99), lty=1:2, col=c("red", "blue"))
```

getLoadings-methods *Accessor methods to the essential slots of Pca and its subclasses*

Description

Accessor methods to the slots of objects of class Pca and its subclasses

Arguments

obj an object of class "Pca" or of a class derived from "Pca"

Methods

obj = "Pca" Accessors for object of class Pca
obj = "PcaRobust" Accessors for object of class PcaRobust
obj = "PcaClassic" Accessors for object of class PcaClassic

hemophilia

Hemophilia Data

Description

The hemophilia data set contains two measured variables on 75 women, belonging to two groups: n1=30 of them are non-carriers (normal group) and n2=45 are known hemophilia A carriers (obligatory carriers).

Usage

```
data(hemophilia)
```

Format

A data frame with 75 observations on the following 3 variables.

AHFActivity AHF activity

AHFantigen AHF antigen

gr group - normal or obligatory carrier

Details

Originally analyzed in the context of discriminant analysis by Habemma and Hermans (1974). The objective is to find a procedure for detecting potential hemophilia A carriers on the basis of two measured variables: $X1=\log_{10}(\text{AHV activity})$ and $X2=\log_{10}(\text{AHV-like antigen})$. The first group of n1=30 women consists of known non-carriers (normal group) and the second group of n2=45 women is selected from known hemophilia A carriers (obligatory carriers). This data set was also analyzed by Johnson and Wichern (1998) as well as, in the context of robust Linear Discriminant Analysis by Hawkins and McLachlan (1997) and Hubert and Van Driessen (2004).

Source

Habemma, J.D.F, Hermans, J. and van den Broek, K. (1974) Stepwise Discriminant Analysis Program Using Density Estimation in *Proceedings in Computational statistics, COMPSTAT'1974* (Physica Verlag, Heidelberg, 1974, pp 101–110).

References

Johnson, R.A. and Wichern, D. W. *Applied Multivariate Statistical Analysis* (Prentice Hall, International Editions, 2002, fifth edition)

Hawkins, D. M. and McLachlan, G.J. (1997) High-Breakdown Linear Discriminant Analysis *J. Amer. Statist. Assoc.* **92** 136–143.

Hubert, M., Van Driessen, K. (2004) Fast and robust discriminant analysis, *Computational Statistics and Data Analysis*, **45** 301–320.

Examples

```

data(hemophilia)
plot(AHFantigen~AHFactivity, data=hemophilia, col=as.numeric(as.factor(gr))+1)
##
## Compute robust location and covariance matrix and
## plot the tolerance ellipses
(mcd <- CovMcd(hemophilia[,1:2]))
col <- ifelse(hemophilia$gr == "carrier", 2, 3) ## define colours for the groups
plot(mcd, which="tolEllipsePlot", class=TRUE, col=col)

```

ionosphere

Johns Hopkins University Ionosphere database.

Description

”This radar data was collected by a system in Goose Bay, Labrador. This system consists of a phased array of 16 high-frequency antennas with a total transmitted power on the order of 6.4 kilowatts. The targets were free electrons in the ionosphere. "good" radar returns are those showing evidence of some type of structure in the ionosphere. "bad" returns are those that do not; their signals pass through the ionosphere. Received signals were processed using an autocorrelation function whose arguments are the time of a pulse and the pulse number. There were 17 described by 2 attributes per pulse number, corresponding to the complex values returned by the function resulting from the complex electromagnetic signal.” [UCI archive]

Usage

```
data(ionosphere)
```

Format

A data frame with 351 rows and 33 variables: 32 measurements and one (the last, Class) grouping variable: 225 'good' and 126 'bad'.

The original dataset at UCI contains 351 rows and 35 columns. The first 34 columns are features, the last column contains the classification label of 'g' and 'b'. The first feature is binary and the second one is only 0s, one grouping variable - factor with labels 'good' and 'bad'.

Source

Source: Space Physics Group; Applied Physics Laboratory; Johns Hopkins University; Johns Hopkins Road; Laurel; MD 20723

Donor: Vince Sigillito (vgs@aplcn.apl.jhu.edu)

The data have been taken from the UCI Repository Of Machine Learning Databases at <https://archive.ics.uci.edu/ml/datasets/ionosphere>

This data set, with the original 34 features is available in the package **mlbench** and a different data set (referring to the same UCI repository) is available in the package **dprep** (archived on CRAN).

References

Sigillito, V. G., Wing, S. P., Hutton, L. V., and Baker, K. B. (1989). Classification of radar returns from the ionosphere using neural networks. Johns Hopkins APL Technical Digest, 10, 262-266.

Examples

```
data(ionosphere)
ionosphere[, 1:6] |> pairs()
```

isSingular-methods	<i>Check if a covariance matrix (object of class 'Cov') is singular</i>
--------------------	---

Description

Returns TRUE if the covariance matrix contained in a **Cov-class** object (or derived from) is singular.

Usage

```
## S4 method for signature 'Cov'
isSingular(obj)
```

Arguments

obj an object of class (derived from) "Cov".

Methods

isSingular signature(x = Cov): Check if a covariance matrix (object of class **Cov-class**) is singular.

See Also

[Cov-class](#), [CovClassic](#), [CovRobust-class](#).

Examples

```
data(hbk)
cc <- CovClassic(hbk)
isSingular(cc)
```

Lda-class

*Class "Lda" - virtual base class for all classic and robust LDA classes***Description**

The class Lda serves as a base class for deriving all other classes representing the results of classical and robust Linear Discriminant Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: the (matched) function call.

prior: prior probabilities used, default to group proportions

counts: number of observations in each class

center: the group means

cov: the common covariance matrix

ldf: a matrix containing the linear discriminant functions

ldfconst: a vector containing the constants of each linear discriminant function

method: a character string giving the estimation method used

X: the training data set (same as the input parameter x of the constructor function)

grp: grouping variable: a factor specifying the class for each observation.

covobj: object of class "Cov" containing the estimate of the common covariance matrix of the centered data. It is not NULL only in case of method "B".

control: object of class "CovControl" specifying which estimate and with what estimation options to use for the group means and common covariance (or NULL for classical linear discriminant analysis)

Methods

predict signature(object = "Lda"): calculates prediction using the results in object. An optional data frame or matrix in which to look for variables with which to predict. If omitted, the training data set is used. If the original fit used a formula or a data frame or a matrix with column names, newdata must contain columns with the same names. Otherwise it must contain the same number of columns, to be used in the same order.

show signature(object = "Lda"): prints the results

summary signature(object = "Lda"): prints summary information

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[LdaClassic](#), [LdaClassic-class](#), [LdaRobust-class](#)

Examples

```
showClass("Lda")
```

LdaClassic

Linear Discriminant Analysis

Description

Performs a linear discriminant analysis and returns the results as an object of class `LdaClassic` (aka constructor).

Usage

```
LdaClassic(x, ...)
```

```
## Default S3 method:
```

```
LdaClassic(x, grouping, prior = proportions, tol = 1.0e-4, ...)
```

Arguments

<code>x</code>	a matrix or data frame containing the explanatory variables (training set).
<code>grouping</code>	grouping variable: a factor specifying the class for each observation.
<code>prior</code>	prior probabilities, default to the class proportions for the training set.
<code>tol</code>	tolerance
<code>...</code>	arguments passed to or from other methods.

Value

Returns an S4 object of class `LdaClassic`

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Lda-class](#), [LdaClassic-class](#),

Examples

```
## Example anorexia
library(MASS)
data(anorexia)

## rrcov: LdaClassic()
lda <- LdaClassic(Treat~., data=anorexia)
predict(lda)@classification

## MASS: lda()
lda.MASS <- lda(Treat~., data=anorexia)
predict(lda.MASS)$class

## Compare the prediction results of MASS::lda() and LdaClassic()
all.equal(predict(lda)@classification, predict(lda.MASS)$class)
```

LdaClassic-class

Class "LdaClassic" - Linear Discriminant Analysis

Description

Contains the results of a classical Linear Discriminant Analysis

Objects from the Class

Objects can be created by calls of the form `new("LdaClassic", ...)` but the usual way of creating LdaClassic objects is a call to the function `LdaClassic` which serves as a constructor.

Slots

call: The (matched) function call.
prior: Prior probabilities used, default to group proportions
counts: number of observations in each class
center: the group means
cov: the common covariance matrix
ldf: a matrix containing the linear discriminant functions
ldfconst: a vector containing the constants of each linear discriminant function

method: a character string giving the estimation method used
 X: the training data set (same as the input parameter x of the constructor function)
 grp: grouping variable: a factor specifying the class for each observation.

Extends

Class "Lda", directly.

Methods

No methods defined with class "LdaClassic" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[LdaRobust-class](#), [Lda-class](#), [LdaClassic](#)

Examples

```
showClass("LdaClassic")
```

LdaPP

Robust Linear Discriminant Analysis by Projection Pursuit

Description

Performs robust linear discriminant analysis by the projection-pursuit approach - proposed by Pires and Branco (2010) - and returns the results as an object of class LdaPP (aka constructor).

Usage

```
LdaPP(x, ...)
## S3 method for class 'formula'
LdaPP(formula, data, subset, na.action, ...)
## Default S3 method:
LdaPP(x, grouping, prior = proportions, tol = 1.0e-4,
      method = c("huber", "mad", "sest", "class"),
      optim = FALSE,
      trace=FALSE, ...)
```

Arguments

<code>formula</code>	a formula of the form $y \sim x$, it describes the response and the predictors. The formula can be more complicated, such as $y \sim \log(x) + z$ etc (see <code>formula</code> for more details). The response should be a factor representing the response variable, or any vector that can be coerced to such (such as a logical variable).
<code>data</code>	an optional data frame (or similar: see <code>model.frame</code>) containing the variables in the formula <code>formula</code> .
<code>subset</code>	an optional vector used to select rows (observations) of the data matrix <code>x</code> .
<code>na.action</code>	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The default is <code>na.omit</code> .
<code>x</code>	a matrix or data frame containing the explanatory variables (training set).
<code>grouping</code>	grouping variable: a factor specifying the class for each observation.
<code>prior</code>	prior probabilities, default to the class proportions for the training set.
<code>tol</code>	tolerance
<code>method</code>	method
<code>optim</code>	whether to perform the approximation using the Nelder and Mead simplex method (see function <code>optim()</code> from package <code>stats</code>). Default is <code>optim = FALSE</code>
<code>trace</code>	whether to print intermediate results. Default is <code>trace = FALSE</code> .
<code>...</code>	arguments passed to or from other methods.

Details

Currently the algorithm is implemented only for binary classification and in the following will be assumed that only two groups are present.

The PP algorithm searches for low-dimensional projections of higher-dimensional data where a projection index is maximized. Similar to the original Fisher's proposal the squared standardized distance between the observations in the two groups is maximized. Instead of the sample univariate mean and standard deviation (T, S) robust alternatives are used. These are selected through the argument `method` and can be one of

huber the pair (T, S) are the robust M-estimates of location and scale

mad (T, S) are the Median and the Median Absolute Deviation

sest the pair (T, S) are the robust S-estimates of location and scale

class (T, S) are the mean and the standard deviation.

The first approximation $A1$ to the solution is obtained by investigating a finite number of candidate directions, the unit vectors defined by all pairs of points such that one belongs to the first group and the other to the second group. The found solution is stored in the slots `raw.ldf` and `raw.ldfconst`.

The second approximation $A2$ (optional) is performed by a numerical optimization algorithm using $A1$ as initial solution. The Nelder and Mead method implemented in the function `optim` is applied. Whether this refinement will be used is controlled by the argument `optim`. If `optim=TRUE` the result of the optimization is stored into the slots `ldf` and `ldfconst`. Otherwise these slots are set equal to `raw.ldf` and `raw.ldfconst`.

Value

Returns an S4 object of class `LdaPP-class`

Warning

Still an experimental version! Only binary classification is supported.

Author(s)

Valentin Todorov <valentin.todorov@chello.at> and Ana Pires <apires@math.ist.utl.pt>

References

Pires, A. M. and A. Branco, J. (2010) Projection-pursuit approach to robust linear discriminant analysis *Journal Multivariate Analysis*, Academic Press, Inc., **101**, 2464–2485.

See Also

[Linda](#), [LdaClassic](#)

Examples

```
##
## Function to plot a LDA separation line
##
lda.line <- function(lda, ...)
{
  ab <- lda@ldf[1,] - lda@ldf[2,]
  cc <- lda@ldfconst[1] - lda@ldfconst[2]
  abline(a=-cc/ab[2], b=-ab[1]/ab[2],...)
}

data(pottery)
x <- pottery[,c("MG", "CA")]
grp <- pottery$origin
col <- c(3,4)
gcol <- ifelse(grp == "Attic", col[1], col[2])
gpch <- ifelse(grp == "Attic", 16, 1)

##
## Reproduce Fig. 2. from Pires and branco (2010)
##
plot(CA~MG, data=pottery, col=gcol, pch=gpch)

## Not run:

ppc <- LdaPP(x, grp, method="class", optim=TRUE)
lda.line(ppc, col=1, lwd=2, lty=1)

pph <- LdaPP(x, grp, method="huber", optim=TRUE)
```

```

lda.line(pph, col=3, lty=3)

pps <- LdaPP(x, grp, method="sest", optim=TRUE)
lda.line(pps, col=4, lty=4)

ppm <- LdaPP(x, grp, method="mad", optim=TRUE)
lda.line(ppm, col=5, lty=5)

rlda <- Linda(x, grp, method="mcd")
lda.line(rlda, col=6, lty=1)

fsa <- Linda(x, grp, method="fsa")
lda.line(fsa, col=8, lty=6)

## Use the formula interface:
##
LdaPP(origin~MG+CA, data=pottery)      ## use the same two predictors
LdaPP(origin~., data=pottery)         ## use all predictor variables

##
## Predict method
data(pottery)
fit <- LdaPP(origin~., data = pottery)
predict(fit)

## End(Not run)

```

LdaPP-class

*Class "LdaPP" - Robust method for Linear Discriminant Analysis by
Projection-pursuit*

Description

The class LdaPP represents an algorithm for robust linear discriminant analysis by projection-pursuit approach. The objects of class LdaPP contain the results of the robust linear discriminant analysis by projection-pursuit approach.

Objects from the Class

Objects can be created by calls of the form `new("LdaPP", ...)` but the usual way of creating LdaPP objects is a call to the function `LdaPP` which serves as a constructor.

Slots

call: The (matched) function call.
prior: Prior probabilities used, default to group proportions
counts: number of observations in each class
center: the group means

`cov`: the common covariance matrix
`raw.ldf`: a matrix containing the raw linear discriminant functions - see Details in [LdaPP](#)
`raw.ldfconst`: a vector containing the raw constants of each raw linear discriminant function - see Details in [LdaPP](#)
`ldf`: a matrix containing the linear discriminant functions
`ldfconst`: a vector containing the constants of each linear discriminant function
`method`: a character string giving the estimation method used
`X`: the training data set (same as the input parameter `x` of the constructor function)
`grp`: grouping variable: a factor specifying the class for each observation.

Extends

Class "[LdaRobust](#)", directly. Class "[Lda](#)", by class "[LdaRobust](#)", distance 2.

Methods

predict signature(object = "LdaPP"): calculates prediction using the results in object. An optional data frame or matrix in which to look for variables with which to predict. If omitted, the training data set is used. If the original fit used a formula or a data frame or a matrix with column names, newdata must contain columns with the same names. Otherwise it must contain the same number of columns, to be used in the same order. If the argument `raw=TRUE` is set the raw (obtained by the first approximation algorithm) linear discriminant function and constant will be used.

Author(s)

Valentin Todorov <valentin.todorov@chello.at> and Ana Pires <apires@math.ist.utl.pt>

References

Pires, A. M. and A. Branco, J. (2010) Projection-pursuit approach to robust linear discriminant analysis *Journal Multivariate Analysis*, Academic Press, Inc., **101**, 2464–2485.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[LdaRobust-class](#), [Lda-class](#), [LdaClassic](#), [LdaClassic-class](#), [Linda](#), [Linda-class](#)

Examples

```
showClass("LdaPP")
```

LdaRobust-class

Class "LdaRobust" is a virtual base class for all robust LDA classes

Description

The class LdaRobust serves as a base class for deriving all other classes representing the results of the robust Linear Discriminant Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: The (matched) function call.

prior: Prior probabilities used, default to group proportions

counts: number of observations in each class

center: the group means

cov: the common covariance matrix

ldf: a matrix containing the linear discriminant functions

ldfconst: a vector containing the constants of each linear discriminant function

method: a character string giving the estimation method used

X: the training data set (same as the input parameter x of the constructor function)

grp: grouping variable: a factor specifying the class for each observation.

Extends

Class "Lda", directly.

Methods

No methods defined with class "LdaRobust" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Lda-class](#), [LdaClassic-class](#),

Examples

```
showClass("LdaRobust")
```

Linda

Robust Linear Discriminant Analysis

Description

Robust linear discriminant analysis based on MCD and returns the results as an object of class Linda (aka constructor).

Usage

```
Linda(x, ...)
```

```
## Default S3 method:
```

```
Linda(x, grouping, prior = proportions, tol = 1.0e-4,
      method = c("mcd", "mcdA", "mcdB", "mcdC", "fsa", "mrcd", "ogk"),
      alpha=0.5, l1med=FALSE, cov.control, trace=FALSE, ...)
```

Arguments

x	a matrix or data frame containing the explanatory variables (training set).
grouping	grouping variable: a factor specifying the class for each observation.
prior	prior probabilities, default to the class proportions for the training set.
tol	tolerance
method	method
alpha	this parameter measures the fraction of outliers the algorithm should resist. In MCD alpha controls the size of the subsets over which the determinant is minimized, i.e. $\alpha \cdot n$ observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.5.
l1med	whether to use L1 median (space median) instead of MCD to compute the group means locations in order to center the data in methods mcdB and mcdC. useful in case of groups with small size. Default is l1med = FALSE.
cov.control	specifies which covariance estimator to use by providing a CovControl-class object. The default is CovControlMcd-class which will indirectly call CovMcd . If cov.control=NULL is specified, the classical estimates will be used by calling CovClassic
.	.
trace	whether to print intermediate results. Default is trace = FALSE.
...	arguments passed to or from other methods

Details

details

Value

Returns an S4 object of class Linda

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Hawkins, D.M. and McLachlan, G.J. (1997) High-Breakdown Linear Discriminant Analysis, *Journal of the American Statistical Association*, **92**, 136–143.

Todorov V. (2007) Robust selection of variables in linear discriminant analysis, *Statistical Methods and Applications*, **15**, 395–407, doi:10.1007/s10260-006-0032-6.

Todorov, V. and Pires, A.M. (2007) Comparative Performance of Several Robust Linear Discriminant Analysis Methods. *REVSTAT Statistical Journal*, **5**, p 63–83.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMcd](#), [CovMrcd](#)

Examples

```
## Example anorexia
library(MASS)
data(anorexia)

## start with the classical estimates
lda <- LdaClassic(Treat~., data=anorexia)
predict(lda)@classification

## try now the robust LDA with the default method (MCD with pooled within cov matrix)
rlda <- Linda(Treat~., data= anorexia)
predict(rlda)@classification

## try the other methods
Linda(Treat~., data= anorexia, method="mcdA")
Linda(Treat~., data= anorexia, method="mcdB")
Linda(Treat~., data= anorexia, method="mcdC")

## try the Hawkins&McLachlan method
## use the default method
grp <- anorexia[,1]
grp <- as.factor(grp)
x <- anorexia[,2:3]
```



```

Linda(x, grp, method="fsa")

## Do DA with Linda and method mcdB or mcdC, when some classes
## have very few observations. Use L1 median instead of MCD
## to compute the group means (l1med=TRUE).

data(fish)

# remove observation #14 containing missing value
fish <- fish[-14,]

# The height and width are calculated as percentages
# of the third length variable
fish[,5] <- fish[,5]*fish[,4]/100
fish[,6] <- fish[,6]*fish[,4]/100

table(fish$Species)
Linda(Species~., data=fish, l1med=TRUE)
Linda(Species~., data=fish, method="mcdC", l1med=TRUE)

```

Linda-class

Class "Linda" - Robust method for LINear Discriminant Analysis

Description

Robust linear discriminant analysis is performed by replacing the classical group means and withing group covariance matrix by robust equivalents based on MCD.

Objects from the Class

Objects can be created by calls of the form `new("Linda", ...)` but the usual way of creating Linda objects is a call to the function `Linda` which serves as a constructor.

Slots

call: The (matched) function call.
prior: Prior probabilities used, default to group proportions
counts: number of observations in each class
center: the group means
cov: the common covariance matrix
ldf: a matrix containing the linear discriminant functions
ldfconst: a vector containing the constants of each linear discriminant function
method: a character string giving the estimation method used
X: the training data set (same as the input parameter `x` of the constructor function)
grp: grouping variable: a factor specifying the class for each observation.
l1med: wheather L1 median was used to compute group means.

Extends

Class "[LdaRobust](#)", directly. Class "[Lda](#)", by class "LdaRobust", distance 2.

Methods

No methods defined with class "Linda" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[LdaRobust-class](#), [Lda-class](#), [LdaClassic](#), [LdaClassic-class](#)

Examples

```
showClass("Linda")
```

lmom32

Hosking and Wallis Data Set, Table 3.2

Description

The data on annual maximum streamflow at 18 sites with smallest drainage area basin in south-eastern USA contains the sample L-moments ratios (L-CV, L-skewness and L-kurtosis) as used by Hosking and Wallis (1997) to illustrate the discordancy measure in regional frequency analysis (RFA).

Usage

```
data(lmom32)
```

Format

A data frame with 18 observations on the following 3 variables.

L-CV L-coefficient of variation

L-skewness L-coefficient of skewness

L-kurtosis L-coefficient of kurtosis

Details

The sample L-moment ratios (L-CV, L-skewness and L-kurtosis) of a site are regarded as a point in three dimensional space.

Source

Hosking, J. R. M. and J. R. Wallis (1997), *Regional Frequency Analysis: An Approach Based on L-moments*. Cambridge University Press, p.49, Table 3.2

References

Neykov, N.M., Neytchev, P.N., Van Gelder, P.H.A.J.M. and Todorov V. (2007), Robust detection of discordant sites in regional frequency analysis, *Water Resources Research*, 43, W06417, doi:10.1029/2006WR005322

Examples

```
data(lmom32)

# plot a matrix of scatterplots
pairs(lmom32,
      main="Hosking and Wallis Data Set, Table 3.3",
      pch=21,
      bg=c("red", "green3", "blue"))

mcd<-CovMcd(lmom32)
mcd
plot(mcd, which="dist", class=TRUE)
plot(mcd, which="dd", class=TRUE)

## identify the discordant sites using robust distances and compare
## to the classical ones
mcd <- CovMcd(lmom32)
rd <- sqrt(getDistance(mcd))
ccov <- CovClassic(lmom32)
cd <- sqrt(getDistance(ccov))
r.out <- which(rd > sqrt(qchisq(0.975,3)))
c.out <- which(cd > sqrt(qchisq(0.975,3)))
cat("Robust: ", length(r.out), " outliers: ", r.out, "\n")
cat("Classical: ", length(c.out), " outliers: ", c.out, "\n")
```

lmom33

Hosking and Wallis Data Set, Table 3.3

Description

The data on annual maximum streamflow at 17 sites with largest drainage area basins in south-eastern USA contains the sample L-moments ratios (L-CV, L-skewness and L-kurtosis) as used by Hosking and Wallis (1997) to illustrate the discordancy measure in regional frequency analysis (RFA).

Usage

```
data(lmom33)
```

Format

A data frame with 17 observations on the following 3 variables.

L-CV L-coefficient of variation
 L-skewness L-coefficient of skewness
 L-kurtosis L-coefficient of kurtosis

Details

The sample L-moment ratios (L-CV, L-skewness and L-kurtosis) of a site are regarded as a point in three dimensional space.

Source

Hosking, J. R. M. and J. R. Wallis (1997), *Regional Frequency Analysis: An Approach Based on L-moments*. Cambridge University Press, p.51, Table 3.3

References

Neykov, N.M., Neytchev, P.N., Van Gelder, P.H.A.J.M. and Todorov V. (2007), Robust detection of discordant sites in regional frequency analysis, *Water Resources Research*, 43, W06417, doi:10.1029/2006WR005322

Examples

```
data(lmom33)

# plot a matrix of scatterplots
pairs(lmom33,
      main="Hosking and Wallis Data Set, Table 3.3",
      pch=21,
      bg=c("red", "green3", "blue"))

mcd<-CovMcd(lmom33)
mcd
plot(mcd, which="dist", class=TRUE)
plot(mcd, which="dd", class=TRUE)

## identify the discordant sites using robust distances and compare
## to the classical ones
mcd <- CovMcd(lmom33)
rd <- sqrt(getDistance(mcd))
ccov <- CovClassic(lmom33)
cd <- sqrt(getDistance(ccov))
r.out <- which(rd > sqrt(qchisq(0.975,3)))
c.out <- which(cd > sqrt(qchisq(0.975,3)))
```

```
cat("Robust: ", length(r.out), " outliers: ", r.out, "\n")
cat("Classical: ", length(c.out), " outliers: ", c.out, "\n")
```

machines

Computer Hardware

Description

A data set containing relative CPU performance data of 209 machines on 8 variables. are predictive, one (PRP) is the goal field and one (ERP) is the linear regression's guess. The estimated relative performance values were estimated by the authors using a linear regression method. See their article (Ein-Dor and Feldmesser, CACM 4/87, pp 308-317) for more details on how the relative performance values were set.

Usage

```
data(machines)
```

Format

A data frame with 209 rows and 8 variables The variables are as follows:

- MMIN: minimum main memory in kilobytes (integer)
- MMAX: maximum main memory in kilobytes (integer)
- CACH: cache memory in kilobytes (integer)
- CHMIN: minimum channels in units (integer)
- CHMAX: maximum channels in units (integer)
- PRP: published relative performance (integer)
- ERP: estimated relative performance from the original article (integer)

Source

[UCI Archive](#)

References

Phillip Ein-Dor and Jacob Feldmesser (1987), Attributes of the performance of central processing units: A relative performance prediction model, *Communications of the ACM*, **30**, 4, pp 308-317.

M. Hubert, P. J. Rousseeuw and T. Verdonck (2009), Robust PCA for skewed data and its outlier map, *Computational Statistics & Data Analysis*, **53**, 2264–2274.

Examples

```

data(machines)

## Compute the medcouple of each variable of the Computer hardware data
data.frame(MC=round(apply(machines, 2, mc),2))

## Plot a pairwise scatterplot matrix
pairs(machines[,1:6])

mcd <- CovMcd(machines[,1:6])
plot(mcd, which="pairs")

## Remove the rownames (too long)
rownames(machines) <- NULL

## Start with robust PCA based on MCD (P << n)
(pca1 <- PcaHubert(machines, k=3))
plot(pca1, main="ROBPCA-MCD", off=0.03)

## PCA with the projection algorithm of Hubert
(pca2 <- PcaHubert(machines, k=3, mcd=FALSE))
plot(pca2, main="ROBPCA-SD", off=0.03)

## PCA with the adjusted for skewness algorithm of Hubert et al (2009)
(pca3 <- PcaHubert(machines, k=3, mcd=FALSE, skew=TRUE))
plot(pca3, main="ROBPCA-A0", off=0.03)

```

maryo

Marona and Yohai Artificial Data

Description

Simple artificial data set generated according the example by Marona and Yohai (1998). The data set consists of 20 bivariate normal observations generated with zero means, unit variances and correlation 0.8. The sample correlation is 0.81. Two outliers are introduced (i.e. these are 10% of the data) in the following way: two points are modified by interchanging the largest (observation 19) and smallest (observation 9) value of the first coordinate. The sample correlation becomes 0.05. This example provides a good example of the fact that a multivariate outlier need not be an outlier in any of its coordinate variables.

Usage

```
data(maryo)
```

Format

A data frame with 20 observations on 2 variables. To introduce the outliers $x[9,1]$ with $x[19,1]$ are interchanged.

Source

R. A. Marona and V. J. Yohai (1998) Robust estimation of multivariate location and scatter. In *Encyclopedia of Statistical Sciences, Updated Volume 2* (Eds. S.Kotz, C.Read and D.Banks). Wiley, New York p. 590

Examples

```
data(maryo)
getCorr(CovClassic(maryo))          ## the sample correlation is 0.81

## Modify 10% of the data in the following way:
## modify two points (out of 20) by interchanging the
## largest and smallest value of the first coordinate
imin <- which(maryo[,1]==min(maryo[,1]))      # imin = 9
imax <- which(maryo[,1]==max(maryo[,1]))      # imax = 19
maryo1 <- maryo
maryo1[imin,1] <- maryo[imax,1]
maryo1[imax,1] <- maryo[imin,1]

## The sample correlation becomes 0.05
plot(maryo1)
getCorr(CovClassic(maryo1))          ## the sample correlation becomes 0.05
getCorr(CovMcd(maryo1))             ## the (reweighted) MCD correlation is 0.79
```

 octane

Octane data

Description

The octane data contains near infrared absorbance spectra (NIR) of n=39 gasoline samples over p=226 wavelengths ranging from 1102 nm to 1552 nm with measurements every two nanometers. For each of the 39 production gasoline samples the octane number y was measured. Six of the samples (25, 26, and 36-39) contain added alcohol.

Usage

```
data(octane)
```

Format

A data frame with 39 observations and 227 columns, the wavelngts are by column and the first variable is the dependent one (y).

Source

K.H. Esbensen, S. Schoenopf and T. Midtgaard *Multivariate Analysis in Practice*, Trondheim, Norway: Camo, 1994.

References

M. Hubert, P. J. Rousseeuw, K. Vanden Branden (2005), ROBPCA: a new approach to robust principal components analysis, *Technometrics*, **47**, 64–79.

P. J. Rousseeuw, M. Debruyne, S. Engelen and M. Hubert (2006), Robustness and Outlier Detection in Chemometrics, *Critical Reviews in Analytical Chemistry*, **36**(3–4), 221–242.

Examples

```
data(octane)

octane <- octane[, -1] # remove the dependent variable y

pca=PcaHubert(octane, k=10)
screepplot(pca, type="lines")

pca2 <- PcaHubert(octane, k=2)
plot(pca2, id.n.sd=6)

pca7 <- PcaHubert(octane, k=7)
plot(pca7, id.n.sd=6)
```

olitos

Olive Oil Data

Description

This dataset consists of 120 olive oil samples on measurements on 25 chemical compositions (fatty acids, sterols, triterpenic alcohols) of olive oils from Tuscany, Italy (Armanino et al. 1989). There are 4 classes corresponding to different production areas. Class 1, Class 2, Class 3, and Class 4 contain 50, 25, 34, and 11 observations, respectively.

Usage

```
data(olitos)
```

Format

A data frame with 120 observations on the following 26 variables.

X1 Free fatty acids
X2 Refractive index
X3 K268
X4 delta K
X5 Palmitic acid
X6 Palmitoleic acid

X7 a numeric vector
X8 a numeric vector
X9 a numeric vector
X10 a numeric vector
X11 a numeric vector
X12 a numeric vector
X13 a numeric vector
X14 a numeric vector
X15 a numeric vector
X16 a numeric vector
X17 a numeric vector
X18 a numeric vector
X19 a numeric vector
X20 a numeric vector
X21 a numeric vector
X22 a numeric vector
X23 a numeric vector
X24 a numeric vector
X25 a numeric vector
grp a factor with levels 1 2 3 4

Source

Prof. Roberto Todeschini, Milano Chemometrics and QSAR Research Group <https://michem.unimib.it>

References

C. Armanino, R. Leardi, S. Lanteri and G. Modi, 1989. Chemometric analysis of Tuscan olive oils. *Chemometrics and Intelligent Laboratory Systems*, 5: 343–354.

R. Todeschini, V. Consonni, A. Mauri, M. Pavan (2004) Software for the calculation of molecular descriptors. Pavan M. Talete srl, Milan, Italy, <http://www.taletete.mi.it>

Examples

```
data(olitos)
cc <- Linda(grp~., data=olitos, method="mcdC", l1med=TRUE)
cc
pr <- predict(cc)
tt <- mtxconfusion(cc@grp, pr@classification, printit=TRUE)
```

 OsloTransect

Oslo Transect Data

Description

The oslo Transect data set contains 360 samples of different plant species collected along a 120 km transect running through the city of Oslo, Norway.

Usage

```
data(OsloTransect)
```

Format

A data frame with 360 observations on the following 38 variables.

X.ID a numeric vector, unique ID of the sample

X.MAT a factor with levels BBA BIL BWO FER MOS ROG SNE STW TWI

XCOO a numeric vector, X coordinate

YCOO a numeric vector, Y coordinate

XCOO_km a numeric vector

YCOO_km a numeric vector

X.FOREST a factor with levels BIRSPR MIXDEC PINE SPRBIR SPRPIN SPRUCE

DAY a numeric vector

X.WEATHER a factor with levels CLOUD MOIST NICE RAIN

ALT a numeric vector

X.ASP a factor with levels E FLAT N NE NW S SE SW W

X.GRVEG a factor with levels BLGR BLLY BLMOLI BLUE BLUGRA GRAS GRBLU GRFE GRMO LYLI MIX
MOGR MOSS

X.FLITHO a factor with levels CAMSED GNEID_O GNEIS_O GNEIS_R MAGM MICSH

Ag_ppb a numeric vector

As_ash a numeric vector

B a numeric vector

Ba a numeric vector

Ca a numeric vector

Cd a numeric vector

Co a numeric vector

Cr a numeric vector

Cu a numeric vector

Fe a numeric vector

Hg_ppb a numeric vector
K a numeric vector
La a numeric vector
LOI a numeric vector
Mg a numeric vector
Mn a numeric vector
Mo a numeric vector
Ni a numeric vector
P a numeric vector
Pb a numeric vector
S a numeric vector
Sb a numeric vector
Sr a numeric vector
Ti a numeric vector
Zn a numeric vector

Details

Samples of different plant species were collected along a 120 km transect running through the city of Oslo, Norway (forty samples each of leaves, needles, roots or barks of several plant species), and the concentrations of 25 chemical elements for the sample materials are reported. The factors that influenced the observed element concentrations in the sample materials were investigated. This data set was used in Todorov and Filzmoser (2007) for illustration of the robust statistics for one-way MANOVA implemented in the function `Wilks.test`.

Source

REIMANN,C., ARNOLDUSSEN,A., BOYD,R., FINNE,T.E., NORDGULEN,Oe., VOLDEN,T. and ENGLMAIER,P. (2006) The Influence of a city on element contents of a terrestrial moss (*Hypnum splendens*), *The Science of the Total Environment* **369** 419–432.

REIMANN,C., ARNOLDUSSEN,A., BOYD,R., FINNE,T.E., KOLLER,F., NORDGULEN,Oe., and ENGLMAIER,P. (2007) Element contents in leaves of four plant species (birch, mountain ash, fern and spruce) along anthropogenic and geogenic concentration gradients, *The Science of the Total Environment* **377** 416–433.

REIMANN,C., ARNOLDUSSEN,A., FINNE,T.E., KOLLER,F., NORDGULEN,Oe., and ENGLMAIER,P., (2007) Element contents in birch leaves, bark and wood under different anthropogenic and geogenic conditions, *Applied Geochemistry*, **22** 1549–1566.

References

Todorov V. and Filzmoser P. (2007) Robust statistic for the one-way MANOVA, *submitted to the Journal of Environmetrics*.

Examples

```

data(OsloTransect)
str(OsloTransect)

##
## Log-transform the numerical part of the data,
## choose the desired groups and variables and
## perform the classical Wilks' Lambda test
##
OsloTransect[,14:38] <- log(OsloTransect[,14:38])
grp <- OsloTransect$X.FLITHO
ind <- which(grp == "CAMSED" | grp == "GNEIS_0" |
            grp == "GNEIS_R" | grp == "MAGM")
(cwl <- Wilks.test(X.FLITHO~K+P+Zn+Cu,data=OsloTransect[ind,]))

##
## Perform now the robust MCD based Wilks' Lambda test.
## Use the already computed multiplication factor 'xd' and
## degrees of freedom 'xq' for the approximate distribution.
##

xd <- -0.003708238
xq <- 11.79073
(mcdwl <- Wilks.test(X.FLITHO~K+P+Zn+Cu,data=OsloTransect[ind,],
                    method="mcd", xd=xd, xq=xq))

```

Pca-class

Class "Pca" - virtual base class for all classic and robust PCA classes

Description

The class Pca serves as a base class for deriving all other classes representing the results of the classical and robust Principal Component Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: Object of class "language"

center: Object of class "vector" the center of the data

scale: Object of class "vector" the scaling applied to each variable of the data

rank: Object of class "numeric" the rank of the data matrix

loadings: Object of class "matrix" the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors)

eigenvalues: Object of class "vector" the eigenvalues

scores: Object of class "matrix" the scores - the value of the projected on the space of the principal components data (the centred (and scaled if requested) data multiplied by the loadings matrix) is returned. Hence, `cov(scores)` is the diagonal matrix `diag(eigenvalues)`

k: Object of class "numeric" number of (chosen) principal components

sd: Object of class "Uvector" Score distances within the robust PCA subspace

od: Object of class "Uvector" Orthogonal distances to the robust PCA subspace

cutoff.sd: Object of class "numeric" Cutoff value for the score distances

cutoff.od: Object of class "numeric" Cutoff values for the orthogonal distances

flag: Object of class "Uvector" The observations whose score distance is larger than `cutoff.sd` or whose orthogonal distance is larger than `cutoff.od` can be considered as outliers and receive a flag equal to zero. The regular observations receive a flag 1

crit.pca.distances criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.

n.obs: Object of class "numeric" the number of observations

eig0: Object of class "vector" all eigenvalues

totvar0: Object of class "numeric" the total variance explained (=sum(eig0))

Methods

getCenter signature(obj = "Pca"): center of the data

getScale signature(obj = "Pca"): return the scaling applied to each variable

getEigenvalues signature(obj = "Pca"): the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix)

getLoadings signature(obj = "Pca"): returns the matrix loadings (i.e., a matrix whose columns contain the eigenvectors). The function `prcomp` returns this matrix in the element rotation.

getPrcomp signature(obj = "Pca"): returns an S3 object `prcomp` for compatibility with the functions `prcomp()` and `princomp()`. Thus the standard plots `sreeplot()` and `biplot()` can be used

getScores signature(obj = "Pca"): returns the rotated data (the centred (and scaled if requested) data multiplied by the loadings matrix).

getSdev signature(obj = "Pca"): returns the standard deviations of the principal components (i.e., the square roots of the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix)

plot signature(x = "Pca"): produces a distance plot (if `k=rank`) or distance-distance plot (if `k<rank`)

print signature(x = "Pca"): prints the results. The difference to the `show()` method is that additional parameters are possible.

show signature(object = "Pca"): prints the results

predict signature(object = "Pca"): calculates prediction using the results in object. An optional data frame or matrix in which to look for variables with which to predict. If omitted, the scores are used. If the original fit used a formula or a data frame or a matrix with column names, `newdata` must contain columns with the same names. Otherwise it must contain the same number of columns, to be used in the same order. See also [predict.prcomp](#) and [predict.princomp](#)

sreeplot signature(x = "Pca"): plots the variances against the number of the principal component. See also [plot.prcomp](#) and [plot.princomp](#)

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaClassic](#), [PcaClassic-class](#), [PcaRobust-class](#)

Examples

```
showClass("Pca")
```

pca.distances	<i>Compute score and orthogonal distances for Principal Components (objects of class 'Pca')</i>
---------------	---

Description

Compute score and orthogonal distances for an object (derived from) [Pca-class](#).

Usage

```
pca.distances(obj, data, r, crit=0.975)
```

Arguments

obj	an object of class (derived from) "Pca".
data	The data matrix for which the "Pca" object was computed.
r	rank of data
crit	Criterion to use for computing the cutoff values.

Details

This function calculates the score and orthogonal distances and the appropriate cutoff values for identifying outlying observations. The computed values are used to create a vector a of flags, one for each observation, identifying the outliers.

Value

An S4 object of class derived from the virtual class [Pca-class](#) - the same object passed to the function, but with the score and orthogonal distances as well as their cutoff values and the corresponding flags appended to it.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

M. Hubert, P. J. Rousseeuw, K. Vanden Branden (2005), ROBPCA: a new approach to robust principal components analysis, *Technometrics*, **47**, 64–79.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## PCA of the Hawkins Bradu Kass's Artificial Data
## using all 4 variables
data(hbk)
pca <- PcaHubert(hbk)
pca.distances(pca, hbk, rankMM(hbk))
```

pca.scoreplot *Score plot for Principal Components (objects of class 'Pca')*

Description

Produces a score plot from an object (derived from) [Pca-class](#).

Usage

```
pca.scoreplot(obj, i=1, j=2, main, id.n, ...)
```

Arguments

obj	an object of class (derived from) "Pca".
i	First score coordinate, defaults to i=1.
j	Second score coordinate, defaults to j=2.
main	The main title of the plot.
id.n	Number of observations to identify by a label. If missing and the total number of observations is less or equal to 10, all observations will be labelled.
...	Optional arguments to be passed to the internal graphical functions.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

See Also

[Pca-class](#), [PcaClassic](#), [PcaRobust-class](#).

Examples

```
require(graphics)

## PCA of the Hawkins Bradu Kass's Artificial Data
## using all 4 variables
data(hbk)
pca <- PcaHubert(hbk)
pca
pca.scoreplot(pca)
```

PcaClassic

*Principal Components Analysis***Description**

Performs a principal components analysis and returns the results as an object of class PcaClassic (aka constructor).

Usage

```
PcaClassic(x, ...)
## Default S3 method:
PcaClassic(x, k = ncol(x), kmax = ncol(x),
           scale=FALSE, signflip=TRUE, crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaClassic(formula, data = NULL, subset, na.action, ...)
```

Arguments

formula	a formula with no response variable, referring only to numeric variables.
data	an optional data frame (or similar: see model.frame) containing the variables in the formula formula.
subset	an optional vector used to select rows (observations) of the data matrix x.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of options , and is na.fail if that is unset. The default is na.omit .
...	arguments passed to or from other methods.
x	a numeric matrix (or data frame) which provides the data for the principal components analysis.
k	number of principal components to compute. If k is missing, or k = 0, the algorithm itself will determine the number of components by finding such k that $l_k/l_1 \geq 10.E - 3$ and $\sum_{j=1}^k l_j / \sum_{j=1}^r l_j \geq 0.8$. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is k=ncol(x).
kmax	maximal number of principal components to compute. Default is kmax=10. If k is provided, kmax does not need to be specified, unless k is larger than 10.

scale	a value indicating whether and how the variables should be scaled to have unit variance (only possible if there are no constant variables). If scale=FALSE (default) or scale=NULL no scaling is performed (a vector of 1s is returned in the scale slot). If scale=TRUE the data are scaled to have unit variance. Alternatively it can be a function like sd or Qn or a vector of length equal the number of columns of x. The value is passed to the underlying function and the result returned is stored in the scale slot. Default is scale=FALSE.
signflip	a logical value indicating wheather to try to solve the sign indeterminacy of the loadings - ad hoc approach setting the maximum element in a singular vector to be positive. Default is signflip = TRUE
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is trace = FALSE

Value

An S4 object of class [PcaClassic-class](#) which is a subclass of the virtual class [Pca-class](#).

Note

This function can be seen as a wrapper around pcomp() from stats which returns the results of the PCA in a class compatible with the object model for robust PCA.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Pca-class](#), [PcaClassic-class](#),

PcaClassic-class *Class "PcaClassic" - Principal Components Analysis*

Description

Contains the results of a classical Principal Components Analysis

Objects from the Class

Objects can be created by calls of the form new("PcaClassic", ...) but the usual way of creating PcaClassic objects is a call to the function PcaClassic which serves as a constructor.

Slots

call: Object of class "language"
center: Object of class "vector" the center of the data
scale: Object of class "vector" the scaling applied to each variable
rank: Object of class "numeric" the rank of the data matrix
loadings: Object of class "matrix" the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors)
eigenvalues: Object of class "vector" the eigenvalues
scores: Object of class "matrix" the scores - the value of the projected on the space of the principal components data (the centred (and scaled if requested) data multiplied by the loadings matrix) is returned. Hence, `cov(scores)` is the diagonal matrix `diag(eigenvalues)`
k: Object of class "numeric" number of (chosen) principal components
sd: Object of class "Uvector" Score distances within the robust PCA subspace
od: Object of class "Uvector" Orthogonal distances to the robust PCA subspace
cutoff.sd: Object of class "numeric" Cutoff value for the score distances
cutoff.od: Object of class "numeric" Cutoff values for the orthogonal distances
flag: Object of class "Uvector" The observations whose score distance is larger than `cutoff.sd` or whose orthogonal distance is larger than `cutoff.od` can be considered as outliers and receive a flag equal to zero. The regular observations receive a flag 1
n.obs: Object of class "numeric" the number of observations
eig0: Object of class "vector" all eigenvalues
totvar0: Object of class "numeric" the total variance explained (`=sum(eig0)`)

Extends

Class "Pca", directly.

Methods

getQuan signature(`obj = "PcaClassic"`): returns the number of observations used in the computation, i.e. `n.obs`

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#)

Examples

```
showClass("PcaClassic")
```

PcaCov

Robust PCA based on a robust covariance matrix

Description

Robust PCA are obtained by replacing the classical covariance matrix by a robust covariance estimator. This can be one of the available in `rrcov` estimators, i.e. MCD, OGK, M or S estimator.

Usage

```
PcaCov(x, ...)
## Default S3 method:
PcaCov(x, k = ncol(x), kmax = ncol(x), cov.control=CovControlMcd(),
       scale = FALSE, signflip = TRUE, crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaCov(formula, data = NULL, subset, na.action, ...)
```

Arguments

<code>formula</code>	a formula with no response variable, referring only to numeric variables.
<code>data</code>	an optional data frame (or similar: see model.frame) containing the variables in the formula <code>formula</code> .
<code>subset</code>	an optional vector used to select rows (observations) of the data matrix <code>x</code> .
<code>na.action</code>	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of options , and is <code>na.fail</code> if that is unset. The default is <code>na.omit</code> .
<code>...</code>	arguments passed to or from other methods.
<code>x</code>	a numeric matrix (or data frame) which provides the data for the principal components analysis.
<code>k</code>	number of principal components to compute. If <code>k</code> is missing, or <code>k = 0</code> , the algorithm itself will determine the number of components by finding such <code>k</code> that $l_k/l_1 \geq 10.E - 3$ and $\sum_{j=1}^k l_j / \sum_{j=1}^r l_j \geq 0.8$. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is <code>k=ncol(x)</code> .
<code>kmax</code>	maximal number of principal components to compute. Default is <code>kmax=10</code> . If <code>k</code> is provided, <code>kmax</code> does not need to be specified, unless <code>k</code> is larger than 10.
<code>cov.control</code>	specifies which covariance estimator to use by providing a CovControl-class object. The default is CovControlMcd-class which will indirectly call CovMcd . If <code>cov.control=NULL</code> is specified, the classical estimates will be used by calling CovClassic

scale	a value indicating whether and how the variables should be scaled to have unit variance (only possible if there are no constant variables). If scale=FALSE (default) or scale=NULL no scaling is performed (a vector of 1s is returned in the scale slot). If scale=TRUE the data are scaled by the estimator used to compute the covariance matrix (MCD by default). Alternatively it can be a function like sd or Qn or a vector of length equal the number of columns of x. The value is passed to the underlying function and the result returned is stored in the scale slot. Default is scale=FALSE.
signflip	a logical value indicating whether to try to solve the sign indeterminacy of the loadings - ad hoc approach setting the maximum element in a singular vector to be positive. Default is signflip = TRUE
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is trace = FALSE

Details

PcaCov, serving as a constructor for objects of class `PcaCov-class` is a generic function with "formula" and "default" methods. For details see the relevant references.

Value

An S4 object of class `PcaCov-class` which is a subclass of the virtual class `PcaRobust-class`.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## PCA of the Hawkins Bradu Kass's Artificial Data
## using all 4 variables
data(hbk)
pca <- PcaCov(hbk)
pca

## Compare with the classical PCA
prcomp(hbk)

## or
PcaClassic(hbk)

## If you want to print the scores too, use
print(pca, print.x=TRUE)
```

```
## Using the formula interface
PcaCov(~., data=hbk)

## To plot the results:

plot(pca)                # distance plot
pca2 <- PcaCov(hbk, k=2)
plot(pca2)               # PCA diagnostic plot (or outlier map)

## Use the standard plots available for for prcomp and princomp
screeplot(pca)
biplot(pca)
```

PcaCov-class

Class "PcaCov" - Robust PCA based on a robust covariance matrix

Description

Robust PCA are obtained by replacing the classical covariance matrix by a robust covariance estimator. This can be one of the available in `rrcov` estimators, i.e. MCD, OGK, M, S or Stahel-Donoho estimator.

Objects from the Class

Objects can be created by calls of the form `new("PcaCov", ...)` but the usual way of creating PcaCov objects is a call to the function `PcaCov` which serves as a constructor.

Slots

`quan`: Object of class "numeric" The quantile `h` used throughout the algorithm
`call`, `center`, `rank`, `loadings`, `eigenvalues`, `scores`, `k`, `sd`, `od`, `cutoff.sd`, `cutoff.od`, `flag`, `n.obs`, `eig0`, `totvar0`:
 from the "Pca" class.

Extends

Class "PcaRobust", directly. Class "Pca", by class "PcaRobust", distance 2.

Methods

`getQuan` signature(`obj = "PcaCov"`): ...

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#), [PcaClassic-class](#)

Examples

```
showClass("PcaCov")
```

PcaGrid

*Robust Principal Components based on Projection Pursuit (PP):
GRID search Algorithm*

Description

Computes an approximation of the PP-estimators for PCA using the grid search algorithm in the plane.

Usage

```
PcaGrid(x, ...)
## Default S3 method:
PcaGrid(x, k = 0, kmax = ncol(x),
        scale=FALSE, na.action = na.fail, crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaGrid(formula, data = NULL, subset, na.action, ...)
```

Arguments

formula	a formula with no response variable, referring only to numeric variables.
data	an optional data frame (or similar: see model.frame) containing the variables in the formula formula.
subset	an optional vector used to select rows (observations) of the data matrix x.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of options , and is na.fail if that is unset. The default is na.omit .
...	arguments passed to or from other methods.
x	a numeric matrix (or data frame) which provides the data for the principal components analysis.
k	number of principal components to compute. If k is missing, or k = 0, it is set to the number of columns of the data. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is k=0.
kmax	maximal number of principal components to compute. Default is kmax=10. If k is provided, kmax does not need to be specified, unless k is larger than 10.

scale	a value indicating whether and how the variables should be scaled. If scale = FALSE (default) or scale = NULL no scaling is performed (a vector of 1s is returned in the scale slot). If scale = TRUE the data are scaled to have unit variance. Alternatively it can be a function like sd or mad or a vector of length equal the number of columns of x. The value is passed to the underlying function and the result returned is stored in the scale slot. Default is scale = FALSE
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is trace = FALSE

Details

PcaGrid, serving as a constructor for objects of class [PcaGrid-class](#) is a generic function with "formula" and "default" methods. For details see [PCAgrid](#) and the relevant references.

Value

An S4 object of class [PcaGrid-class](#) which is a subclass of the virtual class [PcaRobust-class](#).

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

C. Croux, P. Filzmoser, M. Oliveira, (2007). Algorithms for Projection-Pursuit Robust Principal Component Analysis, *Chemometrics and Intelligent Laboratory Systems*, 87, 225.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
# multivariate data with outliers
library(mvtnorm)
x <- rbind(rmvnorm(200, rep(0, 6), diag(c(5, rep(1,5)))),
          rmvnorm( 15, c(0, rep(20, 5)), diag(rep(1, 6))))
# Here we calculate the principal components with PCAgrid
pc <- PcaGrid(x, 6)
# we could draw a biplot too:
biplot(pc)

# we could use another objective function, and
# maybe only calculate the first three principal components:
pc <- PcaGrid(x, 3, method="qn")
biplot(pc)

# now we want to compare the results with the non-robust principal components
pc <- PcaClassic(x, k=3)
# again, a biplot for comparison:
biplot(pc)
```

PcaGrid-class

Class "PcaGrid" - Robust PCA using PP - GRID search Algorithm

Description

Holds the results of an approximation of the PP-estimators for PCA using the grid search algorithm in the plane.

Objects from the Class

Objects can be created by calls of the form `new("PcaGrid", ...)` but the usual way of creating PcaGrid objects is a call to the function `PcaGrid()` which serves as a constructor.

Slots

`call`, `center`, `scale`, `rank`, `loadings`, `eigenvalues`, `scores`, `k`, `sd`, `od`, `cutoff.sd`, `cutoff.od`, `flag`, `n.obs`:
from the "Pca" class.

Extends

Class "PcaRobust", directly. Class "Pca", by class "PcaRobust", distance 2.

Methods

getQuan signature(obj = "PcaGrid"): ...

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#), [PcaClassic-class](#)

Examples

```
showClass("PcaGrid")
```


PcaHubert

*ROBPCA - ROBust method for Principal Components Analysis***Description**

The ROBPCA algorithm was proposed by Hubert et al (2005) and stays for 'ROBust method for Principal Components Analysis'. It is resistant to outliers in the data. The robust loadings are computed using projection-pursuit techniques and the MCD method. Therefore ROBPCA can be applied to both low and high-dimensional data sets. In low dimensions, the MCD method is applied.

Usage

```
PcaHubert(x, ...)
## Default S3 method:
PcaHubert(x, k = 0, kmax = 10, alpha = 0.75, mcd = TRUE, skew=FALSE,
maxdir=250, scale = FALSE, signflip = TRUE, crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaHubert(formula, data = NULL, subset, na.action, ...)
```

Arguments

formula	a formula with no response variable, referring only to numeric variables.
data	an optional data frame (or similar: see model.frame) containing the variables in the formula formula.
subset	an optional vector used to select rows (observations) of the data matrix x.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of options , and is na.fail if that is unset. The default is na.omit .
...	arguments passed to or from other methods.
x	a numeric matrix (or data frame) which provides the data for the principal components analysis.
k	number of principal components to compute. If k is missing, or k = 0, the algorithm itself will determine the number of components by finding such k that $l_k/l_1 \geq 10.E - 3$ and $\sum_{j=1}^k l_j / \sum_{j=1}^r l_j \geq 0.8$. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is k=0.
kmax	maximal number of principal components to compute. Default is kmax=10. If k is provided, kmax does not need to be specified, unless k is larger than 10.
alpha	this parameter measures the fraction of outliers the algorithm should resist. In MCD alpha controls the size of the subsets over which the determinant is minimized, i.e. alpha*n observations are used for computing the determinant. Allowed values are between 0.5 and 1 and the default is 0.75.

mcd	Logical - when the number of variables is sufficiently small, the loadings are computed as the eigenvectors of the MCD covariance matrix, hence the function <code>CovMcd()</code> is automatically called. The number of principal components is then taken as $k = \text{rank}(x)$. Default is <code>mcd=TRUE</code> . If <code>mcd=FALSE</code> , the ROBPCA algorithm is always applied.
skew	Logical - whether the adjusted outlyingness algorithm for skewed data (Hubert et al., 2009) will be used, default is <code>skew=FALSE</code> .
maxdir	maximal number of random directions to use for computing the outlyingness (or the adjusted outlyingness when <code>skew=TRUE</code>) of the data points, see adjOutlyingness for more details.. Default is <code>maxdir=250</code> . If the number n of observations is small all possible $n*(n-1)/2$ pairs of observations are taken to generate the directions.
scale	a value indicating whether and how the variables should be scaled. If <code>scale=FALSE</code> (default) or <code>scale=NULL</code> no scaling is performed (a vector of 1s is returned in the scale slot). If <code>scale=TRUE</code> the data are scaled to have unit variance. Alternatively it can be a function like <code>sd</code> or <code>mad</code> or a vector of length equal the number of columns of x . The value is passed to the underlying function and the result returned is stored in the scale slot. Default is <code>scale=FALSE</code> .
signflip	a logical value indicating whether to try to solve the sign indeterminacy of the loadings - ad hoc approach setting the maximum element in a singular vector to be positive. Default is <code>signflip = TRUE</code>
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>

Details

`PcaHubert`, serving as a constructor for objects of class `PcaHubert-class` is a generic function with "formula" and "default" methods. The calculation is done using the ROBPCA method of Hubert et al (2005) which can be described briefly as follows. For details see the relevant references.

Let n denote the number of observations, and p the number of original variables in the input data matrix X . The ROBPCA algorithm finds a robust center M ($p \times 1$) of the data and a loading matrix P which is $(p \times k)$ dimensional. Its columns are orthogonal and define a new coordinate system. The scores T , an $(n \times k)$ matrix, are the coordinates of the centered observations with respect to the loadings:

$$T = (X - M)P$$

The ROBPCA algorithm also yields a robust covariance matrix (often singular) which can be computed as

$$S = PLP^t$$

where L is the diagonal matrix with the eigenvalues l_1, \dots, l_k .

This is done in the following three main steps:

Step 1: The data are preprocessed by reducing their data space to the subspace spanned by the n observations. This is done by singular value decomposition of the input data matrix. As a result the data are represented using at most $n-1=\text{rank}(X)$ without loss of information.

Step 2: In this step for each data point a measure of outlyingness is computed. For this purpose the high-dimensional data points are projected on many univariate directions, each time the univariate MCD estimator of location and scale is computed and the standardized distance to the center is measured. The largest of these distances (over all considered directions) is the outlyingness measure of the data point. The h data points with smallest outlyingness measure are used to compute the covariance matrix Σ_h and to select the number k of principal components to retain. This is done by finding such k that $l_k/l_1 \geq 10.E - 3$ and $\sum_{j=1}^k l_j / \sum_{j=1}^r l_j \geq 0.8$. Alternatively the number of principal components k can be specified by the user after inspecting the scree plot.

Step 3: The data points are projected on the k -dimensional subspace spanned by the k eigenvectors corresponding to the largest k eigenvalues of the matrix Σ_h . The location and scatter of the projected data are computed using the reweighted MCD estimator and the eigenvectors of this scatter matrix yield the robust principal components.

Value

An S4 object of class `PcaHubert-class` which is a subclass of the virtual class `PcaRobust-class`.

Note

The ROBPCA algorithm is implemented on the bases of the Matlab implementation, available as part of *LIBRA, a Matlab Library for Robust Analysis* to be found at www.wis.kuleuven.ac.be/stat/robust.html

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

- M. Hubert, P. J. Rousseeuw, K. Vanden Branden (2005), ROBPCA: a new approach to robust principal components analysis, *Technometrics*, **47**, 64–79.
- M. Hubert, P. J. Rousseeuw and T. Verdonck (2009), Robust PCA for skewed data and its outlier map, *Computational Statistics & Data Analysis*, **53**, 2264–2274.
- Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## PCA of the Hawkins Bradu Kass's Artificial Data
## using all 4 variables
data(hbk)
pca <- PcaHubert(hbk)
pca

## Compare with the classical PCA
prcomp(hbk)
```

```

## or
  PcaClassic(hbk)

## If you want to print the scores too, use
  print(pca, print.x=TRUE)

## Using the formula interface
  PcaHubert(~., data=hbK)

## To plot the results:

  plot(pca)                # distance plot
  pca2 <- PcaHubert(hbk, k=2)
  plot(pca2)               # PCA diagnostic plot (or outlier map)

## Use the standard plots available for prcomp and princomp
  screeplot(pca)
  biplot(pca)

## Restore the covraiance matrix
  py <- PcaHubert(hbk)
  cov.1 <- py@loadings %*% diag(py@eigenvalues) %*% t(py@loadings)
  cov.1

```

PcaHubert-class	<i>Class "PcaHubert" - ROBust method for Principal Components Analysis</i>
-----------------	--

Description

The ROBPCA algorithm was proposed by Hubert et al (2005) and stays for 'ROBust method for Principal Components Analysis'. It is resistant to outliers in the data. The robust loadings are computed using projection-pursuit techniques and the MCD method. Therefore ROBPCA can be applied to both low and high-dimensional data sets. In low dimensions, the MCD method is applied.

Objects from the Class

Objects can be created by calls of the form `new("PcaHubert", ...)` but the usual way of creating `PcaHubert` objects is a call to the function `PcaHubert` which serves as a constructor.

Slots

alpha: Object of class "numeric" the fraction of outliers the algorithm should resist - this is the argument `alpha`

quan: The quantile `h` used throughout the algorithm

skew: Whether the adjusted outlyingness algorithm for skewed data was used

ao: Object of class "Uvector" Adjusted outlyingness within the robust PCA subspace

call, center, scale, rank, loadings, eigenvalues, scores, k, sd, od, cutoff.sd, cutoff.od, flag, n.obs, eig0, totv from the "Pca" class.

Extends

Class "[PcaRobust](#)", directly. Class "[Pca](#)", by class "[PcaRobust](#)", distance 2.

Methods

getQuan signature(obj = "PcaHubert"): Returns the quantile used throughout the algorithm

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#), [PcaClassic-class](#)

Examples

```
showClass("PcaHubert")
```

PcaLocantore

Spherical Principal Components

Description

The Spherical Principal Components procedure was proposed by Locantore et al., (1999) as a functional data analysis method. The idea is to perform classical PCA on the data, projected onto a unit sphere. The estimates of the eigenvectors are consistent and the procedure is extremely fast. The simulations of Maronna (2005) show that this method has very good performance.

Usage

```
PcaLocantore(x, ...)
## Default S3 method:
PcaLocantore(x, k = ncol(x), kmax = ncol(x), delta = 0.001,
  na.action = na.fail, scale = FALSE, signflip = TRUE,
  crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaLocantore(formula, data = NULL, subset, na.action, ...)
```

Arguments

formula	a formula with no response variable, referring only to numeric variables.
data	an optional data frame (or similar: see <code>model.frame</code>) containing the variables in the formula <code>formula</code> .
subset	an optional vector used to select rows (observations) of the data matrix <code>x</code> .
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The default is <code>na.omit</code> .
...	arguments passed to or from other methods.
x	a numeric matrix (or data frame) which provides the data for the principal components analysis.
k	number of principal components to compute. If <code>k</code> is missing, or <code>k = 0</code> , the algorithm itself will determine the number of components by finding such <code>k</code> that $l_k/l_1 \geq 10.E - 3$ and $\sum_{j=1}^k l_j / \sum_{j=1}^r l_j \geq 0.8$. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is <code>k=ncol(x)</code> .
kmax	maximal number of principal components to compute. Default is <code>kmax=10</code> . If <code>k</code> is provided, <code>kmax</code> does not need to be specified, unless <code>k</code> is larger than 10.
delta	an accuracy parameter
scale	a value indicating whether and how the variables should be scaled to have unit variance (only possible if there are no constant variables). If <code>scale=FALSE</code> (default) or <code>scale=NULL</code> no scaling is performed (a vector of 1s is returned in the scale slot). If <code>scale=TRUE</code> the data are scaled by <code>mad</code> . Alternatively it can be a function like <code>sd</code> or <code>Qn</code> or a vector of length equal the number of columns of <code>x</code> . The value is passed to the underlying function and the result returned is stored in the scale slot. Default is <code>scale=FALSE</code> .
signflip	a logical value indicating whether to try to solve the sign indeterminacy of the loadings - ad hoc approach setting the maximum element in a singular vector to be positive. Default is <code>signflip = TRUE</code>
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is <code>trace = FALSE</code>

Details

`PcaLocantore`, serving as a constructor for objects of class `PcaLocantore-class` is a generic function with "formula" and "default" methods. For details see the relevant references.

Value

An S4 object of class `PcaLocantore-class` which is a subclass of the virtual class `PcaRobust-class`.

Author(s)

Valentin Todorov <valentin.todorov@chello.at> The SPC algorithm is implemented on the bases of the available from the web site of the book Maronna et al. (2006) code https://www.wiley.com/legacy/wileychi/robust_statistics/

References

N. Locantore, J. Marron, D. Simpson, N. Tripoli, J. Zhang and K. Cohen K. (1999), Robust principal components for functional data. *Test*, 8, 1-28.

R. Maronna, D. Martin and V. Yohai (2006), *Robust Statistics: Theory and Methods*. Wiley, New York.

R. Maronna (2005). Principal components and orthogonal regression based on robust scales. *Technometrics*, 47, 264-273.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
## PCA of the Hawkins Bradu Kass's Artificial Data
## using all 4 variables
data(hbk)
pca <- PcaLocantore(hbk)
pca

## Compare with the classical PCA
prcomp(hbk)

## or
PcaClassic(hbk)

## If you want to print the scores too, use
print(pca, print.x=TRUE)

## Using the formula interface
PcaLocantore(~., data=hbK)

## To plot the results:

plot(pca) # distance plot
pca2 <- PcaLocantore(hbk, k=2)
plot(pca2) # PCA diagnostic plot (or outlier map)

## Use the standard plots available for for prcomp and princomp
screplot(pca)
biplot(pca)
```

PcaLocantore-class *Class "PcaLocantore" Spherical Principal Components*

Description

The Spherical Principal Components procedure was proposed by Locantore et al., (1999) as a functional data analysis method. The idea is to perform classical PCA on the data, \ projected onto a unit sphere. The estimates of the eigenvectors are consistent and the procedure is extremely fast. The simulations of Maronna (2005) show that this method has very good performance.

Objects from the Class

Objects can be created by calls of the form `new("PcaLocantore", ...)` but the usual way of creating PcaLocantore objects is a call to the function `PcaLocantore` which serves as a constructor.

Slots

`delta`: Accuracy parameter

`quan`: Object of class "numeric" The quantile `h` used throughout the algorithm

`call`, `center`, `scale`, `rank`, `loadings`, `eigenvalues`, `scores`, `k`, `sd`, `od`, `cutoff.sd`, `cutoff.od`, `flag`, `n.obs`, `eig0`, `totv` from the "Pca" class.

Extends

Class "[PcaRobust](#)", directly. Class "[Pca](#)", by class "[PcaRobust](#)", distance 2.

Methods

`getQuan` signature(`obj = "PcaLocantore"`): ...

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:[10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#), [PcaClassic-class](#)

Examples

```
showClass("PcaLocantore")
```

PcaProj *Robust Principal Components based on Projection Pursuit (PP):
Croux and Ruiz-Gazen (2005) algorithm*

Description

A fast and simple algorithm for approximating the PP-estimators for PCA: Croux and Ruiz-Gazen (2005)

Usage

```
PcaProj(x, ...)
## Default S3 method:
PcaProj(x, k = 0, kmax = ncol(x), scale=FALSE,
        na.action = na.fail, crit.pca.distances = 0.975, trace=FALSE, ...)
## S3 method for class 'formula'
PcaProj(formula, data = NULL, subset, na.action, ...)
```

Arguments

formula	a formula with no response variable, referring only to numeric variables.
data	an optional data frame (or similar: see model.frame) containing the variables in the formula formula.
subset	an optional vector used to select rows (observations) of the data matrix x.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of options , and is na.fail if that is unset. The default is na.omit .
...	arguments passed to or from other methods.
x	a numeric matrix (or data frame) which provides the data for the principal components analysis.
k	number of principal components to compute. If k is missing, or k = 0, it is set to the number of columns of the data. It is preferable to investigate the scree plot in order to choose the number of components and then run again. Default is k=0.
kmax	maximal number of principal components to compute. Default is kmax=10. If k is provided, kmax does not need to be specified, unless k is larger than 10.
scale	a value indicating whether and how the variables should be scaled. If scale = FALSE (default) or scale = NULL no scaling is performed (a vector of 1s is returned in the scale slot). If scale = TRUE the data are scaled to have unit variance. Alternatively it can be a function like sd or mad or a vector of length equal the number of columns of x. The value is passed to the underlying function and the result returned is stored in the scale slot. Default is scale = FALSE
crit.pca.distances	criterion to use for computing the cutoff values for the orthogonal and score distances. Default is 0.975.
trace	whether to print intermediate results. Default is trace = FALSE

Details

PcaProj, serving as a constructor for objects of class [PcaProj-class](#) is a generic function with "formula" and "default" methods. For details see [PCAproj](#) and the relevant references.

Value

An S4 object of class [PcaProj-class](#) which is a subclass of the virtual class [PcaRobust-class](#).

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

C. Croux, A. Ruiz-Gazen (2005). High breakdown estimators for principal components: The projection-pursuit approach revisited, *Journal of Multivariate Analysis*, 95, 206–226.

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

Examples

```
# multivariate data with outliers
library(mvtnorm)
x <- rbind(rmvnorm(200, rep(0, 6), diag(c(5, rep(1,5))))),
          rmvnorm( 15, c(0, rep(20, 5)), diag(rep(1, 6))))
# Here we calculate the principal components with PcaProj
pc <- PcaProj(x, 6)
# we could draw a biplot too:
biplot(pc)

# we could use another calculation method and another objective function, and
# maybe only calculate the first three principal components:
pc <- PcaProj(x, k=3, method="qn", CalcMethod="sphere")
biplot(pc)

# now we want to compare the results with the non-robust principal components
pc <- PcaClassic(x, k=3)
# again, a biplot for comparison:
biplot(pc)
```

PcaProj-class

Class "PcaProj" - Robust PCA using PP - Croux and Ruiz-Gazen (2005) algorithm

Description

Holds the results of an approximation of the PP-estimators for PCA by a fast and simple algorithm: Croux and Ruiz-Gazen (2005) algorithm.

Objects from the Class

Objects can be created by calls of the form `new("PcaProj", ...)` but the usual way of creating PcaProj objects is a call to the function `PcaProj()` which serves as a constructor.

Slots

`call`, `center`, `scale`, `rank`, `loadings`, `eigenvalues`, `scores`, `k`, `sd`, `od`, `cutoff.sd`, `cutoff.od`, `flag`, `n.obs`:
from the "Pca" class.

Extends

Class "PcaRobust", directly. Class "Pca", by class "PcaRobust", distance 2.

Methods

getQuan signature(obj = "PcaProj"): ...

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[PcaRobust-class](#), [Pca-class](#), [PcaClassic](#), [PcaClassic-class](#)

Examples

```
showClass("PcaProj")
```

PcaRobust-class

Class "PcaRobust" is a virtual base class for all robust PCA classes

Description

The class PcaRobust serves as a base class for deriving all other classes representing the results of the robust Principal Component Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: Object of class "language"
center: Object of class "vector" the center of the data
loadings: Object of class "matrix" the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors)
eigenvalues: Object of class "vector" the eigenvalues
scores: Object of class "matrix" the scores - the value of the projected on the space of the principal components data (the centred (and scaled if requested) data multiplied by the loadings matrix) is returned. Hence, `cov(scores)` is the diagonal matrix `diag(eigenvalues)`
k: Object of class "numeric" number of (chosen) principal components
sd: Object of class "Uvector" Score distances within the robust PCA subspace
od: Object of class "Uvector" Orthogonal distances to the robust PCA subspace
cutoff.sd: Object of class "numeric" Cutoff value for the score distances
cutoff.od: Object of class "numeric" Cutoff values for the orthogonal distances
flag: Object of class "Uvector" The observations whose score distance is larger than `cutoff.sd` or whose orthogonal distance is larger than `cutoff.od` can be considered as outliers and receive a flag equal to zero. The regular observations receive a flag 1
n.obs: Object of class "numeric" the number of observations

Extends

Class "Pca", directly.

Methods

No methods defined with class "PcaRobust" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Pca-class](#), [PcaClassic-class](#),

Examples

```
showClass("PcaRobust")
```

Description

Shows the Mahalanobis distances based on robust and/or classical estimates of the location and the covariance matrix in different plots. The following plots are available:

- index plot of the robust and mahalanobis distances
- distance-distance plot
- Chisquare QQ-plot of the robust and mahalanobis distances
- plot of the tolerance ellipses (robust and classic)
- Scree plot - Eigenvalues comparison plot

Usage

```
## S4 method for signature 'CovClassic'
plot(x, which = c("all", "distance", "qqchi2", "tolellipse", "screeplot"),
     ask=(which=="all" && dev.interactive()),
     cutoff, id.n, tol=1e-7, ...)
## S4 method for signature 'CovRobust'
plot(x, which = c("all", "dd", "distance", "qqchi2", "tolellipse", "screeplot"),
     classic=FALSE, ask=(which=="all" && dev.interactive()),
     cutoff, id.n, tol=1e-7, ...)
```

Arguments

x	an object of class "Cov" or "CovRobust"
which	Which plot to show? See Details for description of the options. Default is which="all".
.	
classic	whether to plot the classical distances too. Default is classic=FALSE.
.	
ask	logical; if 'TRUE', the user is <i>asked</i> before each plot, see 'par(ask=.)'. Default is ask = which=="all" && dev.interactive().
cutoff	The cutoff value for the distances.
id.n	Number of observations to identify by a label. If not supplied, the number of observations with distance larger than cutoff is used.
tol	tolerance to be used for computing the inverse see 'solve'. Default is tol = 10e-7
...	other parameters to be passed through to plotting functions.

Methods

`x = "Cov", y = "missing"` Plot mahalanobis distances for `x`.

`x = "CovRobust", y = "missing"` Plot robust and classical mahalanobis distances for `x`.

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cv <- CovClassic(hbk.x)
plot(cv)
rcv <- CovMest(hbk.x)
plot(rcv)
```

pottery

Archaic Greek Pottery data

Description

The Archaic Greek Pottery data set contains data on fragments of Greek pottery which were classified into two groups according to their origin: Attic or Eritrean. Six chemical variables, metallic oxide constituents, were measured: Si, Al, Fe, Ca and Ti. The main data set consists of 13 Attic objects and 14 Eritrean ones. There is a separate data set with 13 observations which can be used as a test data set. It consists of 4 observations classified as "probably Attic" and the remaining 9 as "probably Eritrean".

Usage

```
data(pottery)
```

Format

Two data frames with 27 and 13 observations on the following 7 variables.

SI Si content

AL Al content

FE Fe content

MG Mg content

CA Ca content

TI Ti content

origin Origin - factor with two levels: Attic and Eritrean

Details

The Archaic Greek Pottery data set was first published by Stern and Descoedres (1977) and later reproduced in Cooper and Weeks (1983) for illustration of linear discriminant analysis. The data set was used by Pires and Branco (2010) for illustration of their projection pursuit approach to linear discriminant analysis.

Source

STERN, W. B. and DESCOEUDRES, J.-P. (1977) X-RAY FLUORESCENCE ANALYSIS OF ARCHAIC GREEK POTTERY *Archaeometry*, Blackwell Publishing Ltd, **19**, 73–86.

References

Cooper, R.A. and Weekes, A.J.. 1983 *Data, Models, and Statistical Analysis*, (Lanham, MD: Rowman & Littlefield).

Pires, A. M. and A. Branco, J. (2010) Projection-pursuit approach to robust linear discriminant analysis *Journal Multivariate Analysis*, Academic Press, Inc., **101**, 2464–2485.

Examples

```

data(pottery)
x <- pottery[,c("MG", "CA")]
grp <- pottery$origin

##
## Compute robust location and covariance matrix and
## plot the tolerance ellipses
library(rrcov)
(mcd <- CovMcd(x))
col <- c(3,4)
gcol <- ifelse(grp == "Attic", col[1], col[2])
gpch <- ifelse(grp == "Attic", 16, 1)
plot(mcd, which="tolEllipsePlot", class=TRUE, col=gcol, pch=gpch)

##
## Perform classical LDA and plot the data, 0.975 tolerance ellipses
## and LDA separation line
##
x <- pottery[,c("MG", "CA")]
grp <- pottery$origin
lda <- LdaClassic(x, grp)
lda
e1 <- getEllipse(loc=lda@center[1,], cov=lda@cov)
e2 <- getEllipse(loc=lda@center[2,], cov=lda@cov)

plot(CA~MG, data=pottery, col=gcol, pch=gpch,
      xlim=c(min(MG,e1[,1], e2[,1]), max(MG,e1[,1], e2[,1])),
      ylim=c(min(CA,e1[,2], e2[,2]), max(CA,e1[,2], e2[,2])))

ab <- lda@ldf[1,] - lda@ldf[2,]
cc <- lda@ldfconst[1] - lda@ldfconst[2]
abline(a=-cc/ab[2], b=-ab[1]/ab[2], col=2, lwd=2)

lines(e1, type="l", col=col[1])
lines(e2, type="l", col=col[2])

##

```

```

## Perform robust (MCD) LDA and plot data, classical and
## robust separation line
##
plot(CA~MG, data=pottery, col=gcol, pch=gpch)
lda <- LdaClassic(x, grp)
ab <- lda@ldf[1,] - lda@ldf[2,]
cc <- lda@ldfconst[1] - lda@ldfconst[2]
abline(a=-cc/ab[2], b=-ab[1]/ab[2], col=2, lwd=2)
abline(a=-cc/ab[2], b=-ab[1]/ab[2], col=4, lwd=2)

rlda <- Linda(x, grp, method="mcd")
rlda
ab <- rlda@ldf[1,] - rlda@ldf[2,]
cc <- rlda@ldfconst[1] - rlda@ldfconst[2]
abline(a=-cc/ab[2], b=-ab[1]/ab[2], col=2, lwd=2)

```

PredictLda-class

Class "PredictLda" - prediction of "Lda" objects

Description

The prediction of a "Lda" object

Objects from the Class

Objects can be created by calls of the form `new("PredictLda", ...)` but most often by invoking 'predict' on a "Lda" object. They contain values meant for printing by 'show'

Slots

classification: a factor variable containing the classification of each object

posterior: a matrix containing the posterior probabilities

x: matrix with the discriminant scores

ct: re-classification table of the training sample

Methods

show `signature(object = "PredictLda")`: Prints the results

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also[Lda-class](#)**Examples**

```
showClass("PredictLda")
```

PredictQda-class	<i>Class "PredictQda" - prediction of "Qda" objects</i>
------------------	---

Description

The prediction of a "Qda" object

Objects from the Class

Objects can be created by calls of the form `new("PredictQda", ...)` but most often by invoking 'predict' on a "Qda" object. They contain values meant for printing by 'show'

Slots

classification: a factor variable containing the classification of each object

posterior: a matrix containing the posterior probabilities

x: matrix with the discriminant scores

ct: re-classification table of the training sample

Methods

show signature(object = "PredictQda"): prints the results

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also[Qda-class](#)**Examples**

```
showClass("PredictQda")
```

Qda-class

*Class "Qda" - virtual base class for all classic and robust QDA classes***Description**

The class Qda serves as a base class for deriving all other classes representing the results of classical and robust Quadratic Discriminant Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: the (matched) function call.

prior: prior probabilities used, default to group proportions

counts: number of observations in each class

center: the group means

cov: the group covariance matrices

covinv: the inverse of the group covariance matrices

covdet: the determinants of the group covariance matrices

method: a character string giving the estimation method used

X: the training data set (same as the input parameter x of the constructor function)

grp: grouping variable: a factor specifying the class for each observation.

control: object of class "CovControl" specifying which estimate and with what estimation options to use for the group means and covariances (or NULL for classical discriminant analysis)

Methods

predict signature(object = "Qda"): calculates prediction using the results in object. An optional data frame or matrix in which to look for variables with which to predict. If omitted, the scores are used. If the original fit used a formula or a data frame or a matrix with column names, newdata must contain columns with the same names. Otherwise it must contain the same number of columns, to be used in the same order.

show signature(object = "Qda"): prints the results

summary signature(object = "Qda"): prints summary information

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[QdaClassic](#), [QdaClassic-class](#), [QdaRobust-class](#)

Examples

```
showClass("Qda")
```

QdaClassic

Quadratic Discriminant Analysis

Description

Performs quadratic discriminant analysis and returns the results as an object of class `QdaClassic` (aka constructor).

Usage

```
QdaClassic(x, ...)
```

```
## Default S3 method:
```

```
QdaClassic(x, grouping, prior = proportions, tol = 1.0e-4, ...)
```

Arguments

<code>x</code>	a matrix or data frame containing the explanatory variables (training set).
<code>grouping</code>	grouping variable: a factor specifying the class for each observation.
<code>prior</code>	prior probabilities, default to the class proportions for the training set.
<code>tol</code>	tolerance
<code>...</code>	arguments passed to or from other methods.

Value

Returns an S4 object of class `QdaClassic`

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. [doi:10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[Qda-class](#), [QdaClassic-class](#),

QdaClassic-class *Class "QdaClassic" - Quadratic Discriminant Analysis*

Description

Contains the results of classical Quadratic Discriminant Analysis

Objects from the Class

Objects can be created by calls of the form `new("QdaClassic", ...)` but the usual way of creating QdaClassic objects is a call to the function `QdaClassic` which serves as a constructor.

Slots

`call`: The (matched) function call.

`prior`: Prior probabilities used, default to group proportions

`counts`: number of observations in each class

`center`: the group means

`cov`: the group covariance matrices

`covinv`: the inverse of the group covariance matrices

`covdet`: the determinants of the group covariance matrices

`method`: a character string giving the estimation method used

`X`: the training data set (same as the input parameter `x` of the constructor function)

`grp`: grouping variable: a factor specifying the class for each observation.

`control`: Object of class "CovControl" inherited from class `Qda` specifying which estimate and with what estimation options to use for the group means and covariances. It is always NULL for classical discriminant analysis.

Extends

Class "[Qda](#)", directly.

Methods

No methods defined with class "QdaClassic" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. [doi:10.18637/jss.v032.i03](https://doi.org/10.18637/jss.v032.i03).

See Also

[QdaRobust-class](#), [Qda-class](#), [QdaClassic](#)

Examples

```
showClass("QdaClassic")
```

QdaCov

Robust Quadratic Discriminant Analysis

Description

Performs robust quadratic discriminant analysis and returns the results as an object of class QdaCov (aka constructor).

Usage

```
QdaCov(x, ...)
```

```
## Default S3 method:
```

```
QdaCov(x, grouping, prior = proportions, tol = 1.0e-4,  
       method = CovControlMcd(), ...)
```

Arguments

x	a matrix or data frame containing the explanatory variables (training set).
grouping	grouping variable: a factor specifying the class for each observation.
prior	prior probabilities, default to the class proportions for the training set.
tol	tolerance
method	method
...	arguments passed to or from other methods

Details

details

Value

Returns an S4 object of class QdaCov

Warning

Still an experimental version!

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovMcd](#)

Examples

```
## Example anorexia
library(MASS)
data(anorexia)

## start with the classical estimates
qda <- QdaClassic(Treat~., data=anorexia)
predict(qda)@classification

## try now the robust LDA with the default method (MCD with pooled within cov matrix)
rqda <- QdaCov(Treat~., data= anorexia)
predict(rqda)@classification

## try the other methods
QdaCov(Treat~., data= anorexia, method="sde")
QdaCov(Treat~., data= anorexia, method="M")
QdaCov(Treat~., data= anorexia, method=CovControl0gk())
```

QdaCov-class

Class "QdaCov" - Robust methods for Quadratic Discriminant Analysis

Description

Robust quadratic discriminant analysis is performed by replacing the classical group means and within group covariance matrices by their robust equivalents.

Objects from the Class

Objects can be created by calls of the form `new("QdaCov", ...)` but the usual way of creating QdaCov objects is a call to the function `QdaCov` which serves as a constructor.

Slots

call: The (matched) function call.
prior: Prior probabilities used, default to group proportions
counts: number of observations in each class
center: the group means

cov: the group covariance matrices
 covinv: the inverse of the group covariance matrices
 covdet: the determinants of the group covariance matrices
 method: a character string giving the estimation method used
 X: the training data set (same as the input parameter x of the constructor function)
 grp: grouping variable: a factor specifying the class for each observation.
 control: Object of class "CovControl" specifying which estimate to use for the group means and covariances

Extends

Class "[QdaRobust](#)", directly. Class "[Qda](#)", by class "[QdaRobust](#)", distance 2.

Methods

No methods defined with class "QdaCov" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[QdaRobust-class](#), [Qda-class](#), [QdaClassic](#), [QdaClassic-class](#)

Examples

```
showClass("QdaCov")
```

QdaRobust-class

Class "QdaRobust" is a virtual base class for all robust QDA classes

Description

The class QdaRobust serves as a base class for deriving all other classes representing the results of robust Quadratic Discriminant Analysis methods

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

call: The (matched) function call.
prior: Prior probabilities used, default to group proportions
counts: number of observations in each class
center: the group means
cov: the group covariance matrices
covinv: the inverse of the group covariance matrices
covdet: the determinants of the group covariance matrices
method: a character string giving the estimation method used
X: the training data set (same as the input parameter x of the constructor function)
grp: grouping variable: a factor specifying the class for each observation.
control: Object of class "CovControl" specifying which estimate to use for the group means and covariances

Extends

Class "Qda", directly.

Methods

No methods defined with class "QdaRobust" in the signature.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Qda-class](#), [QdaClassic-class](#),

Examples

```
showClass("QdaRobust")
```

reestimate-methods	<i>Methods for Function estimate in Package 'rrcov'</i>
--------------------	---

Description

Each concrete control class, like `CovControlMest`, `CovControlOgk`, etc., should implement an `reestimate` method which will call the corresponding (constructor)-function and will return the obtained S4 class, derived from `CovRobust`.

Usage

```
## S4 method for signature 'CovControlMest'
reestimate(obj, x, ...)
```

Arguments

<code>obj</code>	an object of class "CovControlEstimate"
<code>x</code>	Data frame or matrix containing the data
<code>.</code>	
<code>...</code>	other parameters to be passed through to the estimation function.

Methods

`obj = "CovControlMcd"` Compute the MCD estimates of multivariate location and scatter by calling `ingCovMcd`

`obj = "CovControlMest"` Compute the constrained M-estimates of multivariate location and scatter by calling `CovMest`

`obj = "CovControlOgk"` Compute the Ortogonalized Gnanadesikan-Kettenring (OGK) estimates of multivariate location and scatter by calling `CovOgk`

rice	<i>Rice taste data</i>
------	------------------------

Description

The rice taste data consists of five inputs and a single output whose values are associated with subjective evaluations as follows: `x1`: flavor, `x2`: appearance, `x3`: taste, `x4`: stickiness, `x5`: toughness, `y`: overall evaluation. Sensory test data have been obtained by such subjective evaluations for 105 kinds of rice (e.g., Sasanishiki, Akita-Komachi, etc.). The data set was used by Nozaki et al. (1997) to demonstrate the high performance of a proposed for automatically generating fuzzy if-then rules from numerical data.

Usage

```
data(rice)
```

Format

A data frame with 105 observations on the following 6 variables:

Favor compactness

Appearance circularity

Taste distance circularity

Stickiness radius ratio

Toughness principal axis aspect ratio

Overall_evaluation maximum length aspect ratio

Source

Nozaki, K., Ishibuchi, H, and Tanaka, H. (1997) A simple but powerful heuristic method for generating fuzzy rules from numerical data *Fuzzy Sets and Systems* **86** 3 p. 251–270.

salmon

Salmon data

Description

The salmon data contains two measurements of the growth rings on the scale of Alaskan and Canadian salmon as well as the gender of the fishes. There are 50 Alaskan-born and 50 Canadian-born salmon, and this information is coded in the variable *Origin*.

Usage

`data(salmon)`

Format

A data frame with 100 observations on the following 4 variables.

Gender female=1 and male=2

Freshwater diameter of rings for the first-year freshwater growth (hundreds of an inch)

Marine diameter of rings for the first-year marine growth (hundreds of an inch)

Origin Origin of the fish: a factor with levels Alaskan Canadian

Source

Johnson, R.A. and Wichern, D. W. *Applied Multivariate Statistical Analysis* (Prentice Hall, International Editions, 2002, fifth edition)

Examples

`data(salmon)`

scorePlot-methods *Score plot for Principal Components (objects of class 'Pca')*

Description

Produces a score plot from an object (derived from) [Pca-class](#).

Usage

```
## S4 method for signature 'Pca'  
scorePlot(x, i=1, j=2, ...)
```

Arguments

x	an object of class (derived from) "Pca".
i	First score coordinate, defaults to i=1.
j	Second score coordinate, defaults to j=2.
...	optional arguments to be passed to the internal graphical functions.

Side Effects

a plot is produced on the current graphics device.

Methods

scorePlot signature(x = Pca): Plot a scatter plot of ith against jth score of the Pca object with superimposed tolerance (0.975) ellipse. See also [biplot](#), [screeplot](#).

See Also

[Pca-class](#), [PcaClassic](#), [PcaRobust-class](#).

Examples

```
require(graphics)  
  
## PCA of the Hawkins Bradu Kass's Artificial Data  
## using all 4 variables  
data(hbk)  
pca <- PcaHubert(hbk)  
pca  
  
scorePlot(pca)
```

soil

Exchangable cations in forest soil data set

Description

The forest soil data set contains measurements on 58 soil pits in the Hubbard Brook Experimental Forest in north-central New Hampshire. The excavations were done in 1983 and 1986. The soil samples were analyzed for the exchangeable cations of aluminium, calcium, magnesium, potassium and sodium. The pit locations in both data sets can be classified by the type of the forest:

- 1: spruce-fir (11 samples),
- 2: high elevation hardwood (23 samples) and
- 3: low elevation hardwood (24 samples)).

Additionally the degree of logging disturbance can be considered (all 0 in the 1983 data set):

- 0: uncut forest,
- 1: cut, undisturbed by machinery and
- 2: cut, disturbed.

The observations are expressed in grams of exchangeable cations per square meter.

Usage

```
data(soil)
```

Format

A data frame with 116 observations on the following 7 variables.

F Type of forest
D Degree of logging disturbance
Al Level of the exchangeable cations in Al
Ca Level of the exchangeable cations in Ca
Mg Level of the exchangeable cations in Mg
K Level of the exchangeable cations in K
Na Level of the exchangeable cations in Na

Source

Morrison D.F., 2005, *Multivariate Statistical Methods*, Thompson

References

Vanden Branden K, Hubert M (2005). Robust Classification in High Dimensions Based on the SIMCA Method. *Chemometrics and Intelligent Laboratory System*, 79: 10–21.

Examples

```
data(soil)
soil1983 <- soil[soil$D == 0, -2]      # only 1983, remove column D (always 0)

(cc <- Linda(F~., data=soil))
(pr <- predict(cc))
pr@classification
```

SummaryCov-class *Class "SummaryCov" - summary of "Cov" objects*

Description

The "Cov" object plus some additional summary information

Objects from the Class

Objects can be created by calls of the form `new("SummaryCov", ...)`, but most often by invoking 'summary' on a "Cov" object. They contain values meant for printing by 'show'.

Slots

covobj: Object of class "Cov"
evals: eigenvalues of the covariance or correlation matrix

Methods

getCenter signature(obj = "SummaryCov"): location vector
getCov signature(obj = "SummaryCov"): covariance matrix
getDistance signature(obj = "SummaryCov"): vector of distances
getEvals signature(obj = "SummaryCov"): vector of eigenvalues
isClassic signature(obj = "SummaryCov"): is the estimate a classic one
show signature(object = "SummaryCov"): display the object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Cov-class](#)

Examples

```
showClass("SummaryCov")
```

SummaryCovRobust-class

Class "SummaryCovRobust" - summary of "CovRobust" objects

Description

Summary information for CovRobust objects means for printing by 'show'

Objects from the Class

Objects can be created by calls of the form `new("SummaryCovRobust", ...)`, but most often by invoking 'summary' on an "Cov" object. They contain values meant for printing by 'show'.

Slots

`covobj`: Object of class "Cov"

`evals`: Eigenvalues of the covariance or correlation matrix

Extends

Class "SummaryCov", directly.

Methods

`show` signature(object = "SummaryCovRobust"): ...

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[CovRobust-class](#), [SummaryCov-class](#)

Examples

```
data(hbk)
hbk.x <- data.matrix(hbk[, 1:3])
cv <- CovMest(hbk.x)
cv
summary(cv)
```

SummaryLda-class	<i>Class "SummaryLda" - summary of "Lda" objects</i>
------------------	--

Description

Contains summary information about an Lda object - Linear Discriminant Analysis object

Objects from the Class

Objects can be created by calls of the form `new("SummaryLda", ...)`, but most often by invoking `'summary'` on an "Lda" object. They contain values meant for printing by `'show'`.

Slots

`ldaobj`: Object of class "Lda"

Methods

`show` signature(object = "SummaryLda"): display the object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Lda-class](#)

Examples

```
showClass("SummaryLda")
```

SummaryPca-class *Class "SummaryPca" - summary of "Pca" objects*

Description

The "Pca" object plus some additional summary information

Objects from the Class

Objects can be created by calls of the form `new("SummaryPca", ...)`, but most often by invoking 'summary' on a "Pca" object. They contain values meant for printing by 'show'.

Slots

`pcaobj`: Object of class "Pca"

`importance`: matrix with additional information: importance of components

Methods

`show` signature(object = "SummaryPca"): display the object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, **32**(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Pca-class](#)

Examples

```
showClass("SummaryPca")
```

SummaryQda-class	<i>Class "SummaryQda" - summary of "Qda" objects</i>
------------------	--

Description

Summary information about a Qda - Quadratic Discriminant Analysis object

Objects from the Class

Objects can be created by calls of the form `new("SummaryQda", ...)`, but most often by invoking `'summary'` on an "Qda" object. They contain values meant for printing by `'show'`.

Slots

`qdaobj`: Object of class "Qda"

Methods

`show` signature(object = "SummaryQda"): display the object

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov V & Filzmoser P (2009), An Object Oriented Framework for Robust Multivariate Analysis. *Journal of Statistical Software*, 32(3), 1–47. doi:10.18637/jss.v032.i03.

See Also

[Qda-class](#)

Examples

```
showClass("SummaryQda")
```

T2.test *Robust Hotelling T2 test*

Description

Performs one and two sample Hotelling T2 tests as well as robust one-sample Hotelling T2 test

Usage

```
T2.test(x, ...)
```

Default S3 method:

```
T2.test(x, y = NULL, mu = 0, conf.level = 0.95, method=c("c", "mcd"), ...)
```

S3 method for class 'formula'

```
T2.test(formula, data, subset, na.action, ...)
```

Arguments

x	a (non-empty) numeric data frame or matrix.
y	an optional (non-empty) numeric data frame or matrix.
mu	an optional (non-empty) numeric vector of data values (or a single number which will be repeated p times) indicating the true value of the mean (or difference in means if you are performing a two sample test).
conf.level	confidence level of the interval
method	the method to be used - 'c' for sample mean and covariance matrix and 'mcd' for minimum covariance determinant estimator. A two-sample MCD based T2-test is not yet implemented.
formula	a formula of the form lhs ~ rhs where lhs is a numeric data frame or matrix giving the observations and rhs a factor with two levels giving the corresponding groups.
data	an optional matrix or data frame (or similar: see model.frame) containing the variables in the formula formula. By default the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used (currently not used)
na.action	a function which indicates what should happen when the data contain NAs. Defaults to <code>getOption("na.action")</code> (currently only "na.rm" used)
...	further arguments to be passed to or from methods.

Details

The formula interface is only applicable for the two-sample tests.

Value

A list with class "htest" containing the following components:

statistic	the value of the T2-statistic.
parameter	the degrees of freedom for the T2-statistic.
p.value	the p-value for the test.
conf.int	a confidence interval for the mean vector appropriate to the specified alternative hypothesis.
estimate	the estimated mean vector or vectors depending on whether it was a one-sample test or a two-sample test.
null.value	the specified hypothesized value of the mean or mean difference depending on whether it was a one-sample test or a two-sample test.
alternative	a character string describing the alternative hypothesis.
method	a character string indicating what type of T2-test was performed.
data.name	a character string giving the name(s) of the data.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Willems G., Pison G., Rousseeuw P. and Van Aelst S. (2002), A robust hotelling test, *Metrika*, **55**, 125–138.

See Also

[CovMcd](#)

Examples

```
## One-sample classical test
data(delivery)
delivery.x <- delivery[,1:2]
T2.test(delivery.x)

## One-sample robust test
data(delivery)
delivery.x <- delivery[,1:2]
T2.test(delivery.x, method="mcd")

## Two-sample classical test
data(hemophilia)
grp <- as.factor(hemophilia[,3])
x <- hemophilia[which(grp==levels(grp)[1]),1:2]
y <- hemophilia[which(grp==levels(grp)[2]),1:2]
T2.test(x,y)
```

```
## or using the formula interface
T2.test(as.matrix(hemophilia[,-3])~hemophilia[,3])

## Not run:
## Two-sample robust test
T2.test(x,y, method="mcd")    ## error - not yet implemented

## End(Not run)
```

un86

United Nations Data - 1986

Description

This data set consists of seven socioeconomic variables observed for 73 countries.

Usage

```
data(un86)
```

Format

A data frame with 73 observations on the following 7 variables.

POP Total population in millions

MOR Number of infant deaths per thousand births

CAR Number of motorized vehicles per hundred inhabitants

DR Number of medical doctors per thousand inhabitants

GNP Gross national product per inhabitant in thousands of US dollars

DEN Density in inhabitants per square kilometer

TB Trade balance, defined as total exports/(total exports + total imports)

Details

The data set is from World Statistics in Brief, Number 10, a 1986 UN publication. It was used in Daigle et al. (1992) to illustrate a robust biplot method.

Source

World Statistics in Brief, Number 10, a 1986 United Nations publication

Daigle, G. and Rivest, L. (1992) A robust biplot, The Canadian Journal of Statistics, 20, pp 241–255

Examples

```
data(un86)
pairs(un86)
```

wages

Wages and Hours

Description

The data are from a national sample of 6000 households with a male head earning less than USD 15,000 annually in 1966. The data were classified into 39 demographic groups for analysis. The study was undertaken in the context of proposals for a guaranteed annual wage (negative income tax). At issue was the response of labor supply (average hours) to increasing hourly wages. The study was undertaken to estimate this response from available data.

Usage

data(wages)

Format

A data frame with 39 observations on the following 10 variables:

HRS Average hours worked during the year

RATE Average hourly wage (USD)

ERSP Average yearly earnings of spouse (USD)

ERN0 Average yearly earnings of other family members (USD)

NEIN Average yearly non-earned income

ASSET Average family asset holdings (Bank account, etc.) (USD)

AGE Average age of respondent

DEP Average number of dependents

RACE Percent of white respondents

SCHOOL Average highest grade of school completed

Source

DASL library

'<http://lib.stat.cmu.edu/DASL/Datafiles/wagesdat.html>'

References

D.H. Greenberg and M. Kosters, (1970). *Income Guarantees and the Working Poor*, The Rand Corporation.

Examples

```

data(wages)
names(wages)
x <- as.matrix(wages)
ok <- is.finite(x %>% rep(1, ncol(x)))
wages <- wages[ok, , drop = FALSE]
wages.lm <- lm(HRS~AGE, data=wages)
plot(HRS ~ AGE, data = wages)
abline(wages.lm)
class(wages.lm)
names(wages.lm)
summary(wages.lm)

wages.mm <- lmrob(HRS~AGE, data=wages)
plot(HRS ~ AGE, data = wages)
abline(wages.mm)
class(wages.mm)
names(wages.mm)
summary(wages.mm)

```

Wilks.test

Classical and Robust One-way MANOVA: Wilks Lambda

Description

Classical and Robust One-way MANOVA: Wilks Lambda

Usage

```

## S3 method for class 'formula'
Wilks.test(formula, data, ..., subset, na.action)

## Default S3 method:
Wilks.test(x, grouping, method=c("c", "mcd", "rank"),
  approximation=c("Bartlett", "Rao", "empirical"),
  xd=NULL, xq=NULL, xfn = NULL, xwl=NULL, nrep=3000, trace=FALSE, ...)

## S3 method for class 'data.frame'
Wilks.test(x, ...)

## S3 method for class 'matrix'
Wilks.test(x, grouping, ..., subset, na.action)

```

Arguments

formula A formula of the form $\text{groups} \sim x_1 + x_2 + \dots$. That is, the response is the grouping factor and the right hand side specifies the (non-factor) variables.

<code>data</code>	Data frame from which variables specified in <code>formula</code> are to be taken.
<code>x</code>	(required if no <code>formula</code> is given as the principal argument.) a matrix or data frame or <code>Matrix</code> containing the explanatory variables.
<code>grouping</code>	grouping variable - a factor specifying the class for each observation (required if no <code>formula</code> argument is given.)
<code>subset</code>	An index vector specifying the cases to be used.
<code>na.action</code>	A function to specify the action to be taken if NAs are found. The default action is for the procedure to fail. An alternative is <code>na.omit</code> , which leads to rejection of cases with missing values on any required variable.
<code>method</code>	"c" for standard estimators of the mean and variance, "mcd" for MCD estimators of mean and variances and "rank" for rank based wilks' lambda as proposed by Nath and Pavur (1985).
<code>approximation</code>	"Bartlett" for Bartlett approximation (default), "Rao" for rao approximation (only for <code>method="c"</code>) and "empirical" for simulated empirical distribution.
<code>xd</code>	multiplication factor for the approximate distribution of the robust Lambda statistic. If <code>xd=NULL</code> the factor will computed by simulation and will be returned in the value (see Details)
<code>xq</code>	the degrees of freedom for the approximate χ^2 distribution of the robust Lambda statistic. If <code>xq=NULL</code> the degrees of freedom will computed by simulation and will be returned in the value (see Details)
<code>xfn</code>	the empirical distribution function. If <code>xfn=NULL</code> the empirical function will be estimated by simulation and will be returned in the value (see Details)
<code>xw1</code>	the simulated values of the robust statistic. If <code>xw1=NULL</code> the simulation will be performed and the calculated result will be returned in the value (see Details)
<code>nrep</code>	number of trials for the simulations for computing the multiplication factor <code>xd</code> and the degrees of freedom <code>xq</code> . Default is <code>nrep=3000</code> .
<code>trace</code>	whether to print intermediate results. Default is <code>trace = FALSE</code>
<code>...</code>	arguments passed to or from other methods.

Details

The classical Wilks' Lambda statistic for testing the equality of the group means of two or more groups is modified into a robust one through substituting the classical estimates by the highly robust and efficient reweighted MCD estimates, which can be computed efficiently by the FAST-MCD algorithm - see [CovMcd](#). An approximation for the finite sample distribution of the Lambda statistic is obtained, based on matching the mean and variance of a multiple of an χ^2 distribution which are computed by simultaion.

Value

A list with class "htest" containing the following components:

<code>statistic</code>	the value of the Wilks' Lambda statistic.
<code>parameter</code>	The corresponding approximation of the Wilks' lambda statistic and the degrees of freedom.

p.value	the p-value for the test.
estimate	the estimated mean vectors.
method	a character string indicating what type of test was performed.
data.name	a character string giving the name of the data.
xd	multiplication factor for the approximate distribution of the robust Lambda statistic.
xq	the degrees of freedom for the approximate χ^2 distribution of the robust Lambda statistic.

Note

This function may be called giving either a formula and optional data frame, or a matrix and grouping factor as the first two arguments. All other arguments are optional.

Author(s)

Valentin Todorov <valentin.todorov@chello.at>

References

Todorov, V. and Filzmoser, P. (2007) Robust statistic for the one-way MANOVA, *submitted to the Journal of Environmetrics*.

Todorov, V. (2007) Robust selection of variables in linear discriminant analysis, *Statistical Methods and Applications*, **15**, 395-407, doi:10.1007/s10260-006-0032-6.

Nath, R. and Pavur, R. (1985) A new statistic in the one way multivariate analysis of variance, *Computational Statistics and Data Analysis*, **2**, 297-315

See Also

[CovMcd](#), [T2.test](#)

Examples

```
library(MASS)
data(anorexia)
grp <- as.factor(anorexia[,1])
x <- as.matrix(anorexia[,2:3])
## Using the default interface, classical test
Wilks.test(x, grouping=grp, method="c")

## Using the default interface, rank based test
Wilks.test(x, grouping=grp, method="rank")

## For this data set: p=2, n=n1+n2+n3=29+26+17
## were computed the following multiplication factor xd and degrees of freedom xq
## for the MCD estimates with alpha=0.5
xd <- -0.02162666
xq <- 3.63971
Wilks.test(x, grouping=grp, method="mcd", xd=xd, xq=xq)
```



```

## Now the same with the formula interface
Wilks.test(Treat~Prewt+Postwt, data=anorexia, method="mcd", xd=xd, xq=xq)

##Iris data with formula interface
data(iris)
Wilks.test(Species~., data=iris, method="c")

## and with default interface
Wilks.test(iris[,1:4],grouping=iris[,5], method="c")

# hemophilia data - classical, rank and MCD test
data(hemophilia)
hemophilia$gr <- as.factor(hemophilia$gr)

Wilks.test(gr~., data=hemophilia, method="c")
Wilks.test(gr~., data=hemophilia, method="rank")
## already simulated parameters for MCD with alpha=0.5
xd <- -0.01805436
xq <- 1.950301
Wilks.test(gr~., data=hemophilia, xd=xd, xq=xq, method="mcd")

```

wolves

Skull dimensions of the wolf Canis lupus L.

Description

A data set containing skull morphometric measurements on Rocky Mountain and Arctic wolves (*Canis Lupus L.*). The tdata are published in Morrison (1990), originally from Jolicoeur (1959).

Usage

```
data(wolves)
```

Format

A data frame with 25 rows and 12 variables. The variables are as follows (all measurements are in millimeters):

- class: a factor presenting the combinations of location and sex. The levels are arf arm rmf and rmm
- location: a factor with levels ar=Arctic, rm=Rocky Mountain
- sex: a factor with levels f=female, m=male
- x1: palatal length
- x2: postpalatal length
- x3: zygomatic width

- x4: palatal width outside first upper molars
- x5: palatal width inside second upper molars
- x6: postglenoid foramina width
- x7: interorbital width
- x8: braincase width
- x9: crown length

Source

Jolicoeur, P. Multivariate geographical variation in the wolf *Canis lupis L.*, *Evolution*, XIII, 283–299.

Morrison, D. F. *Multivariate Statistical Methods*, (3rd ed.), 1990. New York: McGraw-Hill, p. 288–289.

Examples

```
data(wolves)

## Remove the factors location and sex which we will not use for now
x <- wolves[,-c(2:3)]

## Plot a pairwise scatterplot matrix
pairs(x[,2:10])

mcd <- CovMcd(x[, 2:10])
plot(mcd, which="pairs")

lda <- LdaClassic(class~., data=x)
lda@center
lda@cov

predict(lda)
```

Index

* High breakdown point

- CovClassic, 15
- CovControlMest, 20
- CovControlMMest, 22
- CovControlSde, 32
- CovControlSest, 34
- CovMest, 40
- covMest, 42
- CovMMest, 45
- CovSest, 65
- plot-methods, 125

* classes

- Cov-class, 13
- CovClassic, 15
- CovClassic-class, 16
- CovControl-class, 17
- CovControlMcd, 18
- CovControlMcd-class, 19
- CovControlMest, 20
- CovControlMest-class, 21
- CovControlMMest, 22
- CovControlMMest-class, 23
- CovControlMrcd, 25
- CovControlMrcd-class, 26
- CovControlMve, 27
- CovControlMve-class, 28
- CovControlOgk, 29
- CovControlOgk-class, 31
- CovControlSde, 32
- CovControlSde-class, 33
- CovControlSest, 34
- CovControlSest-class, 35
- CovMcd-class, 39
- CovMest-class, 44
- CovMMest-class, 47
- CovMrcd-class, 51
- CovMve-class, 55
- CovOgk-class, 58
- CovRobust-class, 61

- CovSde-class, 64
- CovSest-class, 68
- Lda-class, 78
- PredictLda-class, 128
- PredictQda-class, 129
- Qda-class, 130
- QdaClassic-class, 132
- QdaCov-class, 134
- QdaRobust-class, 135
- reestimate-methods, 137
- SummaryCov-class, 141
- SummaryCovRobust-class, 142
- SummaryLda-class, 143
- SummaryPca-class, 144
- SummaryQda-class, 145

* datasets

- Appalachia, 4
- bus, 6
- bushmiss, 9
- Cars, 10
- Cascades, 12
- diabetes, 69
- fish, 70
- fruit, 72
- hemophilia, 75
- lmom32, 90
- lmom33, 91
- machines, 93
- maryo, 94
- octane, 95
- olitos, 96
- OsloTransect, 98
- pottery, 126
- rice, 137
- salmon, 138
- soil, 140
- un86, 148
- wages, 149
- wolves, 153

- * **hplot**
 - biplot-methods, 5
 - scorePlot-methods, 139
- * **htest**
 - T2.test, 146
- * **methods**
 - getCenter-methods, 73
 - getLoadings-methods, 74
 - plot-methods, 125
- * **multivariate**
 - biplot-methods, 5
 - Cov-class, 13
 - CovClassic, 15
 - CovClassic-class, 16
 - CovControl-class, 17
 - CovControlMcd, 18
 - CovControlMcd-class, 19
 - CovControlMest, 20
 - CovControlMest-class, 21
 - CovControlMMest, 22
 - CovControlMMest-class, 23
 - CovControlMrcd, 25
 - CovControlMrcd-class, 26
 - CovControlMve, 27
 - CovControlMve-class, 28
 - CovControlOgk, 29
 - CovControlOgk-class, 31
 - CovControlSde, 32
 - CovControlSde-class, 33
 - CovControlSest, 34
 - CovControlSest-class, 35
 - CovMcd, 36
 - CovMcd-class, 39
 - CovMest, 40
 - covMest, 42
 - CovMest-class, 44
 - CovMMest, 45
 - CovMMest-class, 47
 - CovMrcd, 48
 - CovMrcd-class, 51
 - CovMve, 53
 - CovMve-class, 55
 - CovOgk, 56
 - CovOgk-class, 58
 - CovRobust, 59
 - CovRobust-class, 61
 - CovSde, 62
 - CovSde-class, 64
 - CovSest, 65
 - CovSest-class, 68
 - getCenter-methods, 73
 - getLoadings-methods, 74
 - isSingular-methods, 77
 - Lda-class, 78
 - LdaClassic, 79
 - LdaClassic-class, 80
 - LdaPP, 81
 - LdaPP-class, 84
 - LdaRobust-class, 86
 - Linda, 87
 - Linda-class, 89
 - Pca-class, 100
 - pca.distances, 102
 - pca.scoreplot, 103
 - PcaClassic, 104
 - PcaClassic-class, 105
 - PcaCov, 107
 - PcaCov-class, 109
 - PcaGrid, 110
 - PcaGrid-class, 112
 - PcaHubert, 113
 - PcaHubert-class, 116
 - PcaLocantore, 117
 - PcaLocantore-class, 120
 - PcaProj, 121
 - PcaProj-class, 122
 - PcaRobust-class, 123
 - PredictLda-class, 128
 - PredictQda-class, 129
 - Qda-class, 130
 - QdaClassic, 131
 - QdaClassic-class, 132
 - QdaCov, 133
 - QdaCov-class, 134
 - QdaRobust-class, 135
 - reestimate-methods, 137
 - scorePlot-methods, 139
 - SummaryCovRobust-class, 142
 - SummaryLda-class, 143
 - SummaryPca-class, 144
 - SummaryQda-class, 145
 - T2.test, 146
 - Wilks.test, 150
- * **robust**
 - Cov-class, 13
 - CovClassic, 15

- CovClassic-class, 16
- CovControl-class, 17
- CovControlMcd, 18
- CovControlMcd-class, 19
- CovControlMest, 20
- CovControlMest-class, 21
- CovControlMMest, 22
- CovControlMMest-class, 23
- CovControlMrcd, 25
- CovControlMrcd-class, 26
- CovControlMve, 27
- CovControlMve-class, 28
- CovControlOgk, 29
- CovControlOgk-class, 31
- CovControlSde, 32
- CovControlSde-class, 33
- CovControlSest, 34
- CovControlSest-class, 35
- CovMcd, 36
- CovMcd-class, 39
- CovMest, 40
- covMest, 42
- CovMest-class, 44
- CovMMest, 45
- CovMMest-class, 47
- CovMrcd, 48
- CovMrcd-class, 51
- CovMve, 53
- CovMve-class, 55
- CovOgk, 56
- CovOgk-class, 58
- CovRobust, 59
- CovRobust-class, 61
- CovSde, 62
- CovSde-class, 64
- CovSest, 65
- CovSest-class, 68
- getCenter-methods, 73
- getLoadings-methods, 74
- Lda-class, 78
- LdaClassic, 79
- LdaClassic-class, 80
- LdaPP, 81
- LdaPP-class, 84
- LdaRobust-class, 86
- Linda, 87
- Linda-class, 89
- Pca-class, 100
- pca.distances, 102
- pca.scoreplot, 103
- PcaClassic, 104
- PcaClassic-class, 105
- PcaCov, 107
- PcaCov-class, 109
- PcaGrid, 110
- PcaGrid-class, 112
- PcaHubert, 113
- PcaHubert-class, 116
- PcaLocantore, 117
- PcaLocantore-class, 120
- PcaProj, 121
- PcaProj-class, 122
- PcaRobust-class, 123
- PredictLda-class, 128
- PredictQda-class, 129
- Qda-class, 130
- QdaClassic, 131
- QdaClassic-class, 132
- QdaCov, 133
- QdaCov-class, 134
- QdaRobust-class, 135
- reestimate-methods, 137
- SummaryCovRobust-class, 142
- SummaryLda-class, 143
- SummaryPca-class, 144
- SummaryQda-class, 145
- Wilks.test, 150
- \$,Cov-method (getCenter-methods), 73
- \$,Pca-method (getLoadings-methods), 74
- \$-methods (getCenter-methods), 73
- adjOutlyingness, 114
- Appalachia, 4
- biplot, 139
- biplot (biplot-methods), 5
- biplot,ANY-method (biplot-methods), 5
- biplot,Pca-method (biplot-methods), 5
- biplot-methods, 5
- biplot.princomp, 6
- bus, 6
- bushfire, 9
- bushmiss, 9
- Cars, 10
- Cascades, 12
- Cov, 39, 45, 47, 52, 55, 59, 61, 64, 68

- Cov (CovClassic), 15
- Cov-class, 13
- cov.rob, 38, 54
- CovClassic, 15, 77, 87, 107
- CovClassic-class, 16
- CovControl, 19, 21, 22, 24, 26, 28, 29, 31, 33, 36
- CovControl-class, 17
- CovControlMcd, 18, 27
- CovControlMcd-class, 19
- CovControlMest, 20
- CovControlMest-class, 21
- CovControlMMest, 22
- CovControlMMest-class, 23
- CovControlMrcd, 25
- CovControlMrcd-class, 26
- CovControlMve, 27
- CovControlMve-class, 28
- CovControlOgk, 29, 57
- CovControlOgk-class, 31
- CovControlSde, 32
- CovControlSde-class, 33
- CovControlSest, 34
- CovControlSest-class, 35
- CovMcd, 36, 40, 50, 57, 63, 87, 88, 107, 114, 134, 147, 151, 152
- covMcd, 37, 38, 42, 44
- CovMcd-class, 39
- CovMest, 40, 45, 54, 57
- covMest, 42
- CovMest-class, 44
- CovMMest, 45, 48
- CovMMest-class, 47
- CovMrcd, 48, 52, 88
- CovMrcd-class, 51
- CovMve, 40–43, 53, 56
- CovMve-class, 55
- CovOgk, 56, 63
- covOGK, 30
- CovOgk-class, 58
- CovRobust, 39, 45, 47, 52, 55, 59, 59, 63, 64, 68
- CovRobust-class, 61
- CovSde, 62, 65
- CovSde-class, 64
- CovSest, 47, 65, 69
- CovSest-class, 68
- diabetes, 69
- fish, 70
- formula, 82
- fruit, 72
- function, 18, 19, 37, 66
- getCenter (getCenter-methods), 73
- getCenter, Cov-method (Cov-class), 13
- getCenter, Pca-method (Pca-class), 100
- getCenter, SummaryCov-method (SummaryCov-class), 141
- getCenter-method (Cov-class), 13
- getCenter-methods, 73
- getCorr (getCenter-methods), 73
- getCorr, Cov-method (Cov-class), 13
- getCorr-methods (getCenter-methods), 73
- getCov (getCenter-methods), 73
- getCov, Cov-method (Cov-class), 13
- getCov, SummaryCov-method (SummaryCov-class), 141
- getCov-methods (getCenter-methods), 73
- getData (getCenter-methods), 73
- getData, Cov-method (Cov-class), 13
- getData-methods (getCenter-methods), 73
- getDet (getCenter-methods), 73
- getDet, Cov-method (Cov-class), 13
- getDet-methods (getCenter-methods), 73
- getDistance (getCenter-methods), 73
- getDistance, Cov-method (Cov-class), 13
- getDistance, SummaryCov-method (SummaryCov-class), 141
- getDistance-methods (getCenter-methods), 73
- getEigenvalues (getLoadings-methods), 74
- getEigenvalues, methods (getLoadings-methods), 74
- getEigenvalues, Pca-method (Pca-class), 100
- getEllipse, 73
- getEvals (getCenter-methods), 73
- getEvals, Cov-method (Cov-class), 13
- getEvals, SummaryCov-method (SummaryCov-class), 141
- getEvals-methods (getCenter-methods), 73
- getFlag (getCenter-methods), 73
- getFlag, Cov-method (Cov-class), 13
- getFlag-methods (getCenter-methods), 73
- getLoadings (getLoadings-methods), 74
- getLoadings, Pca-method (Pca-class), 100
- getLoadings-methods, 74

- getMeth (getCenter-methods), 73
- getMeth, CovRobust-method (CovRobust-class), 61
- getMeth-methods (getCenter-methods), 73
- getPrcomp (getLoadings-methods), 74
- getPrcomp, methods (getLoadings-methods), 74
- getPrcomp, Pca-method (Pca-class), 100
- getQuan (getLoadings-methods), 74
- getQuan, methods (getLoadings-methods), 74
- getQuan, PcaClassic-method (PcaClassic-class), 105
- getQuan, PcaCov-method (PcaCov-class), 109
- getQuan, PcaGrid-method (PcaGrid-class), 112
- getQuan, PcaHubert-method (PcaHubert-class), 116
- getQuan, PcaLocantore-method (PcaLocantore-class), 120
- getQuan, PcaProj-method (PcaProj-class), 122
- getRaw (getCenter-methods), 73
- getRaw, CovRobust-method (CovRobust-class), 61
- getRaw-methods (getCenter-methods), 73
- getScale (getLoadings-methods), 74
- getScale, methods (getLoadings-methods), 74
- getScale, Pca-method (Pca-class), 100
- getScores (getLoadings-methods), 74
- getScores, methods (getLoadings-methods), 74
- getScores, Pca-method (Pca-class), 100
- getSdev (getLoadings-methods), 74
- getSdev, methods (getLoadings-methods), 74
- getSdev, Pca-method (Pca-class), 100
- getShape (getCenter-methods), 73
- getShape, Cov-method (Cov-class), 13
- getShape-methods (getCenter-methods), 73

- hemophilia, 75

- ionosphere, 76
- isClassic (getCenter-methods), 73
- isClassic, Cov-method (Cov-class), 13
- isClassic, CovRobust-method (CovRobust-class), 61
- isClassic, method (Cov-class), 13
- isClassic, SummaryCov-method (SummaryCov-class), 141
- isClassic, SummaryCovRobust-method (SummaryCovRobust-class), 142
- isClassic-methods (getCenter-methods), 73
- isSingular (isSingular-methods), 77
- isSingular, ANY-method (isSingular-methods), 77
- isSingular, Cov-method (isSingular-methods), 77
- isSingular-methods, 77

- Lda, 81, 85, 86, 90
- Lda-class, 78
- LdaClassic, 79, 79, 81, 83, 85, 90
- LdaClassic-class, 80
- LdaPP, 81, 85
- LdaPP-class, 84
- LdaRobust, 85, 90
- LdaRobust-class, 86
- Linda, 83, 85, 87
- Linda-class, 89
- list, 43
- lmom32, 90
- lmom33, 91

- machines, 93
- mahalanobis, 17, 32, 35, 65
- maryo, 94
- match.call, 44
- model.frame, 82, 104, 107, 110, 113, 118, 121, 146
- model.frame.Wilks.test (Wilks.test), 150

- na.fail, 82, 104, 107, 110, 113, 118, 121
- na.omit, 82, 104, 107, 110, 113, 118, 121
- names (getCenter-methods), 73
- names, Cov-method (getCenter-methods), 73
- names, Pca-method (getLoadings-methods), 74
- names-methods (getCenter-methods), 73

- octane, 95
- olitos, 96
- optim, 82

- options, [82](#), [104](#), [107](#), [110](#), [113](#), [118](#), [121](#)
- OsloTransect, [98](#)
- Pca, [106](#), [109](#), [112](#), [116](#), [117](#), [120](#), [123](#), [124](#)
- Pca-class, [100](#)
- pca.distances, [102](#)
- pca.scoreplot, [103](#)
- PcaClassic, [6](#), [102](#), [103](#), [104](#), [106](#), [110](#), [112](#), [117](#), [120](#), [123](#), [139](#)
- PcaClassic-class, [105](#)
- PcaCov, [107](#)
- PcaCov-class, [109](#)
- PCAGrid, [111](#)
- PcaGrid, [110](#)
- PcaGrid-class, [112](#)
- PcaHubert, [113](#)
- PcaHubert-class, [116](#)
- PcaLocantore, [117](#)
- PcaLocantore-class, [120](#)
- PCAProj, [122](#)
- PcaProj, [121](#)
- PcaProj-class, [122](#)
- PcaRobust, [109](#), [112](#), [117](#), [120](#), [123](#)
- PcaRobust-class, [123](#)
- plot (Cov-class), [13](#)
- plot, Cov, missing-method (Cov-class), [13](#)
- plot, CovClassic, missing-method (plot-methods), [125](#)
- plot, CovClassic-method (plot-methods), [125](#)
- plot, CovRobust, missing-method (plot-methods), [125](#)
- plot, CovRobust-method (plot-methods), [125](#)
- plot, Pca, missing-method (Pca-class), [100](#)
- plot-methods, [125](#)
- plot.prcomp, [101](#)
- plot.princomp, [101](#)
- pottery, [126](#)
- predict (Pca-class), [100](#)
- predict, Lda-method (Lda-class), [78](#)
- predict, LdaPP-method (LdaPP-class), [84](#)
- predict, Pca-method (Pca-class), [100](#)
- predict, Qda-method (Qda-class), [130](#)
- predict.prcomp, [101](#)
- predict.princomp, [101](#)
- PredictLda-class, [128](#)
- PredictQda-class, [129](#)
- Qda, [132](#), [135](#), [136](#)
- Qda-class, [130](#)
- QdaClassic, [131](#), [131](#), [133](#), [135](#)
- QdaClassic-class, [132](#)
- QdaCov, [133](#)
- QdaCov-class, [134](#)
- QdaRobust, [135](#)
- QdaRobust-class, [135](#)
- Qn, [66](#)
- restimate (restimate-methods), [137](#)
- restimate, CovControlMcd-method (CovControlMcd-class), [19](#)
- restimate, CovControlMest-method (restimate-methods), [137](#)
- restimate, CovControlMMest-method (CovControlMMest-class), [23](#)
- restimate, CovControlMrcd-method (CovControlMrcd-class), [26](#)
- restimate, CovControlMve-method (CovControlMve-class), [28](#)
- restimate, CovControlOgk-method (CovControlOgk-class), [31](#)
- restimate, CovControlSde-method (CovControlSde-class), [33](#)
- restimate, CovControlSest-method (CovControlSest-class), [35](#)
- restimate-methods, [137](#)
- rice, [137](#)
- rrcov.control, [18](#), [37](#)
- salmon, [138](#)
- scaleTau2, [29](#), [66](#)
- scorePlot (scorePlot-methods), [139](#)
- scorePlot, ANY-method (scorePlot-methods), [139](#)
- scorePlot, Pca-method (scorePlot-methods), [139](#)
- scorePlot-methods, [139](#)
- screepLOT, [139](#)
- screepLOT (Pca-class), [100](#)
- screepLOT, Pca-method (Pca-class), [100](#)
- show, Cov-method (Cov-class), [13](#)
- show, CovRobust-method (CovRobust-class), [61](#)
- show, Lda-method (Lda-class), [78](#)
- show, Pca-method (Pca-class), [100](#)
- show, PredictLda-method (PredictLda-class), [128](#)

show, PredictQda-method
 (PredictQda-class), 129

show, Qda-method (Qda-class), 130

show, SummaryCov-method
 (SummaryCov-class), 141

show, SummaryCovRobust-method
 (SummaryCovRobust-class), 142

show, SummaryLda-method
 (SummaryLda-class), 143

show, SummaryPca-method
 (SummaryPca-class), 144

show, SummaryQda-method
 (SummaryQda-class), 145

soil, 140

solve, 17, 32, 35, 65

summary, Cov-method (Cov-class), 13

summary, CovRobust-method
 (CovRobust-class), 61

summary, Lda-method (Lda-class), 78

summary, Pca-method (Pca-class), 100

summary, Qda-method (Qda-class), 130

SummaryCov-class, 141

SummaryCovRobust-class, 142

SummaryLda-class, 143

SummaryPca-class, 144

SummaryQda-class, 145

T2.test, 146, 152

Ufunction-class (Cov-class), 13

Ulist-class (Cov-class), 13

Umatrix-class (Cov-class), 13

un86, 148

Utable-class (Cov-class), 13

Uvector-class (Cov-class), 13

wages, 149

Wilks.test, 99, 150

wolves, 153