

Package ‘tfrmtdbuilder’

March 31, 2024

Title 'shiny' App Companion to the 'tfrmtd' Package

Version 0.0.6

Description Provides an interactive interface to the 'tfrmtd' package. Users can import, modify, and export tables and templates with little to no code.

License Apache License (>= 2)

Encoding UTF-8

RoxygenNote 7.3.1

Imports tfrmtd (>= 0.1.0), shiny, shinyjs, dplyr, tidyr, forcats, stringr, purrr, DT, gt, rlang, sortable, bslib (>= 0.6.0), shinyWidgets, rio, shinycssloaders, webshot2, shinyAce, shinyFeedback, fontawesome

Suggests here, pkgload, rprojroot, shinytest2, testthat (>= 3.0.0)

Config/testthat/edition 3

URL <https://gsk-biostatistics.github.io/tfrmtdbuilder/>,
<https://github.com/GSK-Biostatistics/tfrmtdbuilder>

BugReports <https://github.com/GSK-Biostatistics/tfrmtdbuilder/issues>

NeedsCompilation no

Author Becca Krouse [aut, cre],
Christina Fillmore [aut] (<<https://orcid.org/0000-0003-0595-2302>>),
Karima Ahmad [aut] (<<https://orcid.org/0000-0002-8784-1712>>),
Ellis Hughes [aut] (<<https://orcid.org/0000-0003-0637-4436>>),
GlaxoSmithKline Research & Development Limited [cph, fnd]

Maintainer Becca Krouse <becca.z.krouse@gsk.com>

Repository CRAN

Date/Publication 2024-03-31 00:00:02 UTC

R topics documented:

tfrmtdbuilder	2
Index	3

`tfrmtbuilder`*Run tfrmt Builder Shiny App*

Description

Run tfrmt Builder Shiny App

Usage

```
tfrmtbuilder(run = TRUE)
```

Arguments

<code>run</code>	Boolean for whether the created object should be run directly. Set to FALSE for deployment
------------------	--

Value

Shiny app for creating and modifying tfrmt objects

Examples

```
if (interactive()){  
  tfrmtbuilder()  
}
```

Index

tfrmtdbuilder, [2](#)