

MetaPost executable

	Section	Page
METAPOST executable	1	1
Index	40	31

1. METAPOST executable.

Now that all of METAPOST is a library, a separate program is needed to have our customary command-line interface.

2. First, here are the C includes.

```
#include "mpconfig.h"
#include <w2c/config.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#if defined (HAVE_SYS_TIME_H)
#include <sys/time.h>
#elif defined (HAVE_SYS_TIMEB_H)
#include <sys/timeb.h>
#endif
#include <time.h>    ▷ For 'struct tm'. Moved here for Visual Studio 2005. ◁
#if HAVE_SYS_STAT_H
#include <sys/stat.h>
#endif
#include "mplib.h"
#include "mpxout.h"
#include <kpathsea/kpathsea.h>
□/*@null@*/□ static char *mpost_tex_program ← Λ;
static int debug ← 0;    ▷ debugging for makempx ◁
static int nokpse ← 0;
static boolean recorder_enabled ← false;
static string recorder_name ← Λ;
static FILE *recorder_file ← Λ;
static char *job_name ← Λ;
static char *job_area ← Λ;
static int dvitomp_only ← 0;
static int ini_version_test ← false;
string output_directory;    ▷ Defaults to Λ. ◁
static boolean restricted_mode ← false;

⟨Structures for getopt 26⟩
⟨Declarations 7⟩
```

3. Allocating a bit of memory, with error detection:

```

#define mpost_xfree(A)
    do {
        if (A ≠  $\Lambda$ ) free(A);
        A ←  $\Lambda$ ;
    } while (0)

 $\square$ /*@only@*/ $\square$ /*@out@*/ $\square$  static void mpost_xmalloc(size_t bytes)
{
    void w ← malloc(bytes);
    if (w ≡  $\Lambda$ ) {
        fprintf(stderr, "Out_of_memory!\n"); exit(EXIT_FAILURE);
    }
    return w;
}

 $\square$ /*@only@*/ $\square$  static char mpost_xstrdup(const char s)
{
    char w;
    w ← strdup(s);
    if (w ≡  $\Lambda$ ) {
        fprintf(stderr, "Out_of_memory!\n"); exit(EXIT_FAILURE);
    }
    return w;
}

static char mpost_itoa(int i)
{
    char res[32];
    unsigned idx ← 30;
    unsigned v ← (unsigned) abs(i);
    memset(res, 0, 32 * sizeof(char));
    while (v ≥ 10) {
        char d ← (char)(v % 10);
        v ← v/10; res[idx --] ← d + '0';
    }
    res[idx --] ← (char) v + '0';
    if (i < 0) {
        res[idx --] ← '-';
    }
    return mpost_xstrdup(res + idx + 1);
}

static char mpost_i64toa(integer64 i)
{
    char res[32];
    unsigned idx ← 30;
    integer64 v ← 0;
    if (i ≡ INT64_MIN) {
        return strdup("-9223372036854775808\0");
    }
    else {
        v ← i ≥ 0 ? i : -i;
    }
}

```

```
memset(res, 0, 32 * sizeof(char));
while (v ≥ 10) {
  char d ← (char)(v % 10);
  v ← v/10; res[idx --] ← d + '0';
}
res[idx --] ← (char)v + '0';
if (i < 0) {
  res[idx --] ← '-';
}
return strdup(res + idx + 1);
}
```

```

4.
#ifdef WIN32
    static int Isspace(char c)
    {
        return (c ≡ '␣' ∨ c ≡ '\t');
    }
#endif

static void mpost_run_editor(MP mp, char *fname, integer64 fline)
{
    char *temp, *command, *fullcmd, *edit_value;
    char c;
    boolean sdone, ddone;

#ifdef WIN32
    char *fp, *ffp, *env, editortname[256], buffer[256];
    int cnt ← 0;
    int dontchange ← 0;
#elseif
    if (restricted_mode) return;
    sdone ← ddone ← false; edit_value ← kpse_var_value("MPEDIT");
    if (edit_value ≡ Λ) edit_value ← getenv("EDITOR");
    if (edit_value ≡ Λ) {
        fprintf(stderr, "call_edit:␣can't␣find␣a␣suitable␣MPEDIT␣or␣EDITOR␣variable\n");
        exit(mp_status(mp));
    }
    command ← (string) mpost_xmalloc(strlen(edit_value) + strlen(fname) + 11 + 3); temp ← command;
#ifdef WIN32
    fp ← editortname;
    if ((isalpha(*edit_value) ∧ *(edit_value + 1) ≡ ':' ∧ IS_DIR_SEP(*(edit_value + 2))) ∨ (*edit_value ≡
        "' " ∧ isalpha(*(edit_value + 1)) ∧ *(edit_value + 2) ≡ ':' ∧ IS_DIR_SEP(*(edit_value + 3))))
        dontchange ← 1;
#elseif
    while ((c ← *edit_value++) ≠ (char)0) {
        if (c ≡ '%') {
            switch (c ← *edit_value++) {
                case 'd':
                    if (ddone) {
                        fprintf(stderr, "call_edit:␣'%d'␣appears␣twice␣in␣editor␣command\n");
                        exit(EXIT_FAILURE);
                    }
                else {
                    char *s ← mpost_i64toa(fline);
                    char *ss ← s;
                    if (s ≠ Λ) {
                        while (*s ≠ '\0') *temp++ ← *s++;
                        free(ss);
                    }
                    ddone ← true;
                }
            }
            break;
        case 's':
            if (sdone) {
                fprintf(stderr, "call_edit:␣'%s'␣appears␣twice␣in␣editor␣command\n");

```

```

        exit(EXIT_FAILURE);
    }
    else {
        while (*fname ≠ '\0') *temp++ ← *fname++;
        *temp++ ← '.'; *temp++ ← 'm'; *temp++ ← 'p'; sdone ← true;
    }
    break;
case '\0': *temp++ ← '%';    ▷ Back up to the  $\Lambda$  to force termination. ◁
    edit_value--; break;
default: *temp++ ← '%'; *temp++ ← c; break;
}
}
else {
#ifdef WIN32
    if (dontchange) *temp++ ← c;
    else {
        if (Isspace(c) ∧ cnt ≡ 0) {
            cnt++; temp ← command; *temp++ ← c; *fp ← '\0';
        }
        else if (¬Isspace(c) ∧ cnt ≡ 0) {
            *fp++ ← c;
        }
        else {
            *temp++ ← c;
        }
    }
}
#else
    *temp++ ← c;
#endif
}
*temp ← '\0';
#ifdef WIN32
    if (dontchange ≡ 0) {
        if (editorname[0] ≡ '.' ∨ editorname[0] ≡ '/' ∨ editorname[0] ≡ '\\') {
            fprintf(stderr, "%s is not allowed to execute.\n", editorname); exit(EXIT_FAILURE);
        }
        env ← (char *) getenv("PATH");
        if (SearchPath(env, editorname, ".exe", 256, buffer, &ffp) ≡ 0) {
            if (SearchPath(env, editorname, ".bat", 256, buffer, &ffp) ≡ 0) {
                fprintf(stderr, "I cannot find %s in the PATH.\n", editorname); exit(EXIT_FAILURE);
            }
        }
        fullcmd ← mpost_xmalloc(strlen(buffer) + strlen(command) + 5); strcpy(fullcmd, "\\");
        strcat(fullcmd, buffer); strcat(fullcmd, "\\"); strcat(fullcmd, command);
    }
    else
#endif
#ifdef WIN32
        fullcmd ← command;
        if (system(fullcmd) ≠ 0) fprintf(stderr, "! Trouble executing '%s'.\n", command);
        exit(EXIT_FAILURE);
}

```

5. \langle Register the callback routines 5 $\rangle \equiv$
`options→run_editor ← mpost_run_editor;`

See also sections 12, 14, 17, and 25.

This code is used in section 39.

6. `static string normalize_quotes(const char *name, const char *mesg)`
`{`
`boolean quoted ← false;`
`boolean must_quote ← (strchr(name, ' ') ≠ Λ); ▷ Leave room for quotes and Λ. ◁`
`string ret ← (string) mpost_xmalloc(strlen(name) + 3);`
`string p;`
`const_string q;`
`p ← ret;`
`if (must_quote) *p++ ← ' ';`
`for (q ← name; *q ≠ '\0'; q++) {`
`if (*q ≡ ' ') quoted ← ¬quoted;`
`else *p++ ← *q;`
`}`
`if (must_quote) *p++ ← ' ';`
`*p ← '\0';`
`if (quoted) {`
`fprintf(stderr, "! Unbalanced quotes in %s\n", mesg, name); exit(EXIT_FAILURE);`
`}`
`return ret;`
`}`

7. Helpers for the filename recorder.

\langle Declarations 7 $\rangle \equiv$

`void recorder_start(char *jobname);`

See also sections 20, 22, and 38.

This code is used in section 2.

```

8. void recorder_start(char *jobname)
{
    char cwd[1024];
    if (jobname ≡ Λ) {
        recorder_name ← mpost_xstrdup("mpout.flis");
    }
    else {
        recorder_name ← (string) xmalloc((unsigned int)(strlen(jobname) + 5));
        strcpy(recorder_name, jobname); strcat(recorder_name, ".flis");
    }
    recorder_file ← xfopen(recorder_name, FOPEN_W_MODE);
    if (getcwd(cwd, 1020) ≠ Λ) {
#ifdef WIN32
        char *p;
        for (p ← cwd; *p; p++) {
            if (*p ≡ '\\') *p ← '/';
            else if (IS_KANJI(p)) p++;
        }
#endif
        fprintf(recorder_file, "PWD_□%s\n", cwd);
    }
    else {
        fprintf(recorder_file, "PWD_□<unknown>\n");
    }
}

9. □/*@null@*/□ static char *makempx_find_file(MPX mpx,
    const char *nam, const char *mode, int ftype)
{
    int fmt;
    boolean req;
    (void) mpx;
    if ((mode[0] ≡ 'r' ∧ ¬kpse_in_name_ok(nam)) ∨ (mode[0] ≡ 'w' ∧ ¬kpse_out_name_ok(nam)))
        return Λ; ▷ disallowed filename ◁
    if (mode[0] ≠ 'r') {
        return strdup(nam);
    }
    req ← true; fmt ← -1;
    switch (ftype) {
    case mpx_tfm_format: fmt ← kpse_tfm_format; break;
    case mpx_vf_format: fmt ← kpse_vf_format; req ← false; break;
    case mpx_trfontmap_format: fmt ← kpse_mpsupport_format; break;
    case mpx_trcharadj_format: fmt ← kpse_mpsupport_format; break;
    case mpx_desc_format: fmt ← kpse_troff_font_format; break;
    case mpx_fontdesc_format: fmt ← kpse_troff_font_format; break;
    case mpx_specchar_format: fmt ← kpse_mpsupport_format; break;
    }
    if (fmt < 0) return Λ;
    return kpse_find_file(nam, fmt, req);
}

```

10. Invoke `makempx` (or `troffmpx`) to make sure there is an up-to-date `.mpx` file for a given `.mp` file. (Original from John Hobby 3/14/90)

```
#define default_args "┘--parse-first-line┘--interaction=nonstopmode"
#define TEX "tex"
#define TROFF "soelim┘┘eqn┘-Tps┘-d$$┘┘troff┘-Tps"
#define mstat s@&t@&a@&t  ▷ this is a CWEB coding trick: ◁
    format mstat int  ▷ 'mstat' will be equivalent to 'struct stat' ◁
    format stat x  ▷ but function 'stat' will not be treated as a reserved word ◁
#ifndef MPXCOMMAND
#define MPXCOMMAND "makempx"
#endif
static int mpost_run_make_mpx(MP mp, char *mpname, char *mpxname)
{
    int ret;
    char *cnf_cmd ← kpse_var_value("MPXCOMMAND");
    if (restricted_mode) {  ▷ In the restricted mode, just return success ◁
        return 0;
    }
    if (cnf_cmd ≠ Λ ∧ (strcmp(cnf_cmd, "0") ≡ 0)) {
        ▷ If they turned off this feature, just return success. ◁
        ret ← 0;
    }
    else {  ▷ We will invoke something. Compile-time default if nothing else. ◁
        char *cmd, *tmp, *qmpname, *qmpxname;
        if (job_area ≠ Λ) {
            char *l ← mpost_xmalloc(strlen(mpname) + strlen(job_area) + 1);
            strcpy(l, job_area); strcat(l, mpname); tmp ← normalize_quotes(l, "mpname"); mpost_xfree(l);
        }
        else {
            tmp ← normalize_quotes(mpname, "mpname");
        }
        if (¬kpse_in_name_ok(tmp)) return 0;  ▷ disallowed filename ◁
        qmpname ← kpse_find_file(tmp, kpse_mp_format, true); mpost_xfree(tmp);
        if (qmpname ≠ Λ ∧ job_area ≠ Λ) {
            ▷ if there is a usable mpx file in the source path already, simply use that and return true ◁
            char *l ← mpost_xmalloc(strlen(qmpname) + 2);
            strcpy(l, qmpname); strcat(l, "x"); qmpxname ← l;
            if (qmpxname) {
                #if HAVE_SYS_STAT_H
                    struct mstat source_stat, target_stat;
                    int nothingtodo ← 0;
                    if ((stat(qmpxname, &target_stat) ≥ 0) ∧ (stat(qmpname, &source_stat) ≥ 0)) {
                        #if HAVE_ST_MTIM
                            if (source_stat.st_mtim.tv_sec < target_stat.st_mtim.tv_sec ∨ (source_stat.st_mtim.tv_sec ≡
                                target_stat.st_mtim.tv_sec ∧ source_stat.st_mtim.tv_nsec < target_stat.st_mtim.tv_nsec))
                                nothingtodo ← 1;
                        #else
                            #if !HAVE_STRUCT_STAT_TV_NSEC
                                if (source_stat.st_mtime < target_stat.st_mtime) nothingtodo ← 1;
                            #endif
                        #endif
                    }
                }
            }
        }
        if (nothingtodo ≡ 1) return 1;  ▷ success ! ◁
    }
}
```

```

#endif
}
}
qmpxname ← normalize_quotes(mpxname, "mpxname");
if (cnf_cmd ≠  $\Lambda$  ∧ (strcmp(cnf_cmd, "1") ≠ 0)) {
  if (mp_troff_mode(mp) ≠ 0) cmd ← concatn(cnf_cmd, "␣-troff␣", qmpname, "␣", qmpxname,  $\Lambda$ );
  else if (mpost_tex_program ≠  $\Lambda$  ∧ *mpost_tex_program ≠ '\0')
    cmd ← concatn(cnf_cmd, "␣-tex=", mpost_tex_program, "␣", qmpname, "␣", qmpxname,  $\Lambda$ );
  else cmd ← concatn(cnf_cmd, "␣-tex␣", qmpname, "␣", qmpxname,  $\Lambda$ );   ▷ Run it. ◁
  ret ← system(cmd); free(cmd); mpost_xfree(qmpname); mpost_xfree(qmpxname);
}
else {
  mpx_options *mpxopt;
  char *s ←  $\Lambda$ ;
  char *maincmd ←  $\Lambda$ ;
  int mpxmode ← mp_troff_mode(mp);
  char *mpversion ← mp_metapost_version();
  mpxopt ← mpost_xmalloc(sizeof(mpx_options));
  if (mpost_tex_program ≠  $\Lambda$  ∧ *mpost_tex_program ≠ '\0') {
    maincmd ← mpost_xstrdup(mpost_tex_program);
  }
  else {
    if (mpxmode ≡ mpx_tex_mode) {
      s ← kpse_var_value("TEX");
      if (s ≡  $\Lambda$ ) s ← kpse_var_value("MPXMAINCMD");
      if (s ≡  $\Lambda$ ) s ← mpost_xstrdup("TEX");
      maincmd ← (char *) mpost_xmalloc(strlen(s) + strlen(default_args) + 1);
      strcpy(maincmd, s); strcat(maincmd, default_args); free(s);
    }
    else {
      s ← kpse_var_value("TROFF");
      if (s ≡  $\Lambda$ ) s ← kpse_var_value("MPXMAINCMD");
      if (s ≡  $\Lambda$ ) s ← mpost_xstrdup("TROFF");
      maincmd ← s;
    }
  }
  mpxopt→mode ← mpxmode; mpxopt→cmd ← maincmd;
  mpxopt→mptexpre ← kpse_var_value("MPTEXPRE"); mpxopt→debug ← debug;
  mpxopt→mpname ← qmpname; mpxopt→mpxname ← qmpxname;
  mpxopt→find_file ← makempx_find_file;
  {
    const char *banner ← "%␣Written␣by␣metapost␣version␣";
    mpxopt→banner ← mpost_xmalloc(strlen(mpversion) + strlen(banner) + 1);
    strcpy(mpxopt→banner, banner); strcat(mpxopt→banner, mpversion);
  }
  ret ← mpx_makempx(mpxopt); mpost_xfree(mpxopt→cmd); mpost_xfree(mpxopt→mptexpre);
  mpost_xfree(mpxopt→banner); mpost_xfree(mpxopt→mpname); mpost_xfree(mpxopt→mpxname);
  mpost_xfree(mpxopt); mpost_xfree(mpversion);
}
}
mpost_xfree(cnf_cmd); return (int)(ret ≡ 0);
}

```

```

11. static int mpost_run_dvitomp(char *dviname, char *mpxname)
{
  int ret;
  size_t i;
  char *m, *d;
  mpx_options *mpxopt;
  char *mpversion ← mp_metapost_version();
  mpxopt ← mpost_xmalloc(sizeof(mpx_options)); memset(mpxopt, 0, sizeof(mpx_options));
  mpxopt→mode ← mpx→tex→mode;
  if (dviname ≡ Λ) return EXIT_FAILURE;
  i ← strlen(dviname);
  if (mpxname ≡ Λ) {
    m ← mpost_xstrdup(dviname);
    if (i > 4 ∧ *(m + i - 4) ≡ '.' ∧ *(m + i - 3) ≡ 'd' ∧ *(m + i - 2) ≡ 'v' ∧ *(m + i - 1) ≡ 'i')
      *(m + i - 4) ← '\0';
  }
  else {
    m ← mpost_xstrdup(mpxname);
  }
  d ← mpost_xstrdup(dviname);
  if (¬(i > 4 ∧ *(d + i - 4) ≡ '.' ∧ *(d + i - 3) ≡ 'd' ∧ *(d + i - 2) ≡ 'v' ∧ *(d + i - 1) ≡ 'i')) {
    char *s ← malloc(i + 5);
    memset(s, 0, i + 5); s ← strcat(s, d); (void) strcat(s + i - 1, ".dvi"); mpost_xfree(d); d ← s;
  }
  i ← strlen(m);
  if (i > 4 ∧ *(m + i - 4) ≡ '.' ∧ *(m + i - 3) ≡ 'm' ∧ *(m + i - 2) ≡ 'p' ∧ *(m + i - 1) ≡ 'x') {}
  else {
    char *s ← malloc(i + 5);
    memset(s, 0, i + 5); s ← strcat(s, m); (void) strcat(s + i - 1, ".mpx"); mpost_xfree(m); m ← s;
  }
  if (¬(kpse_in_name_ok(d) ∧ kpse_out_name_ok(m))) return EXIT_FAILURE; ▷ disallowed filename ◁
  mpxopt→mpname ← d; mpxopt→mpxname ← m; mpxopt→find_file ← makempx_find_file;
  {
    const char *banner ← "%_Written_by_dvitomp_version_";
    mpxopt→banner ← mpost_xmalloc(strlen(mpversion) + strlen(banner) + 1);
    strcpy(mpxopt→banner, banner); strcat(mpxopt→banner, mpversion);
  }
  ret ← mpx_run_dvitomp(mpxopt); mpost_xfree(mpxopt→banner); mpost_xfree(mpxopt);
  mpost_xfree(mpversion); puts(""); ▷ nicer in case of error ◁
  return ret;
}

```

12. ⟨Register the callback routines 5⟩ +≡

```

if (¬nokpse) options→run→make→mpx ← mpost_run_make_mpx;

```

```

13. static int get_random_seed(void)
    {
      int ret ← 0;
      #if defined (HAVE_GETTIMEOFDAY)
        struct timeval tv;
        gettimeofday(&tv, Λ); ret ← (int)(tv.tv_usec + 1000000 * tv.tv_usec);
      #elif defined (HAVE_FTIME)
        struct timeb tb;
        ftime(&tb); ret ← (tb.millitm + 1000 * tb.time);
      #else
        time_t clock ← time((time_t *) Λ);
        struct tm *tmpr ← localtime(&clock);
        if (tmpr ≠ Λ) ret ← (tmpr->tm_sec + 60 * (tmpr->tm_min + 60 * tmpr->tm_hour));
      #endif
      return ret;
    }

```

14. ⟨Register the callback routines 5⟩ +≡
options->*random_seed* ← *get_random_seed*();

15. Handle -output-directory.

```

static char *mpost_find_in_output_directory(const char *s, const char *fmode)
    {
      (void) fmode;
      if (output_directory ∧ ¬kpse_absolute_p(s, false)) {
        char *ftemp ← concat3(output_directory, DIR_SEP_STRING, s);
        return ftemp;
      }
      return Λ;
    }

```

```

16. static char *mpost_find_file(MP mp, const char *fname, const char *fmode, int ftype)
{
  size_t l;
  char *s;
  char *ofname;
  (void) mp; s ← Λ; ofname ← Λ;
  if (fname ≡ Λ ∨ (fmode[0] ≡ 'r' ∧ ¬kpse_in_name_ok(fname))) return Λ; ▷ disallowed filename ◁
  if (fmode[0] ≡ 'w') {
    if (output_directory) {
      ofname ← mpost_find_in_output_directory(fname, fmode);
      if (ofname ≡ Λ ∨ (fmode[0] ≡ 'w' ∧ ¬kpse_out_name_ok(ofname))) {
        mpost_xfree(ofname); return Λ; ▷ disallowed filename ◁
      }
    }
  }
  else {
    if (¬kpse_out_name_ok(fname)) return Λ; ▷ disallowed filename ◁
  }
}
if (fmode[0] ≡ 'r') {
  if ((job_area ≠ Λ) ∧ (ftype ≥ mp_filetype_text ∨ ftype ≡ mp_filetype_program)) {
    char *f ← mpost_xmalloc(strlen(job_area) + strlen(fname) + 1);
    strcpy(f, job_area); strcat(f, fname);
    if (ftype ≥ mp_filetype_text) {
      s ← kpse_find_file(f, kpse_mp_format, 0);
    }
    else {
      l ← strlen(f);
      if (l > 3 ∧ strcmp(f + l - 3, ".mf") ≡ 0) {
        s ← kpse_find_file(f, kpse_mf_format, 0);
      }
    }
  }
  #if HAVE_SYS_STAT_H
  }
  else if (l > 4 ∧ strcmp(f + l - 4, ".mpx") ≡ 0) {
    struct mstat source_stat, target_stat;
    char *mpname ← mpost_xstrdup(f);
    *(mpname + strlen(mpname) - 1) ← '\\0';
    if ((stat(f, &target_stat) ≥ 0) ∧ (stat(mpname, &source_stat) ≥ 0)) {
  #if HAVE_ST_MTIM
    if (source_stat.st_mtim.tv_sec ≤ target_stat.st_mtim.tv_sec ∨ (source_stat.st_mtim.tv_sec ≡
      target_stat.st_mtim.tv_sec ∧ source_stat.st_mtim.tv_nsec ≤ target_stat.st_mtim.tv_nsec))
      s ← mpost_xstrdup(f);
  #else
    if (source_stat.st_mtime ≤ target_stat.st_mtime) s ← mpost_xstrdup(f);
  #endif
    }
  }
  mpost_xfree(mpname);
}
#endif
}
else {
  s ← kpse_find_file(f, kpse_mp_format, 0);
}
}
mpost_xfree(f);

```

```

    if (s ≠ Λ) {
        return s;
    }
}
if (ftype ≥ mp_filetype_text) {
    s ← kpse_find_file(fname, kpse_mp_format, 0);
}
else {
    switch (ftype) {
    case mp_filetype_program: l ← strlen(fname);
        if (l > 3 ∧ strcmp(fname + l - 3, ".mf") ≡ 0) {
            s ← kpse_find_file(fname, kpse_mf_format, 0);
        }
        else {
            s ← kpse_find_file(fname, kpse_mp_format, 0);
        }
        break;
    case mp_filetype_memfile: s ← kpse_find_file(fname, kpse_mem_format, 1); break;
    case mp_filetype_metrics: s ← kpse_find_file(fname, kpse_tfm_format, 0); break;
    case mp_filetype_fontmap: s ← kpse_find_file(fname, kpse_fontmap_format, 0); break;
    case mp_filetype_font: s ← kpse_find_file(fname, kpse_type1_format, 0); break;
    case mp_filetype_encoding: s ← kpse_find_file(fname, kpse_enc_format, 0); break;
    }
}
}
else { ▷ when writing ◁
    if (ofname) {
        s ← mpost_xstrdup(ofname); mpost_xfree(ofname);
    }
    else {
        s ← mpost_xstrdup(fname);
    }
}
return s;
}

```

17. ⟨Register the callback routines 5⟩ +≡
 if (−nokpse) options−find_file ← mpost_find_file;

18. The *mpost* program supports setting of internal values via a *−s* commandline switch. Since this switch is repeatable, a structure is needed to store the found values in, which is a simple linked list.

```

typedef struct set_list_item {
    int isstring;
    char *name;
    char *value;
    struct set_list_item *next;
} set_list_item;

```

19. Here is the global value that is the head of the list of *−s* options.
 struct set_list_item *set_list ← Λ;

20. And *internal_set_option* is the routine that fills in the linked list. The argument it receives starts at the first letter of the internal, and should contain an internal name, an equals sign, and the value (possibly in quotes) without any intervening spaces.

Double quotes around the right hand side are needed to make sure that the right hand side is treated as a string assignment by MPLib later. These outer double quote characters are stripped, but no other string processing takes place.

As a special hidden feature, a missing right hand side is treated as if it was the integer value 1.

(Declarations 7) +≡

```
void internal_set_option(const char *opt);
```

21. void *internal_set_option*(const char *opt)

```
{
  struct set_list_item *itm;
  char *s,*v;
  int isstring ← 0;
  s ← mpost_xstrdup(opt); v ← strstr(s,"=");
  if (v ≡ Λ) {
    v ← xstrdup("1");
  }
  else {
    *v ← '\0';    ▷ terminates s ◁
    v++;
    if (*v ∧ *v ≡ '') {
      isstring ← 1; v++; *(v + strlen(v) - 1) ← '\0';
    }
  }
  if (s ∧ v ∧ strlen(s) > 0) {
    if (set_list ≡ Λ) {
      set_list ← xmalloc(sizeof(struct set_list_item)); itm ← set_list;
    }
    else {
      itm ← set_list;
      while (itm→next ≠ Λ) itm ← itm→next;
      itm→next ← xmalloc(sizeof(struct set_list_item)); itm ← itm→next;
    }
    itm→name ← s; itm→value ← v; itm→isstring ← isstring; itm→next ← Λ;
  }
}
```

22. After the initialization stage is done, the next function runs through the list of options and feeds them to the MPLib function *mp_set_internal*.

(Declarations 7) +≡

```
void run_set_list(MP mp);
```

- ```

23. void run_set_list(MP mp)
{
 struct set_list_item *itm;
 itm ← set_list;
 while (itm ≠ Λ) {
 mp_set_internal(mp, itm→name, itm→value, itm→isstring); itm ← itm→next;
 }
}

24. static void *mpost_open_file(MP mp, const char *fname, const char *fmode, int ftype)
{
 char realmode[3];
 char *s;
 if (ftype ≡ mp_filetype_terminal) {
 return (fmode[0] ≡ 'r' ? stdin : stdout);
 }
 else if (ftype ≡ mp_filetype_error) {
 return stderr;
 }
 else {
 s ← mpost_find_file(mp, fname, fmode, ftype);
 if (s ≠ Λ) {
 void *ret ← Λ;
 realmode[0] ← *fmode; realmode[1] ← 'b'; realmode[2] ← '\0';
 ret ← (void *)fopen(s, realmode);
 if (recorder_enabled) {
 if (¬recorder_file) recorder_start(job_name);
 if (*fmode ≡ 'r') fprintf(recorder_file, "INPUT_□%s\n", s);
 else fprintf(recorder_file, "OUTPUT_□%s\n", s);
 }
 free(s); return ret;
 }
 }
 return Λ;
}

25. ⟨Register the callback routines 5⟩ +≡
if (¬nokpse) options→open_file ← mpost_open_file;

```

**26.** `#define ARGUMENT_IS(a) STREQ(mpost_options[optionid].name, a)`

⟨Structures for *getopt* 26⟩ ≡   ▷ SunOS cc can't initialize automatic structs, so make this static. ◁

```
static struct option mpost_options[] ← {{"mem", 1, 0, 0}, {"help", 0, 0, 0}, {"debug", 0, &debug, 1},
{"no-kpathsea", 0, &nokpse, 1}, {"dvitomp", 0, &dvitomp_only, 1}, {"ini", 0, &ini_version_test, 1},
{"interaction", 1, 0, 0}, {"math", 1, 0, 0}, {"numbersystem", 1, 0, 0}, {"halt-on-error", 0, 0, 0},
{"kpathsea-debug", 1, 0, 0}, {"progname", 1, 0, 0}, {"version", 0, 0, 0}, {"recorder", 0,
&recorder_enabled, 1}, {"restricted", 0, 0, 0}, {"file-line-error-style", 0, 0, 0},
{"no-file-line-error-style", 0, 0, 0}, {"file-line-error", 0, 0, 0},
{"no-file-line-error", 0, 0, 0}, {"jobname", 1, 0, 0}, {"output-directory", 1, 0, 0}, {"s", 1, 0, 0},
{"parse-first-line", 0, 0, 0}, {"no-parse-first-line", 0, 0, 0}, {"8bit", 0, 0, 0}, {"T", 0, 0, 0},
{"troff", 0, 0, 0}, {"tex", 1, 0, 0}, {0, 0, 0, 0}};
```

See also section 28.

This code is used in section 2.

## 27. Parsing the commandline options.

⟨Read and set command line options 27⟩ ≡

```

{
 int g; ▷ 'getopt' return code. ◁
 int optionid;
 for (; ;) {
 g ← getopt_long_only(argc, argv, "+", mpost_options, &optionid);
 if (g ≡ -1) ▷ End of arguments, exit the loop. ◁
 break;
 if (g ≡ '?') { ▷ Unknown option. ◁
 exit(EXIT_FAILURE);
 }
 if (ARGUMENT_IS("kpathsea-debug")) {
 kpathsea_debug |= (unsigned) atoi(optarg);
 }
 else if (ARGUMENT_IS("jobname")) {
 if (optarg ≠ Λ) {
 mpost_xfree(options-job_name); options-job_name ← mpost_xstrdup(optarg);
 }
 }
 else if (ARGUMENT_IS("progname")) {
 user_progname ← optarg;
 }
 else if (ARGUMENT_IS("mem")) {
 if (optarg ≠ Λ) {
 mpost_xfree(options-mem_name); options-mem_name ← mpost_xstrdup(optarg);
 if (user_progname ≡ Λ) user_progname ← optarg;
 }
 }
 else if (ARGUMENT_IS("interaction")) {
 if (STREQ(optarg, "batchmode")) {
 options-interaction ← mp_batch_mode;
 }
 else if (STREQ(optarg, "nonstopmode")) {
 options-interaction ← mp_nonstop_mode;
 }
 else if (STREQ(optarg, "scrollmode")) {
 options-interaction ← mp_scroll_mode;
 }
 else if (STREQ(optarg, "errorstopmode")) {
 options-interaction ← mp_error_stop_mode;
 }
 else {
 fprintf(stdout, "Ignoring unknown argument '%s' to --interaction\n", optarg);
 }
 }
 else if (ARGUMENT_IS("math") ∨ ARGUMENT_IS("numbersystem")) {
 if (STREQ(optarg, "scaled")) {
 options-math_mode ← mp_math_scaled_mode;
 internal_set_option("numbersystem=\"scaled\"");
 }
 else if (STREQ(optarg, "double")) {

```

```

 options→math_mode ← mp_math_double_mode;
 internal_set_option("numbersystem=\double\");
 }
 else if (STREQ(optarg, "decimal")) {
 options→math_mode ← mp_math_decimal_mode;
 internal_set_option("numbersystem=\decimal\");
 }
 else if (STREQ(optarg, "binary")) {
 options→math_mode ← mp_math_binary_mode;
 internal_set_option("numbersystem=\binary\");
 }
 else if (STREQ(optarg, "interval")) {
 options→math_mode ← mp_math_interval_mode;
 internal_set_option("numbersystem=\interval\");
 }
 else {
 fprintf(stdout, "Ignoring unknown argument '%s' to --numbersystem\n", optarg);
 }
}
else if (ARGUMENT_IS("restricted")) {
 restricted_mode ← true; mpost_tex_program ← Λ;
}
else if (ARGUMENT_IS("troff") ∨ ARGUMENT_IS("T")) {
 options→troff_mode ← (int) true;
}
else if (ARGUMENT_IS("tex")) {
 if (¬restricted_mode) mpost_tex_program ← optarg;
}
else if (ARGUMENT_IS("file-line-error") ∨ ARGUMENT_IS("file-line-error-style")) {
 options→file_line_error_style ← true;
}
else if (ARGUMENT_IS("no-file-line-error") ∨ ARGUMENT_IS("no-file-line-error-style")) {
 options→file_line_error_style ← false;
}
else if (ARGUMENT_IS("help")) {
 if (dvitomp_only) {
 ⟨Show short help and exit 31⟩;
 }
 else {
 ⟨Show help and exit 30⟩;
 }
}
else if (ARGUMENT_IS("version")) {
 ⟨Show version and exit 32⟩;
}
else if (ARGUMENT_IS("s")) {
 if (strchr(optarg, '=') ≡ Λ) {
 fprintf(stdout, "fatal error: %s: missing -s argument\n", argv[0]); exit(EXIT_FAILURE);
 }
 else {
 internal_set_option(optarg);
 }
}

```

```

}
else if (ARGUMENT_IS("halt-on-error")) {
 options-halt_on_error ← true;
}
else if (ARGUMENT_IS("output-directory")) {
 output_directory ← optarg;
}
else if (ARGUMENT_IS("8bit") ∨ ARGUMENT_IS("parse-first-line")) {
 ▷ do nothing, these are always on ◁
 fprintf(stdout, "warning: %s: option %s is always enabled\n", argv[0],
 mpost_options[optionid].name);
}
else if (ARGUMENT_IS("translate-file") ∨ ARGUMENT_IS("no-parse-first-line")) {
 fprintf(stdout, "warning: %s: unimplemented option %s\n", argv[0],
 mpost_options[optionid].name);
}
}
}
options-ini_version ← (int) ini_version_test;
}

```

This code is used in section 39.

**28.** #define option\_is(a) STREQ(dvitomp\_options[optionid].name, a)

⟨Structures for *getopt* 26⟩ +≡ ▷ SunOS cc can't initialize automatic structs, so make this static. ◁  
**static struct option** *dvitomp\_options*[] ← {"help", 0, 0, 0}, {"no-kpathsea", 0, &*nokpse*, 1},  
{"kpathsea-debug", 1, 0, 0}, {"progname", 1, 0, 0}, {"version", 0, 0, 0}, {0, 0, 0, 0};

```

29. ⟨Read and set dvitomp command line options 29⟩ ≡
{
 int g; ▷ 'getopt' return code. ◁
 int optionid;
 for (; ;) {
 g ← getopt_long_only(argc, argv, "+", dvitomp_options, &optionid);
 if (g ≡ -1) ▷ End of arguments, exit the loop. ◁
 break;
 if (g ≡ '?') { ▷ Unknown option. ◁
 fprintf(stdout, "fatal_error: %s: unknown_option %s\n", argv[0], argv[optind]);
 exit(EXIT_FAILURE);
 }
 if (option_is("kpathsea-debug")) {
 if (optarg ≠ Λ) kpathsea_debug |= (unsigned) atoi(optarg);
 }
 else if (option_is("progrname")) {
 user_progrname ← optarg;
 }
 else if (option_is("help")) {
 ⟨Show short help and exit 31⟩;
 }
 else if (option_is("version")) {
 ⟨Show version and exit 32⟩;
 }
 }
}

```

This code is used in section 39.

## 30. (Show help and exit 30) ≡

```

{
char *s ← mp_metapost_version();
if (dvitomp_only)
 fprintf(stdout, "This is dvitomp %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
else fprintf(stdout, "This is MetaPost %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
mpost_xfree(s);
fprintf(stdout, "\nUsage: mpost [OPTION] [&MPNAME] [MPNAME [.mp]] [COMMANDS] \n"
 " mpost --dvitomp DVINAME [.dvi] [MPXNAME [.mpx]] \n \n"
 " Run MetaPost on MPNAME, usually creating MPNAME.NNN (and perhaps \n"
 " MPNAME.tfm), where NNN are the character numbers generated. \n"
 " Any remaining COMMANDS are processed as MetaPost input, \n"
 " after MPNAME is read. \n \n"
 " With a --dvitomp argument, MetaPost acts as a DVI-to-MPX converter only. \n"
 " Call MetaPost with --dvitomp --help for option explanations. \n \n");
fprintf(stdout, "MetaPost options: \n"
 " --debug print debugging info and leave temporary files \n"
 " in place \n"
 " --mem=STRING Use STRING for the name of the file that contains \n"
 " macros to be preloaded (same as &MPNAME) \n"
 " --numbersystem=STRING set number system mode \n"
 " (STRING=scaled/double/binary/interval/decimal) \n"
 " --restricted be secure: disable tex, makemp and editor commands \n"
 " --tex=TEXPROGRAM use TEXPROGRAM for text labels \n"
 " --troff set prologues:=1 and assume TEXPROGRAM is \n"
 " really troff \n"
 " --T same as --troff \n"
 " --s_INTERNAL=STRING set internal INTERNAL to the string value STRING \n"
 " --s_INTERNAL=NUMBER set internal INTERNAL to the integer value NUMBER \n");
fprintf(stdout, "\nCommon options: \n"
 " [-no]-file-line-error disable/enable file:line:error style messages \n"
 " --halt-on-error stop processing at the first error \n"
 " --help display this help and exit \n"
 " --ini do not load any preload file \n"
 " --interaction=STRING set interaction mode (STRING=batchmode/nonstopmode/ \n"
 " scrollmode/errorstopmode) \n"
 " --jobname=STRING set the job name to STRING \n"
 " --kpathsea-debug=NUMBER set path searching debugging flags according to \n"
 " the bits of NUMBER \n"
 " --no-kpathsea Do not use the kpathsea program to find files. \n"
 " All files have to be in the current directory \n"
 " or specified via a full path. \n"
 " --output-directory=DIR use existing DIR as the directory \n"
 " to write files in \n"
 " --progname=STRING set program (and mem) name to STRING \n"
 " --recorder enable filename recorder \n"
 " --version output version information and exit \n");
fprintf(stdout, "\nEmail bug reports to mp-implementors@tug.org. \n \n"); exit(EXIT_SUCCESS);
}

```

This code is used in section 27.

## 31. ⟨Show short help and exit 31⟩ ≡

```

{
 char *s ← mp_metapost_version();
 if (dvitomp_only)
 fprintf(stdout, "This is dvitomp %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
 else fprintf(stdout, "This is MetaPost %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
 mpost_xfree(s); fprintf(stdout, "\nUsage: dvitomp DVINAME [.dvi] [MPXNAME [.mpx]] \n"
 " mpost --dvitomp DVINAME [.dvi] [MPXNAME [.mpx]] \n\n"
 " Convert a TeX DVI file to a MetaPost MPX file. \n\n");
 fprintf(stdout, " --programe=STRING set program name to STRING\n"
 " --kpathsea-debug=NUMBER set path searching debugging flags according to\n"
 " the bits of NUMBER\n"
 " --help display this help and exit\n"
 " --version output version information and exit\n\n"
 " Email bug reports to mp-implementors@tug.org. \n\n"); exit(EXIT_SUCCESS);
}

```

This code is used in sections 27, 29, and 39.

## 32. ⟨Show version and exit 32⟩ ≡

```

{
 char *s ← mp_metapost_version();
 if (dvitomp_only)
 fprintf(stdout, "dvitomp (MetaPost) %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
 else fprintf(stdout, "MetaPost %s \"WEB2CVERSION\" (%s) \n", s, kpathsea_version_string);
 fprintf(stdout, "The MetaPost source code in the public domain.\n"
 "MetaPost also uses code available under the\n"
 "GNU Lesser General Public License (version 3 or later); \n"
 "therefore MetaPost executables are covered by the LGPL.\n"
 "There is NO warranty. \n"
 "For more information about these matters, see the file\n"
 "COPYING.LESSER or <http://gnu.org/licenses/lgpl.html>. \n"
 "Original author of MetaPost: John Hobby. \n"
 "Author of the CWEB MetaPost: Taco Hoekwater. \n"
 "Current maintainer of MetaPost: Luigi Scarso. \n\n"); mpost_xfree(s);
 if (!dvitomp_only) {
 mp_show_library_versions();
 }
 exit(EXIT_SUCCESS);
}

```

This code is used in sections 27 and 29.

**33.** The final part of the command line, after option processing, is stored in the METAPOST instance, this will be taken as the first line of input.

```
#define command_line_size 256
#define max_command_line_size #FFFFFFF
 ▷ should be the same of max_halfword (see mp_reallocate_buffer) ◁

◁ Copy the rest of the command line 33) ≡
{
 mpost_xfree(options→command_line); options→command_line ← mpost_xmalloc(command_line_size);
 strcpy(options→command_line, "");
 if (optind < argc) {
 int optind_aux ← optind;
 size_t buflen ← 0;
 for (; optind_aux < argc; optind_aux++) {
 buflen += (strlen(argv[optind_aux]) + 1); ▷ reserve space for '␣' as separator ◁
 } ▷ Last char is '␣', no need to reserve space for final '\0' ◁
 if (buflen > max_command_line_size) {
 fprintf(stderr, "length_of␣command␣line␣too␣long!\n"); exit(EXIT_FAILURE);
 }
 mpost_xfree(options→command_line); options→command_line ← mpost_xmalloc(buflen); k ← 0;
 for (; optind < argc; optind++) {
 char *c ← argv[optind];
 while (*c ≠ '\0') {
 options→command_line[k++] ← *c; c++;
 }
 options→command_line[k++] ← '␣';
 }
 while (k > 0) {
 if (options→command_line[(k - 1)] ≡ '␣') k--;
 else break;
 }
 options→command_line[k] ← '\0';
 }
}
```

This code is used in section 39.

**34.** A simple function to get numerical `texmf.cnf` values

```
static int setup_var(int def, const char *var_name, boolean nokpse)
{
 if (!nokpse) {
 char *expansion ← kpse_var_value(var_name);
 if (expansion) {
 int conf_val ← atoi(expansion);
 free(expansion);
 if (conf_val > 0) {
 return conf_val;
 }
 }
 }
 return def;
}
```

35. ⟨Set up the banner line 35⟩ ≡

```
{
 char *mpversion ← mp_metapost_version();
 const char *banner ← "This is MetaPost, version ";
 const char *kpsebanner_start ← "(";
 const char *kpsebanner_stop ← ")";
 mpost_xfree(options→banner);
 options→banner ← mpost_xmalloc(strlen(banner) + strlen(mpversion) + strlen(WEB2CVERSION) +
 strlen(kpsebanner_start) + strlen(kpathsea_version_string) + strlen(kpsebanner_stop) + 1);
 strcpy(options→banner, banner); strcat(options→banner, mpversion);
 strcat(options→banner, WEB2CVERSION); strcat(options→banner, kpsebanner_start);
 strcat(options→banner, kpathsea_version_string); strcat(options→banner, kpsebanner_stop);
 mpost_xfree(mpversion);
}
```

This code is used in section 39.

**36.** Precedence order is:

-mem=MEMNAME on the command line  
 &MEMNAME on the command line  
 %&MEM as first line inside input file  
 argv[0] if all else fails

⟨Discover the mem name 36⟩ ≡

```
{
 char *m ← Λ; ▷ head of potential mem_name ◁
 char *n ← Λ; ▷ a moving pointer ◁
 if (options→command_line ≠ Λ ∧ *(options→command_line) ≡ '&') {
 m ← mpost_xstrdup(options→command_line + 1); n ← m;
 while (*n ≠ '\0' ∧ *n ≠ '␣') n++;
 while (*n ≡ '␣') n++;
 if (*n ≠ '\0') { ▷ more command line to follow ◁
 char *s ← mpost_xstrdup(n);
 if (n > m) n--;
 while (*n ≡ '␣' ∧ n > m) n--;
 n++; *n ← '\0'; ▷ this terminates m ◁
 mpost_xfree(options→command_line); options→command_line ← s;
 }
 }
 else { ▷ only &MEMNAME on command line ◁
 if (n > m) n--;
 while (*n ≡ '␣' ∧ n > m) n--;
 n++; *n ← '\0'; ▷ this terminates m ◁
 mpost_xfree(options→command_line);
 }
 if (options→mem_name ≡ Λ ∧ *m ≠ '\0') {
 mpost_xfree(options→mem_name); ▷ for lint only ◁
 options→mem_name ← m;
 }
 else {
 mpost_xfree(m);
 }
}
}
if (options→mem_name ≡ Λ) {
 char *m ← Λ; ▷ head of potential job_name ◁
 char *n ← Λ; ▷ a moving pointer ◁
 if (options→command_line ≠ Λ ∧ *(options→command_line) ≠ '\\') {
 m ← mpost_xstrdup(options→command_line); n ← m;
 while (*n ≠ '\0' ∧ *n ≠ '␣') n++;
 if (n > m) {
 char *fname;
 *n ← '\0'; fname ← m;
 if (¬nokpse) fname ← kpse_find_file(m, kpse_mp_format, true);
 if (fname ≡ Λ) {
 mpost_xfree(m);
 }
 }
 else {
 FILE *F ← fopen(fname, "r");
 if (F ≡ Λ) {
```

```

 mpost_xfree(fname);
}
else {
 char *line ← mpost_xmalloc(256);
 if (fgets(line, 255, F) ≡ Λ) {
 (void)fclose(F); mpost_xfree(fname); mpost_xfree(line);
 }
 else {
 (void)fclose(F);
 while (*line ≠ '\0' ∧ *line ≡ '␣') line ++;
 if (*line ≡ '%') {
 n ← m ← line + 1;
 while (*n ≠ '\0' ∧ *n ≡ '␣') n ++;
 if (*n ≡ '&') {
 m ← n + 1;
 while (*n ≠ '\0' ∧ *n ≠ '␣') n ++;
 if (n > (m + 1)) {
 n --;
 while (*n ≡ '␣' ∧ n > m) n --;
 *n ← '\0'; ▷ this terminates m ◁
 options→mem_name ← mpost_xstrdup(m); mpost_xfree(fname);
 }
 else {
 mpost_xfree(fname); mpost_xfree(line);
 }
 }
 }
 }
}
else {
 mpost_xfree(m);
}
}
if (options→mem_name ≡ Λ)
 if (kpse_program_name ≠ Λ) options→mem_name ← mpost_xstrdup(kpse_program_name);

```

This code is used in section 39.

**37.** The job name needs to be known for the recorder to work, so we have to fix up *job\_name* and *job\_area*. If there was a `--jobname` on the command line, we have to reset the options structure as well.

⟨ Discover the job name 37 ⟩ ≡

```

{
 char *tmp_job ← Λ;
 if (options→job_name ≠ Λ) {
 tmp_job ← mpost_xstrdup(options→job_name); mpost_xfree(options→job_name);
 options→job_name ← Λ;
 }
 else {
 char *m ← Λ; ▷ head of potential job_name ◁
 char *n ← Λ; ▷ a moving pointer ◁
 if (options→command_line ≠ Λ) {
 m ← mpost_xstrdup(options→command_line); n ← m;
 if (*(options→command_line) ≠ '\\') { ▷ this is the simple case ◁
 while (*n ≠ '\\0' ∧ *n ≠ '_') n++;
 if (n > m) {
 *n ← '\\0'; tmp_job ← mpost_xstrdup(m);
 }
 }
 }
 else { ▷ this is still not perfect, but better ◁
 char *mm ← strstr(m, "input_");
 if (mm ≠ Λ) {
 mm += 6; n ← mm;
 while (*n ≠ '\\0' ∧ *n ≠ '_' ∧ *n ≠ ';' ;) n++;
 if (n > mm) {
 *n ← '\\0'; tmp_job ← mpost_xstrdup(mm);
 }
 }
 }
 }
 free(m);
}
if (tmp_job ≡ Λ) {
 if (options→ini_version ≡ 1 ∧ options→mem_name ≠ Λ) {
 tmp_job ← mpost_xstrdup(options→mem_name);
 }
}
if (tmp_job ≡ Λ) {
 tmp_job ← mpost_xstrdup("mpout");
}
else {
 char *ext ← strrchr(tmp_job, '.');
 if (ext ≠ Λ) *ext ← '\\0';
}
} ▷ now split tmp_job into job_area and job_name ◁
{
 char *s ← tmp_job + strlen(tmp_job);
 if (!IS_DIR_SEP(*s)) { ▷ just in case ◁
 while (s > tmp_job) {
 if (IS_DIR_SEP(*s)) {
 break;
 }
 }
 }
}

```

```

 }
 s--;
 }
 if (s > tmp_job) { ▷ there was a directory part ◁
 if (strlen(s) > 1) {
 job_name ← mpost_xstrdup((s + 1)); *(s + 1) ← '\0'; job_area ← tmp_job;
 }
 }
 else {
 job_name ← tmp_job; ▷ job_area stays Λ ◁
 }
}
}
}
options→job_name ← job_name;

```

This code is used in section 39.

**38.** We `#define DLLPROC dllmpostmain` in order to build METAPOST as DLL for W32TEX.

```

⟨Declarations 7⟩ +≡
#define DLLPROC dllmpostmain
#if defined (WIN32) ^ ~defined (__MINGW32__) ^ defined (DLLPROC)
 extern __declspec(dlllexport)
 int DLLPROC(int argc, char **argv);
#else
#undef DLLPROC
#endif

```

39. Now this is really it: METAPOST starts and ends here.

```

static char *cleaned_invocation_name(char *arg)
{
 char *ret,*dot;
 const char *start ← xbasename(arg);
 ret ← xstrdup(start); dot ← strrchr(ret, '.');
 if (dot ≠ Λ) {
 *dot ← 0; ▷ chop ◁
 }
 return ret;
}

int
#ifdef DLLPROC
 DLLPROC(int argc, char **argv)
#else
 main(int argc, char **argv)
#endif
{
 ▷ start_here ◁
 int k; ▷ index into buffer ◁
 int history; ▷ the exit status ◁
 MP mp; ▷ a metapost instance ◁
 struct MP_options *options; ▷ instance options ◁
 char *user_progname ← Λ; ▷ If the user overrides argv[0] with -progname. ◁
 options ← mp_options(); options→ini_version ← (int) false; options→print_found_names ← (int) true;
 {
 const char *base ← cleaned_invocation_name(argv[0]);
 if (FILESTRCASEEQ(base, "rmpost")) {
 base++; restricted_mode ← true;
 }
 else if (FILESTRCASEEQ(base, "r-mpost")) {
 base += 2; restricted_mode ← true;
 }
 if (FILESTRCASEEQ(base, "dvitomp")) dvitomp_only ← 1;
 }
 if (dvitomp_only) {
 ◁ Read and set dvitomp command line options 29;
 }
 else {
 ◁ Read and set command line options 27;
 }
 if (dvitomp_only) {
 char *mpx ← Λ, *dvi ← Λ;
 if (optind ≥ argc) { ▷ error ? ◁
 }
 else {
 dvi ← argv[optind++];
 if (optind < argc) {
 mpx ← argv[optind++];
 }
 }
 }
 if (dvi ≡ Λ) {

```

```

 < Show short help and exit 31);
 }
 else {
 if (\neg nokpse) kpse_set_program_name(argv[0], user_progname ? user_progname : "dvitomp");
 exit(mpost_run_dvitomp(dvi, mpx));
 }
}
 \square /*@-nullpass@*/ \square
if (\neg nokpse) {
 kpse_set_program_enabled(kpse_mem_format, MAKE_TEX_FMT_BY_DEFAULT, kpse_src_compile);
 kpse_set_program_name(argv[0], user_progname);
 if (FILESTRCASEEQ(kpse_program_name, "rmpost")) kpse_program_name++;
 else if (FILESTRCASEEQ(kpse_program_name, "r-mpost")) kpse_program_name += 2;
}
 \square /*@=nullpass@*/ \square
if (putenv(xstrdup("engine=metapost")))
 fprintf(stdout, "warning: \square could not set up \square $engine\n");
options-error_line \leftarrow setup_var(79, "error_line", nokpse);
options-half_error_line \leftarrow setup_var(50, "half_error_line", nokpse);
options-max_print_line \leftarrow setup_var(100, "max_print_line", nokpse); < Set up the banner line 35);
< Copy the rest of the command line 33);
< Discover the mem name 36);
< Discover the job name 37);
< Register the callback routines 5);
mp \leftarrow mp_initialize(options); mpost_xfree(options-command_line); mpost_xfree(options-mem_name);
mpost_xfree(options-job_name); mpost_xfree(options-banner); free(options);
if (mp \equiv Λ) exit(EXIT_FAILURE);
history \leftarrow mp_status(mp);
if (history \neq 0 \wedge history \neq mp_warning_issued) exit(history);
if (set_list \neq Λ) {
 run_set_list(mp);
}
history \leftarrow mp_run(mp); (void) mp_finish(mp);
if (history \neq 0 \wedge history \neq mp_warning_issued) exit(history);
else exit(0);
}

```

## 40. Index.

- \_\_declspec*: [38](#).
- \_\_MINGW32\_\_*: [38](#).
- abs*: [3](#).
- arg*: [39](#).
- argc*: [27](#), [29](#), [33](#), [38](#), [39](#).
- ARGUMENT\_IS: [26](#), [27](#).
- argv*: [27](#), [29](#), [33](#), [38](#), [39](#).
- atoi*: [27](#), [29](#), [34](#).
- banner*: [10](#), [11](#), [35](#), [39](#).
- base*: [39](#).
- boolean**: [2](#), [4](#), [6](#), [9](#), [34](#).
- buffer*: [4](#).
- buflen*: [33](#).
- bytes*: [3](#).
- c*: [4](#), [33](#).
- cleaned\_invocation\_name*: [39](#).
- clock*: [13](#).
- cmd*: [10](#).
- cnf\_cmd*: [10](#).
- cnt*: [4](#).
- command*: [4](#).
- command\_line*: [33](#), [36](#), [37](#), [39](#).
- command\_line\_size*: [33](#).
- concatn*: [10](#).
- concat3*: [15](#).
- conf\_val*: [34](#).
- const\_string**: [6](#).
- cwd*: [8](#).
- d*: [3](#), [11](#).
- ddone*: [4](#).
- debug*: [2](#), [10](#), [26](#).
- def*: [34](#).
- default\_args*: [10](#).
- DIR\_SEP\_STRING: [15](#).
- dllexport*: [38](#).
- dllmpostmain*: [38](#).
- DLLPROC: [38](#), [39](#).
- dontchange*: [4](#).
- dot*: [39](#).
- dvi*: [39](#).
- dviname*: [11](#).
- dvitomp\_only*: [2](#), [26](#), [27](#), [30](#), [31](#), [32](#), [39](#).
- dvitomp\_options*: [28](#), [29](#).
- edit\_value*: [4](#).
- editorname*: [4](#).
- env*: [4](#).
- error\_line*: [39](#).
- exit*: [3](#), [4](#), [6](#), [27](#), [29](#), [30](#), [31](#), [32](#), [33](#), [39](#).
- EXIT\_FAILURE: [3](#), [4](#), [6](#), [11](#), [27](#), [29](#), [33](#), [39](#).
- EXIT\_SUCCESS: [30](#), [31](#), [32](#).
- expansion*: [34](#).
- ext*: [37](#).
- F*: [36](#).
- f*: [16](#).
- false*: [2](#), [4](#), [6](#), [9](#), [15](#), [27](#), [39](#).
- fclose*: [36](#).
- ffp*: [4](#).
- fgets*: [36](#).
- file\_line\_error\_style*: [27](#).
- FILESTRCASEEQ: [39](#).
- find\_file*: [10](#), [11](#), [17](#).
- fline*: [4](#).
- fmode*: [15](#), [16](#), [24](#).
- fmt*: [9](#).
- fname*: [4](#), [16](#), [24](#), [36](#).
- fopen*: [24](#), [36](#).
- FOPEN\_W\_MODE: [8](#).
- fp*: [4](#).
- fprintf*: [3](#), [4](#), [6](#), [8](#), [24](#), [27](#), [29](#), [30](#), [31](#), [32](#), [33](#), [39](#).
- free*: [3](#), [4](#), [10](#), [24](#), [34](#), [37](#), [39](#).
- ftemp*: [15](#).
- ftime*: [13](#).
- ftype*: [9](#), [16](#), [24](#).
- fullcmd*: [4](#).
- g*: [27](#), [29](#).
- get\_random\_seed*: [13](#), [14](#).
- getcwd*: [8](#).
- getenv*: [4](#).
- getopt*: [27](#), [29](#).
- getopt\_long\_only*: [27](#), [29](#).
- gettimeofday*: [13](#).
- half\_error\_line*: [39](#).
- halt\_on\_error*: [27](#).
- HAVE\_FTIME: [13](#).
- HAVE\_GETTIMEOFDAY: [13](#).
- HAVE\_ST\_MTIM: [10](#), [16](#).
- HAVE\_SYS\_STAT\_H: [2](#), [10](#), [16](#).
- HAVE\_SYS\_TIME\_H: [2](#).
- HAVE\_SYS\_TIMEB\_H: [2](#).
- history*: [39](#).
- i*: [3](#), [11](#).
- idx*: [3](#).
- ini\_version*: [27](#), [37](#), [39](#).
- ini\_version\_test*: [2](#), [26](#), [27](#).
- integer64**: [3](#), [4](#).
- interaction*: [27](#).
- internal\_set\_option*: [20](#), [21](#), [27](#).
- INT64\_MIN: [3](#).
- IS\_DIR\_SEP: [4](#), [37](#).
- IS\_KANJI: [8](#).
- isalpha*: [4](#).
- Isspace*: [4](#).

- isstring*: [18](#), [21](#), [23](#).
- itm*: [21](#), [23](#).
- job\_area*: [2](#), [10](#), [16](#), [37](#).
- job\_name*: [2](#), [24](#), [27](#), [36](#), [37](#), [39](#).
- jobname*: [7](#), [8](#).
- k*: [39](#).
- kpathsea\_debug*: [27](#), [29](#).
- kpathsea\_version\_string*: [30](#), [31](#), [32](#), [35](#).
- kpse\_absolute\_p*: [15](#).
- kpse\_enc\_format*: [16](#).
- kpse\_find\_file*: [9](#), [10](#), [16](#), [36](#).
- kpse\_fontmap\_format*: [16](#).
- kpse\_in\_name\_ok*: [9](#), [10](#), [11](#), [16](#).
- kpse\_mem\_format*: [16](#), [39](#).
- kpse\_mf\_format*: [16](#).
- kpse\_mp\_format*: [10](#), [16](#), [36](#).
- kpse\_mpsupport\_format*: [9](#).
- kpse\_out\_name\_ok*: [9](#), [11](#), [16](#).
- kpse\_program\_name*: [36](#), [39](#).
- kpse\_set\_program\_enabled*: [39](#).
- kpse\_set\_program\_name*: [39](#).
- kpse\_src\_compile*: [39](#).
- kpse\_tfm\_format*: [9](#), [16](#).
- kpse\_troff\_font\_format*: [9](#).
- kpse\_type1\_format*: [16](#).
- kpse\_var\_value*: [4](#), [10](#), [34](#).
- kpse\_vf\_format*: [9](#).
- kpsebanner\_start*: [35](#).
- kpsebanner\_stop*: [35](#).
- l*: [10](#), [16](#).
- line*: [36](#).
- localtime*: [13](#).
- m*: [11](#), [36](#), [37](#).
- main*: [39](#).
- maincmd*: [10](#).
- MAKE\_TEX\_FMT\_BY\_DEFAULT**: [39](#).
- makempx\_find\_file*: [9](#), [10](#), [11](#).
- malloc*: [3](#), [11](#).
- math\_mode*: [27](#).
- max\_command\_line\_size*: [33](#).
- max\_halfword*: [33](#).
- max\_print\_line*: [39](#).
- mem\_name*: [27](#), [36](#), [37](#), [39](#).
- memset*: [3](#), [11](#).
- mesg*: [6](#).
- millitm*: [13](#).
- mm*: [37](#).
- mode*: [9](#), [10](#), [11](#).
- mp*: [4](#), [10](#), [16](#), [22](#), [23](#), [24](#), [39](#).
- MP**: [4](#), [10](#), [16](#), [22](#), [23](#), [24](#), [39](#).
- mp\_batch\_mode*: [27](#).
- mp\_error\_stop\_mode*: [27](#).
- mp\_filetype\_encoding*: [16](#).
- mp\_filetype\_error*: [24](#).
- mp\_filetype\_font*: [16](#).
- mp\_filetype\_fontmap*: [16](#).
- mp\_filetype\_memfile*: [16](#).
- mp\_filetype\_metrics*: [16](#).
- mp\_filetype\_program*: [16](#).
- mp\_filetype\_terminal*: [24](#).
- mp\_filetype\_text*: [16](#).
- mp\_finish*: [39](#).
- mp\_initialize*: [39](#).
- mp\_math\_binary\_mode*: [27](#).
- mp\_math\_decimal\_mode*: [27](#).
- mp\_math\_double\_mode*: [27](#).
- mp\_math\_interval\_mode*: [27](#).
- mp\_math\_scaled\_mode*: [27](#).
- mp\_metapost\_version*: [10](#), [11](#), [30](#), [31](#), [32](#), [35](#).
- mp\_nonstop\_mode*: [27](#).
- MP\_options**: [39](#).
- mp\_options*: [39](#).
- mp\_reallocate\_buffer*: [33](#).
- mp\_run*: [39](#).
- mp\_scroll\_mode*: [27](#).
- mp\_set\_internal*: [22](#), [23](#).
- mp\_show\_library\_versions*: [32](#).
- mp\_status*: [4](#), [39](#).
- mp\_troff\_mode*: [10](#).
- mp\_warning\_issued*: [39](#).
- mpname*: [10](#), [11](#), [16](#).
- mpost*: [18](#).
- mpost\_find\_file*: [16](#), [17](#), [24](#).
- mpost\_find\_in\_output\_directory*: [15](#), [16](#).
- mpost\_itoa*: [3](#).
- mpost\_i64toa*: [3](#), [4](#).
- mpost\_open\_file*: [24](#), [25](#).
- mpost\_options*: [26](#), [27](#).
- mpost\_run\_dvitolmp*: [11](#), [39](#).
- mpost\_run\_editor*: [4](#), [5](#).
- mpost\_run\_make\_mpx*: [10](#), [12](#).
- mpost\_tex\_program*: [2](#), [10](#), [27](#).
- mpost\_xfree*: [3](#), [10](#), [11](#), [16](#), [27](#), [30](#), [31](#), [32](#), [33](#), [35](#), [36](#), [37](#), [39](#).
- mpost\_xmalloc*: [3](#), [4](#), [6](#), [10](#), [11](#), [16](#), [33](#), [35](#), [36](#).
- mpost\_xstrdup*: [3](#), [8](#), [10](#), [11](#), [16](#), [21](#), [27](#), [36](#), [37](#).
- mptexpre*: [10](#).
- mpversion*: [10](#), [11](#), [35](#).
- MPX**: [9](#).
- mpx*: [9](#), [39](#).
- mpx\_desc\_format*: [9](#).
- mpx\_fontdesc\_format*: [9](#).
- mpx\_makempx*: [10](#).
- mpx\_options**: [10](#), [11](#).

- mpx\_run\_dvitomp*: [11](#).
- mpx\_specchar\_format*: [9](#).
- mpx\_tex\_mode*: [10](#), [11](#).
- mpx\_tfm\_format*: [9](#).
- mpx\_trcharadj\_format*: [9](#).
- mpx\_trfontmap\_format*: [9](#).
- mpx\_vf\_format*: [9](#).
- MPXCOMMAND**: [10](#).
- mpxmode*: [10](#).
- mpxname*: [10](#), [11](#).
- mpxopt*: [10](#), [11](#).
- mstat**: [10](#), [16](#).
- must\_quote*: [6](#).
- n*: [36](#), [37](#).
- nam*: [9](#).
- name*: [6](#), [18](#), [21](#), [23](#), [26](#), [27](#), [28](#).
- next*: [18](#), [21](#), [23](#).
- nokpse*: [2](#), [12](#), [17](#), [25](#), [26](#), [28](#), [34](#), [36](#), [39](#).
- normalize\_quotes*: [6](#), [10](#).
- nothingtodo*: [10](#).
- ofname*: [16](#).
- open\_file*: [25](#).
- opt*: [20](#), [21](#).
- optarg*: [27](#), [29](#).
- optind*: [29](#), [33](#), [39](#).
- optind\_aux*: [33](#).
- option**: [26](#), [28](#).
- option\_is*: [28](#), [29](#).
- optionid*: [26](#), [27](#), [28](#), [29](#).
- options*: [5](#), [12](#), [14](#), [17](#), [25](#), [27](#), [33](#), [35](#), [36](#), [37](#), [39](#).
- output\_directory*: [2](#), [15](#), [16](#), [27](#).
- p*: [6](#), [8](#).
- print\_found\_names*: [39](#).
- putenv*: [39](#).
- puts*: [11](#).
- q*: [6](#).
- qmpname*: [10](#).
- qmpxname*: [10](#).
- quoted*: [6](#).
- random\_seed*: [14](#).
- realmode*: [24](#).
- recorder\_enabled*: [2](#), [24](#), [26](#).
- recorder\_file*: [2](#), [8](#), [24](#).
- recorder\_name*: [2](#), [8](#).
- recorder\_start*: [7](#), [8](#), [24](#).
- req*: [9](#).
- res*: [3](#).
- restricted\_mode*: [2](#), [4](#), [10](#), [27](#), [39](#).
- ret*: [6](#), [10](#), [11](#), [13](#), [24](#), [39](#).
- run\_editor*: [5](#).
- run\_make\_mpx*: [12](#).
- run\_set\_list*: [22](#), [23](#), [39](#).
- s*: [3](#), [4](#), [10](#), [11](#), [15](#), [16](#), [21](#), [24](#), [30](#), [31](#), [32](#), [36](#), [37](#).
- sdone*: [4](#).
- SearchPath*: [4](#).
- set\_list*: [19](#), [21](#), [23](#), [39](#).
- set\_list\_item**: [18](#), [19](#), [21](#), [23](#).
- setup\_var*: [34](#), [39](#).
- source\_stat*: [10](#), [16](#).
- ss*: [4](#).
- st\_mtim*: [10](#), [16](#).
- st\_mtime*: [10](#), [16](#).
- start*: [39](#).
- start\_here*: [39](#).
- stat*: [10](#), [16](#).
- stderr*: [3](#), [4](#), [6](#), [24](#), [33](#).
- stdin*: [24](#).
- stdout*: [24](#), [27](#), [29](#), [30](#), [31](#), [32](#), [39](#).
- strcat*: [4](#), [8](#), [10](#), [11](#), [16](#), [35](#).
- strchr*: [6](#), [27](#).
- strcmp*: [10](#), [16](#).
- strcpy*: [4](#), [8](#), [10](#), [11](#), [16](#), [33](#), [35](#).
- strdup*: [3](#), [9](#).
- STREQ**: [26](#), [27](#), [28](#).
- string**: [2](#), [4](#), [6](#), [8](#).
- strlen*: [4](#), [6](#), [8](#), [10](#), [11](#), [16](#), [21](#), [33](#), [35](#), [37](#).
- strrchr*: [37](#), [39](#).
- strstr*: [21](#), [37](#).
- system*: [4](#), [10](#).
- target\_stat*: [10](#), [16](#).
- tb*: [13](#).
- temp*: [4](#).
- TEX**: [10](#).
- time*: [13](#).
- timeb**: [13](#).
- timeval**: [13](#).
- tm**: [2](#), [13](#).
- tm\_hour*: [13](#).
- tm\_min*: [13](#).
- tm\_sec*: [13](#).
- tmp*: [10](#).
- tmp\_job*: [37](#).
- tmptr*: [13](#).
- TROFF**: [10](#).
- troff\_mode*: [27](#).
- true*: [4](#), [9](#), [10](#), [27](#), [36](#), [39](#).
- tv*: [13](#).
- tv\_nsec*: [10](#), [16](#).
- tv\_sec*: [10](#), [16](#).
- tv\_usec*: [13](#).
- user\_progname*: [27](#), [29](#), [39](#).
- v*: [3](#), [21](#).
- value*: [18](#), [21](#), [23](#).
- var\_name*: [34](#).

*w*: [3](#).

WEB2CVERSION: [30](#), [31](#), [32](#), [35](#).

WIN32: [4](#), [8](#), [38](#).

*xbasename*: [39](#).

*xfopen*: [8](#).

*xmalloc*: [8](#), [21](#).

*xstrdup*: [21](#), [39](#).

- ⟨ Copy the rest of the command line 33 ⟩ Used in section 39.
- ⟨ Declarations 7, 20, 22, 38 ⟩ Used in section 2.
- ⟨ Discover the job name 37 ⟩ Used in section 39.
- ⟨ Discover the mem name 36 ⟩ Used in section 39.
- ⟨ Read and set command line options 27 ⟩ Used in section 39.
- ⟨ Read and set `dvitomp` command line options 29 ⟩ Used in section 39.
- ⟨ Register the callback routines 5, 12, 14, 17, 25 ⟩ Used in section 39.
- ⟨ Set up the banner line 35 ⟩ Used in section 39.
- ⟨ Show help and exit 30 ⟩ Used in section 27.
- ⟨ Show short help and exit 31 ⟩ Used in sections 27, 29, and 39.
- ⟨ Show version and exit 32 ⟩ Used in sections 27 and 29.
- ⟨ Structures for *getopt* 26, 28 ⟩ Used in section 2.